Test (03-22-2010 21:35:06) [188]

From: load06 test06

To: load06 test06, load07 test07, load08 test08, load09 test09

Date: 2010/03/22 21:47

Subject: Test (03-22-2010 21:35:06) [188]

Attachments: ATT-Test [188].txt

Sent at: 03-22-2010 21:35:06

Counter: 188

1 User password cannot be empty

2. I need to disable the webaccess browser when it loses focus

3. I can't get the auto login to work on the web page you gave me, however it works fine on our webaccess.

4. The code needs to be changed to automatically select the archive tab.

Property	Value
Message id	4BA7E556.dom1.po1.100.1353536.1. 37CF.1
Message Path	xml/Cabinet\A/4BA7E556.dom1.po1.1 00.1353536.1.37CF.1.xml
From	load06 test06
Display Name	load06 test06
Email	load06@smt.qa.com
UUID	C3D0DE80-1335-0000-992C- B0923B5F9940
Reply To	load06@smt.qa.com
Text	load06 test06
То	load06 test06; load07 test07; load08 test08; load09 test09
CC	
Subject	Test (03-22-2010 21:35:06) [188]
Scheduled date	2010-03-22 21:47:02
Creation date	2010-03-22 21:47:02
Modified date	2010-07-13 14:27:30
Delivered date	2010-03-22 21:47:02
Message size	320
Attachments	1
Attachment	ATT-Test [188].txt
Name	ATT-Test [188].txt
Content ID	4BA7E556.dom1.po1.200.200008B.1. 32EE.1@45:4BA7E556.dom1.po1.10 0.1353536.1.37CF.1@1:4BA7E96F.d om1.po1.100.1353536.1.3908.1@13
Is Inline	false
Туре	file
Size	211
Date	2010-03-22 17:47:00

Message id 4BA7E556.dom1.po1.100.1353536.1. CA accounts\test07@load07.po1.dom1\content\test757482746235E2DF2C6A827 7F8A420712549AFF62A38D8A6957D EBE70F6E8B081B750C2BE Hash 75482F46235E2DF2C6A8277F8A420 712549AFF62A38D8A6957DEBE70F 6E8B081B750C2BE Recipients 4 Recipient Display Name load06 test06 Email load06 dest06 Email load06@smt.qa.com UUID C3D0DE80-1335-0000-992C- B0923B5F9940 Distribution Type TO Recipient Type User Distribution Type TO Recipient Type User Berail load08 test08 Email load08 test08 Email load09 test09 Distribution Type TO Recipient Type User	Property	Value
37CF.1		
ntent75/75482F46235E2DF2C6A827	3	
EBET/0FGE8B081B750C2BE	CA	ntent\75\75482F46235E2DF2C6A827
712549AFF62A38D8A6957DEBE70F6E8B081B750C2BE		
Recipient load06 test06 Display Name load06 test06 Email load06@smt.qa.com UUID C3DDDE80-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient Inador Test07 load07 test07 Email Inador Test07 load07@smt.qa.com UUID Inador Type Indextor TO Recipient Type Indextor TO Recipient Type Indextor User Recipient Indextor load08 test08 Display Name Indextor load08 test08 Email Indextor load08@smt.qa.com UUID Indextor F12C5990-1335-0000-992C-B0923B5F9940 Distribution Type Indextor TO Recipient Type Indextor User Recipient Indextor load09 test09 Distribution Type Indextor To Distribution Type Indextor To Recipient Indextor load09@smt.qa.com UUID Indextor 738110C0-1336-0000-992C-B0923B5F9940 Distribution Type Indextor To Recipient Type Indextor User	Hash	712549AFF62A38D8A6957DEBE70F
Recipient load06 test06 Display Name load06 test06 Email load06@smt.qa.com UUID C3D0DE80-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient load07 test07 Display Name load07 test07 Email load07@smt.qa.com UUID DD702A30-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient I load08 test08 Display Name load08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient I load09 test09 load09 test09 Display Name load09 test09 Display Name load09 test09 Display Name load09 test09 Email load09 test09 Display Calculate I load09 test09 load09 test09 Distribution Type TO Recipient Type <		
Display Name	-	
Email load06@smt.qa.com UUID C3D0DE80-1335-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Recipient Incompany load07 test07 Display Name load07@smt.qa.com UUID DD702A30-1335-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Recipient Type User Recipient Incompany load08 test08 Email load08 test08 Email load08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Recipient Incompany load09 test09 Email load09 test09 Email load09@smt.qa.com UUID 738110CO-1336-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false	•	
UUID		
B0923B5F9940		
Recipient User Recipient load07 test07 Display Name load07 test07 Email load07@smt.qa.com UUID DD702A30-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient Type User Recipient Beail load08 test08 Email load08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient Incatogue load09 test09 Display Name load09 test09 Display Name load09 test09 Email load09 test09 Distribution Type TO Recipient Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Opened false	UUID	
Recipient load07 test07 Display Name load07 test07 Email load07@smt.qa.com UUID DD702A30-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient Prype User Recipient Prype Ioad08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient Incompact I	Distribution Type	ТО
Display Name	Recipient Type	User
Email load07@smt.qa.com UUID DD702A30-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient load08 test08 Display Name load08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient Pype User Recipient I load09 test09 load09 test09 Email load09@smt.qa.com UUID 738110C0-1336-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Recipient	load07 test07
UUID DD702A30-1335-0000-992C- B0923B5F9940 Distribution Type TO Recipient Type User Recipient Display Name Load08 test08 Email Load08@smt.qa.com UUID F12C5990-1335-0000-992C- B0923B5F9940 Distribution Type TO Recipient Type User Recipient Load09 test09 Display Name Load09 test09 Email Load09@smt.qa.com UUID T38110C0-1336-0000-992C- B0923B5F9940 Distribution Type TO Recipient Display Name Load09 test09 Email Load09@smt.qa.com UUID T38110C0-1336-0000-992C- B0923B5F9940 Distribution Type TO Recipient Type User Expire O Delay delivery until O Delegated false Archived false Read false Read false Completed false Security Normal Box type	Display Name	load07 test07
B0923B5F9940	Email	load07@smt.qa.com
Recipient Type User Recipient load08 test08 Display Name load08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Recipient Index	UUID	
Recipient load08 test08 Display Name load08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Recipient Pisplay Name load09 test09 Email load09@smt.qa.com UUID 738110C0-1336-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Distribution Type	ТО
Display Name load08 test08 Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient load09 test09 Display Name load09 test09 Email load09@smt.qa.com UUID 738110C0-1336-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Recipient Type	User
Email load08@smt.qa.com UUID F12C5990-1335-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Recipient load09 test09 Display Name load09 test09 Email load09@smt.qa.com UUID 738110C0-1336-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Recipient	load08 test08
UUID F12C5990-1335-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Recipient load09 test09 Display Name load09 gsmt.qa.com UUID 738110C0-1336-0000-992C-B0923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Display Name	load08 test08
B0923B5F9940 TO Recipient Type	Email	load08@smt.qa.com
Recipient Type Recipient Display Name Load09 test09 Email Load09@smt.qa.com UUID T38110C0-1336-0000-992C- B0923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until Delegated Archived False Read False Deleted Galse Opened Completed False Security Normal Box type Ioad09 test09 Ioad09	UUID	
Recipient load09 test09 Display Name load09 test09 Email load09@smt.qa.com UUID 738110C0-1336-0000-992C- B0923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Distribution Type	ТО
Display Name load09 test09 Email load09@smt.qa.com UUID 738110C0-1336-0000-992C-80923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Recipient Type	User
Email load09@smt.qa.com UUID 738110C0-1336-0000-992C- B0923B5F9940 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Recipient	load09 test09
UUID 738110C0-1336-0000-992C- B0923B5F9940 TO Recipient Type User Expire 0 Delay delivery until 0 Delegated Archived false Read False Deleted False Opened False Completed Security Normal Box type TO Recipient Type Iuser False	Display Name	load09 test09
Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated Archived false Read False Deleted False Opened false Completed Security Normal Box type Inbox	Email	load09@smt.qa.com
Recipient Type Expire Delay delivery until Delegated Archived False Read False Deleted False Opened False Completed False Security Normal Box type User User User Insert Archived False Inbox	UUID	
Recipient Type Expire Delay delivery until Delegated Archived False Read False Deleted Deleted False Completed False Security Normal Inbox	Distribution Type	ТО
Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	* *	User
Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	Expire	0
Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	•	0
Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox	-	false
Read false Deleted false Opened false Completed false Security Normal Box type Inbox	~	
Deleted false Opened false Completed false Security Normal Box type Inbox	Read	false
Opened false Completed false Security Normal Box type Inbox		
Completed false Security Normal Box type Inbox		
Security Normal Box type Inbox		
Box type Inbox	•	
71	•	

Property	Value
Message id	4BA7E556.dom1.po1.100.1353536.1. 37CF.1
Return notification when deleted	false
Return notification when completed	false
Return notification when declined	false
Return notification when accepted	false
Archive Version	2008.1
Internal ID	4BA7E556.dom1.po1.100.1353536.1. 37CF.1@1:4BA7E96F.dom1.po1.100. 1353536.1.3908.1@13
Name	
Source	received
Class	Public
Account	test07@load07.po1.dom1
Location ID	1295973731638
Class Name	GW.MESSAGE.MAIL
Original Subject	
Personal Subject	
Enclosing Folders	1
Folder	A
ID	4BA7E96F.dom1.po1.100.1353536.1. 3908.1@13
Name	A
Туре	Normal
System	false
Share Type	NotShared
Published	2010/7/13-18:46:9

Mail Attachment ATT-Test [188].txt [188] some text [1]
[188] some text [2]
[188] some text [3]
[188] some text [4]
[188] some text [5]
[188] some text [6]
[188] some text [7]
[188] some text [8]
[188] some text [9]
[188] some text [10]