## Item to expired was undeliverable, subject: Fwd: Re: ticket# 35332

From: expired

**To:** ATI10 AUTO10 **Date:** 2010/08/04 14:06

Subject: Item to expired was undeliverable, subject: Fwd: Re: ticket# 35332

Attachments: FILE

User account is expired

Error = D023

Property	Value
Message id	4C5973C8.dom1.po1.100.16A646C.1. EB.1
Message Path	xml/Mailbox/4C5973C8.dom1.po1.100 .16A646C.1.EB.1.xml
From	expired
Display Name	expired
Email	ati10@smt.qa.com
UUID	1C6CD4F0-0200-0000-BC4B- AAA2BC7891B1
Reply To	ati10@smt.qa.com
Text	expired
То	ATI10 AUTO10
cc	
Subject	Item to expired was undeliverable, subject: Fwd: Re: ticket# 35332
Scheduled date	2010-08-04 14:06:00
Creation date	2010-08-04 14:06:00
Modified date	2010-08-13 14:07:13
Delivered date	2010-08-04 14:06:00
Message size	36
Attachments	1
Attachment	FILE
Name	FILE
Content ID	4C5973C8.dom1.po1.200.20000A3.1. 93.1@49:4C5973C8.dom1.po1.100.1 6A646C.1.EB.1@1:7.dom1.po1.100.0. 1.0.1@16
Is Inline	false
Type	message
Size	0
Date	2010-08-04 14:06:00
CA	accounts\ATI10 AUTO10@ATI10.po1.dom1\msg\4C5 973C8.dom1.po1.100.16A646C.1.EB. 1\4C5973C8.dom1.po1.200.20000A3. 1.92.1.xml
Hash	rBIByvKuokMDj+zCzhggE7lh53k=

Message id         4C5973C8.dom1.po1.100.16A646C.1 EB.1           Recipients         1           Recipient         ATI10 AUTO10           Display Name         ATI10 QUTO10           Email         ATI10@mt.qa.com           UUID         1C6CD4F0-0200-0000-BC4B-AAA2BC7891B1           Distribution Type         TO           Recipient Type         User           Expire         0           Delay delivery until         0           Delegated         false           Archived         false           Read         false           Peleted         false           Opened         false           Completed         false           Security         Normal           Box type         Inbox           Return notification when opened         false           Return notification when deleted         false           Return notification when declined         false           Return notification when accepted         false           Return notification when accepted         false           Return notification when peleted         false           Return notification when peleted         false           Return notification when peleted         false	Property	Value
Recipients		4C5973C8.dom1.po1.100.16A646C.1.
Recipient         ATI10 AUTO10           Display Name         ATI10 AUTO10           Email         ATI10@smt.qa.com           UUID         1C6CD4F0-0200-0000-BC4B-AAA2BC7891B1           Distribution Type         TO           Recipient Type         User           Expire         0           Delay delivery until         0           Delegated         false           Archived         false           Read         false           Deleted         false           Opened         false           Completed         false           Security         Normal           Box type         Inbox           Return notification when opened         false           Return notification when deleted         false           Return notification when declined         false           Return notification when accepted	<i>,</i>	
Display Name ATI10 AUTO10 Email ATI10@smt.qa.com  UUID 1C6CD4F0-0200-0000-BC4B-AAA2BC7891B1  Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Read false Peleted false Completed false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when declined false Return notification when accepted false Return notification	•	
Email ATI10@smt.qa.com  UUID 1C6CD4F0-0200-0000-BC4B-AAA2BC7891B1  Distribution Type TO Recipient Type User  Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when accepted false Return notification when accepte	•	
UUID    CacD4F0-0200-0000-BC4B-AAA2BC7891B1	• •	
AAA2BC7891B1  Distribution Type  Recipient Type  Expire  Delay delivery until  Delegated  Archived  False  Read  False  Deleted  Galse  Completed  False  Security  Normal  Box type  Inbox  Return notification when opened  Return notification when deleted  Return notification when accepted  Return notification when accepted  False  Return notification when accepted  Return notification when accepted  False  Return notification when declined  Return notification when accepted  False  Return notification when accepted  False  Return notification when declined  Return notification when accepted  False  Return notif	-	
Recipient Type	UUID	
Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source received Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Distribution Type	ТО
Delay delivery until         0           Delegated         false           Archived         false           Read         false           Deleted         false           Opened         false           Completed         false           Security         Normal           Box type         Inbox           Return notification when opened         false           Return notification when deleted         false           Return notification when declined         false           Return notification when accepted         false           Archive Version         2008.1           Internal ID         4C5973C8.dom1.po1.100.16A646C.1           EB.1@1:7.dom1.po1.100.0.1.0.1@16           Name         Source           Class         Public           Account         ATI10 AUTO10@ATI10.po1.dom1           Location ID         1295973731638           Class Name         GW.MESSAGE.MAIL	Recipient Type	User
Delegated Archived False Read False Deleted False Opened False Completed False Security False Return notification when opened Return notification when deleted Return notification when declined Return notification when accepted Return notification when accepted False Return notification when declined Return notification when accepted False Return notification when accepted Return notification when accepted Return notification when accepted Return notification when accepted False Ret	Expire	0
Archived false  Read false  Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source received Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Delay delivery until	0
Read false  Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source received Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Delegated	false
Deleted Opened Galse Completed False Security Normal Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted False Return notification when accepted Return notification when accepted Return notification when accepted False Return notification when declined False Return notification when declined False Return notification when accepted False Return notification wh	Archived	false
Opened Completed Security Normal Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Read	false
Completed Security Normal Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Deleted	false
Completed Security Normal Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Opened	false
Security Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	•	false
Box type Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	•	Normal
Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	•	
Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL		
Return notification when declined Return notification when declined Return notification when accepted Archive Version Internal ID AC5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI10 AUTO10@ATI10.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	•	
Return notification when declined Return notification when accepted Archive Version Internal ID 4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account Location ID 1295973731638 Class Name GW.MESSAGE.MAIL		
Return notification when accepted         false           Archive Version         2008.1           Internal ID         4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16           Name         Feecived           Class         Public           Account         ATI10 AUTO10@ATI10.po1.dom1           Location ID         1295973731638           Class Name         GW.MESSAGE.MAIL	•	
Archive Version         2008.1           Internal ID         4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16           Name         received           Class         Public           Account         ATI10 AUTO10@ATI10.po1.dom1           Location ID         1295973731638           Class Name         GW.MESSAGE.MAIL	Return notification when accepted	
Internal ID         4C5973C8.dom1.po1.100.16A646C.1 EB.1@1:7.dom1.po1.100.0.1.0.1@16           Name         received           Class         Public           Account         ATI10 AUTO10@ATI10.po1.dom1           Location ID         1295973731638           Class Name         GW.MESSAGE.MAIL	-	
Name         received           Class         Public           Account         ATI10 AUTO10@ATI10.po1.dom1           Location ID         1295973731638           Class Name         GW.MESSAGE.MAIL		4C5973C8.dom1.po1.100.16A646C.1.
Class         Public           Account         ATI10 AUTO10@ATI10.po1.dom1           Location ID         1295973731638           Class Name         GW.MESSAGE.MAIL	Name	
Account         ATI10 AUTO10@ATI10.po1.dom1           Location ID         1295973731638           Class Name         GW.MESSAGE.MAIL	Source	received
Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Class	Public
Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Account	ATI10 AUTO10@ATI10.po1.dom1
Class Name GW.MESSAGE.MAIL	Location ID	
		GW.MESSAGE.MAIL
Original Subject	Original Subject	
Personal Subject	-	
Enclosing Folders 1	-	1
Folder Mailbox	-	
ID 7.dom1.po1.100.0.1.0.1@16		
Name Mailbox		
Type Mailbox		
System true	7 .	
Share Type NotShared	-	

## Fwd: Re: ticket# 35332

From: ATI10 AUTO10

To: expired gw01

Date: 2010/08/04 14:06

Subject: Fwd: Re: ticket# 35332

Attachments: TEXT.htm

>>>Ville Marie Support <support@villemarie.qc.ca> 8/2/2010 4:19 PM >>> Once ... in the wilds of Afghanistan, I lost my corkscrew, and we were forced to live on nothing but food and water for days.

-- W. C. Fields, "My Little Chickadee"

Property	Value
Message id	4C5973C8.dom1.po1.200.20000A3.1. 92.1
From	ATI10 AUTO10
То	expired gw01
Subject	Fwd: Re: ticket# 35332
Scheduled date	2010-08-04 20:06:00
Creation date	2010-08-04 20:06:00
Message size	239
Attachments	1
Attachment	TEXT.htm, Size: 491, Date: 2010-08- 04 16:06:00
Recipients	1
Recipient	expired gw01[expired@smt.qa.com]
Expires	0
Conceal subject	false
Delay delivery until	0
Delegated	false
Archived	false
Read	false
Deleted	false
Opened	false
Completed	false
Security	Normal
Box type	Inbox
Priority	
Read	
Accepted	
Completed	
Return notification when opened	true
Return notification when deleted	true
Return notification when completed	true
Return notification when declined	true
Return notification when accepted	true