very long attachment name

From:	ATI03 AUTO03 (ATI10 AUTO10)
Date:	2010/08/04 13:21
Subject:	very long attachment name
Attachments:	TEXT.htm, test.111111111111111111txt22222222222222223333333333333444444444444 44455555555555555555666666666666666677777777777777778888888888888 88888888888888888888888888

// new Alfresco.WikiToolbar("template_x002e_toolbar_x002e_wiki-page").setOptions({ siteId: "ma", title: "Architecture", showBackLink: true }).setMessages({"link.mainPage": "Main Page", "rename.failure.duplicate": "A wiki page called \"{0}\" already exists. Please choose a different title for this page.", "message.rssfeed": "RSS Feed", "load.fail": "Could not delete page", "button.rename": "Rename", "rename.failure.title": "Could Not Rename Page", "panel.confirm.delete-msg": "Are you sure you want to delete this page?", "panel.rename.title": "Rename ", "panel.create.title": "New Page", "panel.rename.footer": "Enter the new name for the page", "panel.confirm.header": "Delete", "panel.create.footer": "Enter a title for the new page", "link.listView": "Wiki Page List", "button.create": "New Page"}); //Wiki Page List Main Page

New Page

Delete

Rename

RSS Feed

![CDATA[new Alfresco.WikiPage("template_x002e_wikipage_x002e_wiki-page").setOptions({ siteId: "ma", pageTitle: "Architecture", mode: "view", tags: [], pages: ["Storage", "DR", "CAStor", "DR_-_Disaster_Recovery", "DP_-_Data_Provider", "How_to_configure_DP_for_SSL_connectivity", "Indexing_-_Exalead", "Exchange", "QA", "Archived_Escalations_Details", "Escalations_Log", "Migration", "Main_Page", "Localization", "M+Analytics_L10n_FAQ", "Architecture", "How_To_", "JIRA", "Improvements", "Sample_SQL_to_SQL_Server", "Sample_SQL_to_JIRA_MYSQL_Server", "Saleslogix_Sync"], versions: [{ title: "Architecture", label: "1.30", versionId: "36fad1f6-c3c6-4772-922f-0df7e10fe12f", createdDate: "30 April 2010 13:05" }, { title: "Architecture", label: "1.29", versionId: "7a779d26-bb21-4ac9-bde8-27035d9c0dcf", createdDate: "30 April 2010 13:04" }, { title: "Architecture", label: "1.28", versionId: "b265cecb-31c1-4776-8abc-2fe06ee2a74d", createdDate: "27 April 2010 15:15" }, { title: "Architecture", label: "1.27", versionId: "663b40f5-c335-4000-b086-7b60015a6f65", createdDate: "27 March 2010 18:05" }, { title: "Architecture", label: "1.26", versionId: "18855adb-d26e-40cd-a75f-b3c48d7392af", createdDate: "01 March 2010 22:14" }, { title: "Architecture", label: "1.25", versionId: "9a39c868-0471-4cf8-9cb1-e8f89f17bd8b", createdDate: "01 February 2010 18:37" }, { title: "Architecture", label: "1.24", versionId: "c22e1503-13c0-473e-903d-55393fab09d1", createdDate: "01 February 2010 18:37" }, { title: "Architecture", label: "1.23", versionId: "86c0f2d3-08c1-4aef-ac68-

99a621ee55ea", createdDate: "01 February 2010 18:37" }, { title: "Architecture", label: "1.22", versionId: "67689c2a-6ddb-45f4-af40-5edca39fc76d", createdDate: "01 February 2010 18:36" }, { title: "Architecture", label: "1.21", versionId: "92bd7ed8-f80e-4d5f-8f08-8b0fde530e82", createdDate: "15 January 2010 11:57" }, { title: "Architecture", label: "1.20", versionId: "3bb48666-f1b2-4ab8-8258-606f883c2c56", createdDate: "25 November 2009 14:49" }, { title: "Architecture", label: "1.19", versionId: "a6a45adf-48c6-4da4-ad2e-1d1d067fb9d0", createdDate: "17 November 2009 17:55" }, { title: "Architecture", label: "1.18", versionId: "dbfa89e6-a9ec-4d05-83d6-f78dafb53de6", createdDate: "03 November 2009 16:18" }, { title: "Architecture", label: "1.17", versionId: "31c44fcf-6cb4-4f62-9335-f74217fe60c5", createdDate: "03 November 2009 14:59" }, { title: "Architecture", label: "1.16", versionId: "d355a702-c430-4525-9189-c3d3d5ee3a67", createdDate: "03 November 2009 14:58" }, { title: "Architecture", label: "1.15", versionId: "033d2c3a-1597-46e4-8962-65325b504613", createdDate: "03 November 2009 14:41" }, { title: "Architecture", label: "1.14", versionId: "283f6e8b-1e7d-486d-83b3-a12d5a6efa05", createdDate: "03 November 2009 14:38" }, { title: "Architecture", label: "1.13", versionId: "c1703b7d-e41f-432b-bf3a-b9c7414f44c3", createdDate: "03 November 2009 14:36" }, { title: "Architecture", label: "1.12", versionId: "17663679-9779-440a-9e31-6e7e62cdfc60", createdDate: "03 November 2009 14:30" }, { title: "Architecture", label: "1.11", versionId: "7288340a-1536-4c11-a7d5-26aaca7d36ac", createdDate: "03 November 2009 14:29" }, { title: "Architecture", label: "1.10", versionId: "99fdb81b-4a72-4051-af61-bf5297b67b50", createdDate: "03 November 2009 14:20" }, { title: "Architecture", label: "1.9", versionId: "c47a62cc-b3a2-40ae-af54-3a495489b99e", createdDate: "03 November 2009 13:58" }, { title: "Architecture", label: "1.8", versionId: "4a9f6cf9-04e9-4d9e-b878-64ed1e623aaa", createdDate: "03 November 2009 13:24" }, { title: "Architecture", label: "1.7", versionId: "38bda5df-b4e3-4f82-b33d-fcc7cb8b83a6", createdDate: "06 October 2009 16:38" }, { title: "Architecture", label: "1.6", versionId: "558cceba-bcde-4eb7-95b8-8b1628a08640", createdDate: "01 October 2009 14:54" }, { title: "Architecture", label: "1.5", versionId: "0c4b18a4-7294-4c35-b83f-f1a0b1d28cfc", createdDate: "01 October 2009 14:52" }, { title: "Architecture", label: "1.4", versionId: "c8572707-5172-4bb0-a2a0-c0f7ba40318e", createdDate: "29 September 2009 17:25" }, { title: "Architecture", label: "1.3", versionId: "9e7cbca2-69e3-4f06-b3bf-3637d2c8bffc", createdDate: "28 September 2009 23:46" }, { title: "Architecture", label: "1.2", versionId: "53adf8df-8e01-4619-ad66-d3cfa91695aa", createdDate: "28 September 2009 23:45" }, { title: "Architecture", label: "1.1", versionId: "ec573a6e-8867-4b43-9111-999a9f80e2ca", createdDate: "28 September 2009 23:32" }, { title: "Architecture", label: "1.0", versionId: "2467383e-7c24-4cec-b9ea-0b4caf226546", createdDate: "28 September 2009 23:28" }], locale: "en", permissions: { create: true, edit: true, "delete": false } }).setMessages({"label.earlier": "Earlier", "label.viewVersion": "View version:", "label.versionHistory": "Version History", "section.olderVersion": "Earlier version(s):", "button.revert": "Revert", "message.revertComplete": "The document was reverted. The page will be reloaded.", "section.thisVersion": "This version:", "label.text": "Text", "label.linkedPages": "Linked Pages", "message.saving": "Saving...", "label.createdDate": "Modified on:", "tab.details": "Details", "message.sessionTimeout.text": "Cannot save these changes due to a session timeout. Please copy your changes to the clipboard and refresh the page.", "label.version": "Version", "label.latest": "Latest", "message.sessionTimeout.title": "Session Timeout", "label.shortVersion": "v", "label.creator":

"Modifier:", "message.confirm.newerVersion": "A newer version of this page exists. Are you sure you want to save your changes?", "link.revert": "Revert", "tab.edit": "Edit Page", "label.title": "Title:", "tab.view": "View Page"}); //]]>Architecture

View Page | Edit Page | Details

Architecture diagram

•Exchange system &M+Archive

Architecture components

•DP - Data Provider
•Archive Repository Structure
•Dynamic Store Backup library

Required cleanup, updates, upgrades

•DP consolidation and cleanup
•No single point of failure architecture (DP fail-over, SA failover, etc)
•DP interface as "Google Visualization-compliant data source" using Google Visualization API
 wire protocol?
•Audit files back-up and DR
•Event based triggers support in M+Open
•Support for scripted policies (python script as filtering policies)
•CAStore restore over the Content Router API
•Exalead search port to v10 API
•Exalead v5.0 port
•M+Open connector architecture redesign (code duplication across all connectors)
•Message/stub injection in GW
•Redesign M+Open clustering for communication over HTTP
•File based centralized PUSH/SEARCH/STORAGE server
•Consolidate configuration settings/repositories in RCIConfig w/ services requesting their own
 settings over an HTTP based protocol (policies, DP, SA, ISAPI filters etc)
•M+Open framework addaptation to M+Archive requirements -> less generic
•Diagnostic tools
•PDF conversion toolkit w/ support for redaction (commercial version)
•Diagnostics tab in webadmin
•Support for the latest version of .NET
•Indexing job load balancer, account name hash value based.

A few more ideas...

- Mailbox iterator (the one you don't want)

Centralize the business logic in a single component

Same way to manage the counters

Same way to log stuff;

- Creation of a device component to centralize the code related to writing/updating/deleting (maybe indexing) the messages. All jobs should use this to update the devices. Basically it's refactoring the existing code and remove the duplication.

- Clean up of the job/Framework billion of tracing modules;

- Creation of a super job responsible of managing the duplicate code for all the jobs + code review of all jobs to remove duplication/properly manage the errors/log/count etc...

- Revisit the Integrity Checker, make it's visible and useful;

- Review of all mappings for all job kinds + documentation of the data models and mapping;

- Central point of configuration for all components + Notifications to the registered components of config changes + configuration updates without service restarts;

- Standardization of logging/tracing for all components, including log rotations et folder structure;

- More solid management of account rename;

- More solid management of attachment references count for deletion (Not based on index);

- Disconnect the "on-line" dependency of e-dir. Have an e-dir watcher connected to the configuration manager to distribute the configurations when changed. This should simplify a lot the set-ups.

- System health watcher and post install diagnostic to make sure all is set properly (including the node states).

- Review of the data providers, including getting rid of Exalead Web Service, which is a pain;

Property	Value
Message id	4C596942.dom1.po1.100.16A646C.1.E0.1
Message Path	xml/Mailbox/4C596942.dom1.po1.100.16A646C.1.E0.1.xml
From	ATI03 AUTO03 (ATI10 AUTO10)
Display Name	ATI03 AUTO03 (ATI10 AUTO10)
Email	ati10@smt.qa.com
UUID	1C6CD4F0-0200-0000-BC4B-AAA2BC7891B1
Reply To	ati10@smt.qa.com
Text	ATI03 AUTO03 (ATI10 AUTO10)
To	

Property	Value
Message id	4C596942.dom1.po1.100.16A646C.1.E0.1
CC	
Subject	very long attachment name
Scheduled date	2010-08-04 13:21:06
Creation date	2010-08-04 13:21:06
Modified date	2010-08-19 13:01:06
Delivered date	2010-08-04 13:21:06
Message size	4300
Attachments	2
Attachment	TEXT.htm
Name	TEXT.htm
Content ID	4C596942.dom1.po1.100.16A646C.1.DE.1@45:4C596942.dom1.po1.100.16A646C.1.E0.1@1:7.dom1.po1.100.0.1.0.1@16
Is Inline	false
Type	file
Size	16670
Date	2010-08-04 09:21:06
CA	accounts\ATI10 AUTO10@ATI10.po1.dom1\content\EA\EA2A0827627AAEFB90DE903294A52DEEDBA428B5D1AF0EA3DD5363684DEE4BB72F7BF342
Hash	EA2A0827627AAEFB90DE903294A52DEEDBA428B5D1AF0EA3DD536384DEE4BB72F7BF342
Attachment	test.111111111111111111txt2222222222222223333333333333344444444444444455555555555555566666666666666777777777777788888888888888888888888888888888888888
Name	test.111111111111111111txt2222222222222223333333333333344444444444444455555555555555566666666666666777777777777788888888888888888888888888888888888888
Content ID	4C596942.dom1.po1.100.16A646C.1.DF.1@45:4C596942.dom1.po1.100.16A646C.1.E0.1@1:7.dom1.po1.100.0.1.0.1@16
Is Inline	false
Type	file
Size	0
Date	2010-08-04 09:21:06
CA	accounts\ATI10 AUTO10@ATI10.po1.dom1\content\DA\DA39A3EE5E6B4B0D3255BFEF95601890AFD80709D41D8CD98F00B204E9800998ECF8427E

Property	Value
Message id	4C596942.dom1.po1.100.16A646C.1.E0.1
Hash	DA39A3EE5E6B4B0D3255BFEF95601890AFD80709D41D8CD98F00B204E9800998ECF8427E
Recipients	0
Expire	0
Delay delivery until	0
Delegated	false
Archived	false
Read	true
Deleted	false
Opened	true
Completed	false
Security	Normal
Box type	Inbox
Return notification when opened	false
Return notification when deleted	false
Return notification when completed	false
Return notification when declined	false
Return notification when accepted	false
Archive Version	2008.1
Internal ID	4C596942.dom1.po1.100.16A646C.1.E0.1@1:7.dom1.po1.100.0.1.0.1@16
Name	
Source	personal
Class	Public
Account	ATI10 AUTO10@ATI10.po1.dom1
Location ID	1295973731638
Class Name	GW.MESSAGE.MAIL
Original Subject	
Personal Subject	
Enclosing Folders	1
Folder	Mailbox
ID	7.dom1.po1.100.0.1.0.1@16
Name	Mailbox
Type	Mailbox
System	true
Share Type	NotShared