

# Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について

**From:** ATI01 AUTO01  
**To:** ATI01 AUTO01, ATI02 AUTO02, ATI03 AUTO03, ATI04 AUTO04, ATI05 AUTO05, ATI06 AUTO06, ATI07 AUTO07, ATI08 AUTO08, ATI09 AUTO09, ATI0X, ATI10 AUTO10, ATI11 INVISIBLE01, ATI12 EXTERNAENTITY01, Sehenswürdigkeiten Außerdem, EDGE01 RTF01, EDGE02 RTF02, EDGE03 RTF03, EDGE04 RTF04, EDGE05 RTF05, expired gw01, external user, Merkés François, LOAD 0X, load01 XXX test, load02 test, load03 test, load04 test, load05 test05, load06 test06, load07 test07, load08 test08, load09 test09, load10 test10, QA&DEV Group, Shane O'Malley, Проверка драйверы  
**Date:** 2010/08/04 16:00  
**Subject:** Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について  
**Attachments:** TEXT.htm

「次世代クラウド」をテーマに 8 月 25 日 (水) から 27 日 (金) に開催される Tech・Ed Japan 2010 の参加登録締め切りが迫っています。公開中のセッション スケジュールなどをご検討のうえ、お早めにお手続きください (お得な特別割引もあり)

社外にいる社員への情報共有手段の提供を、セキュリティを理由にあきらめていませんか? 情報セキュリティのレベルを下げることなく、むしろレベルを高めながら、社外から安全に社内システムにアクセスできる、一石二鳥の方法をご紹介します

Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について

2. Visual Studio に並列化をプラスするインテル® ソフトウェア開発製品のご紹介 : Visual Studio を使用し、マルチコア プロセッサー用にアプリケーションを最適化、並列化するための開発手法や事例をデモンストレーションと共にご紹介します。対象ツール : インテル® コンパイラー、インテル® Parallel Studio

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
Message Path	xml/Mailbox/4C598E98.dom1.po1.100.174786D.1.6B.1.xml
From	ATI01 AUTO01
Display Name	ATI01 AUTO01
Email	ati01@smt.qa.com
UUID	6F4FA9A0-01FF-0000-BC4B-AAA2BC7891B1
Reply To	ati01@smt.qa.com
Text	ATI01 AUTO01

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
To	ATI01 AUTO01; ATI02 AUTO02; ATI03 AUTO03; ATI04 AUTO04; ATI05 AUTO05; ATI06 AUTO06; ATI07 AUTO07; ATI08 AUTO08; ATI09 AUTO09; ATI0X; ATI10 AUTO10; ATI11 INVISIBLE01; ATI12 EXTERNAENTITY01; Sehenswürdigkeiten Außerdem; EDGE01 RTF01; EDGE02 RTF02; EDGE03 RTF03; EDGE04 RTF04; EDGE05 RTF05; expired gw01; external user; Merkés François; LOAD 0X; load01 XXX test; load02 test; load03 test; load04 test; load05 test05; load06 test06; load07 test07; load08 test08; load09 test09; load10 test10; QA&DEV Group; Shane O'Malley; Проверка драйверы
CC	
Subject	Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について
Scheduled date	2010-08-04 16:00:24
Creation date	2010-08-04 16:00:24
Modified date	2010-08-13 16:21:46
Delivered date	2010-08-04 16:00:24
Message size	505
Attachments	1
Attachment	TEXT.htm
Name	TEXT.htm
Content ID	4C598E98.dom1.po1.200.20000F4.1.340.1@45:4C598E98.dom1.po1.100.174786D.1.6B.1@1:7.dom1.po1.100.0.1.0.1@16
Is Inline	false
Type	file
Size	1587
Date	2010-08-04 09:14:31
CA	accounts\Shane O'Malley@Shane.po1.dom1\content\22\22B6E27AC5F5E1ECD7AC88B6C2CE9EB5FC6FD2C6A85473686E5C2CE13069F480C39BA43E
Hash	22B6E27AC5F5E1ECD7AC88B6C2CE9EB5FC6FD2C6A85473686E5C2CE13069F480C39BA43E
Recipients	36
Recipient	ATI01 AUTO01
Display Name	ATI01 AUTO01
Email	ATI01@smt.qa.com

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
UUID	6F4FA9A0-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI02 AUTO02
Display Name	ATI02 AUTO02
Email	ATI02@smt.qa.com
UUID	85F38FA0-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI03 AUTO03
Display Name	ATI03 AUTO03
Email	ATI03@smt.qa.com
UUID	965A2B60-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI04 AUTO04
Display Name	ATI04 AUTO04
Email	ATI04@smt.qa.com
UUID	AB213B10-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI05 AUTO05
Display Name	ATI05 AUTO05
Email	ATI05@smt.qa.com
UUID	BD47FD60-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI06 AUTO06
Display Name	ATI06 AUTO06
Email	ATI06@smt.qa.com
UUID	D0E50C00-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI07 AUTO07
Display Name	ATI07 AUTO07
Email	ATI07@smt.qa.com
UUID	E6CA5CF0-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI08 AUTO08

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
Display Name	ATI08 AUTO08
Email	ATI08@smt.qa.com
UUID	F79C3DA0-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI09 AUTO09
Display Name	ATI09 AUTO09
Email	ATI09@smt.qa.com
UUID	0A6EA940-0200-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI0X
Display Name	ATI0X
Email	ATI0X@smt.qa.com
UUID	0F7B1CF0-02B6-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroup
Recipient	ATI10 AUTO10
Display Name	ATI10 AUTO10
Email	ATI10@smt.qa.com
UUID	1C6CD4F0-0200-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI11 INVISIBLE01
Display Name	ATI11 INVISIBLE01
Email	ATI11@smt.qa.com
UUID	21AF95C0-0204-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	ATI12 EXTERNAENTITY01
Display Name	ATI12 EXTERNAENTITY01
Email	ATI12@smt.qa.com
UUID	B31F07C0-0204-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroupMember
Recipient	Sehenswürdigkeiten Außerdem
Display Name	Sehenswürdigkeiten Außerdem
Email	Außerdem@smt.qa.com
UUID	526E4940-0A79-0000-961A-B6E75AD0D8A9
Distribution Type	TO

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
Recipient Type	User
Recipient	EDGE01 RTF01
Display Name	EDGE01 RTF01
Email	EDGE01@smt.qa.com
UUID	3FAA9740-0200-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Recipient	EDGE02 RTF02
Display Name	EDGE02 RTF02
Email	EDGE02@smt.qa.com
UUID	4FCE5DA0-0200-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Recipient	EDGE03 RTF03
Display Name	EDGE03 RTF03
Email	EDGE03@smt.qa.com
UUID	61B271A0-0200-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Recipient	EDGE04 RTF04
Display Name	EDGE04 RTF04
Email	EDGE04@smt.qa.com
UUID	7484DD40-0200-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Recipient	EDGE05 RTF05
Display Name	EDGE05 RTF05
Email	EDGE05@smt.qa.com
UUID	871E1070-0200-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Recipient	expired gw01
Display Name	expired gw01
Email	expired@smt.qa.com
UUID	90028090-039A-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Recipient	external user
Display Name	external user
Email	external01@qaext

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
UUID	88887B20-039B-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Recipient	Merkés François
Display Name	Merkés François
Email	François@smt.qa.com
UUID	BB6C1BF0-02C4-0000-9410-6A16583C76B2
Distribution Type	TO
Recipient Type	User
Recipient	LOAD 0X
Display Name	LOAD 0X
Email	LOAD 0X@smt.qa.com
UUID	671A37A0-02A9-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	SystemGroup
Recipient	load01 XXX test
Display Name	load01 XXX test
Email	load01@smt.qa.com
UUID	4742E960-1332-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load02 test
Display Name	load02 test
Email	load02@smt.qa.com
UUID	7AA423F0-1332-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load03 test
Display Name	load03 test
Email	load03@smt.qa.com
UUID	8D20A760-1332-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load04 test
Display Name	load04 test
Email	load04@smt.qa.com
UUID	A4F80450-1332-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load05 test05

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
Display Name	load05 test05
Email	load05@smt.qa.com
UUID	AC53AF80-1335-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load06 test06
Display Name	load06 test06
Email	load06@smt.qa.com
UUID	C3D0DE80-1335-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load07 test07
Display Name	load07 test07
Email	load07@smt.qa.com
UUID	DD702A30-1335-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load08 test08
Display Name	load08 test08
Email	load08@smt.qa.com
UUID	F12C5990-1335-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load09 test09
Display Name	load09 test09
Email	load09@smt.qa.com
UUID	738110C0-1336-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	load10 test10
Display Name	load10 test10
Email	load10@smt.qa.com
UUID	36F588B0-1337-0000-992C-B0923B5F9940
Distribution Type	TO
Recipient Type	User
Recipient	QA&DEV Group
Display Name	QA&DEV Group
Email	QA&DEV Group@smt.qa.com
UUID	75D85380-02A9-0000-BC4B-AAA2BC7891B1
Distribution Type	TO

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
Recipient Type	SystemGroup
Recipient	Shane O'Malley
Display Name	Shane O'Malley
Email	Shane@smt.qa.com
UUID	01B93ED0-15A3-0000-9BFE-8367BDA0E416
Distribution Type	TO
Recipient Type	User
Recipient	Проверка драйверы
Display Name	Проверка драйверы
Email	Проверка@smt.qa.com
UUID	16171620-01FF-0000-BC4B-AAA2BC7891B1
Distribution Type	TO
Recipient Type	User
Expire	0
Delay delivery until	0
Delegated	false
Archived	false
Read	false
Deleted	false
Opened	false
Completed	false
Security	Normal
Box type	Inbox
Return notification when opened	false
Return notification when deleted	false
Return notification when completed	false
Return notification when declined	false
Return notification when accepted	false
Archive Version	2008.1
Internal ID	4C598E98.dom1.po1.100.174786D.1.6B.1@1:7.dom1.po1.100.0.1.0.1@16
Name	
Source	received
Class	Public
Account	Shane O'Malley@Shane.po1.dom1
Location ID	1295973731638
Class Name	GW.MESSAGE.MAIL
Original Subject	
Personal Subject	
Enclosing Folders	1
Folder	Mailbox
ID	7.dom1.po1.100.0.1.0.1@16
Name	Mailbox
Type	Mailbox



---

Property	Value
Message id	4C598E98.dom1.po1.100.174786D.1.6B.1
System	true
Share Type	NotShared