## Re: very long attachment extension

From: ATI01 AUTO01

To: altă surpriză, ATI01 AUTO01, ATI02 AUTO02, ATI03 AUTO03, ATI04 AUTO04,

ATI05 AUTO05, ATI06 AUTO06, ATI07 AUTO07, ATI08 AUTO08, ATI09

AUTO09, ATIOX, ATI10 AUTO10, ATI11 INVISIBLE01, ATI12

EXTERNALENTITY01, Sehenswürdigkeiten Außerdem, EDGE01 RTF01, EDGE02 RTF02, EDGE03 RTF03, EDGE04 RTF04, EDGE05 RTF05, Merkés François, LZ, Népszerű letöltések, QA&DEV Group, Ανάπτυξης Ευρωπλάνο,

Проверка драйверы

**Date:** 2011/02/22 09:05

**Subject:** Re: very long attachment extension

Attachments: TEXT.htm,

8888888888888888888888888

## >>>ATI03 AUTO03 8/3/2010 10:56 AM >>>

// new Alfresco.WikiToolbar("template\_x002e\_toolbar\_x002e\_wiki-page").setOptions( { siteId: "ma", title: "Architecture", showBackLink: true }).setMessages( {"link.mainPage": "Main Page", "rename.failure.duplicate": "A wiki page called \"{0}\" already exists. Please choose a different title for this page.", "message.rssfeed": "RSS Feed", "load.fail": "Could not delete page", "button.rename": "Rename", "rename.failure.title": "Could Not Rename Page", "panel.confirm.delete-msg": "Are you sure you want to delete this page?", "panel.rename.title": "Rename ", "panel.create.title": "New Page", "panel.rename.footer": "Enter the new name for the page", "panel.confirm.header": "Delete", "panel.create.footer": "Enter a title for the new page", "link.listView": "Wiki Page List", "button.create": "New Page"}); //Wiki Page List Main Page

**New Page** 

Delete

Rename

**RSS Feed** 

![CDATA[ new Alfresco.WikiPage("template\_x002e\_wikipage\_x002e\_wiki-page").setOptions( { siteId: "ma", pageTitle: "Architecture", mode: "view", tags: [], pages: ["Storage", "DR", "CAStor", "DR\_-\_Disaster\_Recovery", "DP\_-\_Data\_Provider", "How\_to\_configure\_DP\_for\_SSL\_connectivity", "Indexing\_-\_Exalead", "Exchange", "QA", "Archived\_Escalations\_Details", "Escalations\_Log", "Migration", "Main\_Page", "Localization", "M+Analytics\_L10n\_FAQ", "Architecture", "How\_To\_", "JIRA", "Improvements", "Sample\_SQL\_to\_SQL\_Server", "Saleslogix\_Sync"], versions: [ { title: "Architecture", label: "1.30", versionId: "36fad1f6-c3c6-4772-922f-0df7e10fe12f", createdDate: "30 April 2010 13:05" }, { title: "Architecture", label: "1.29", versionId: "7a779d26-bb21-4ac9-bde8-27035d9c0dcf", createdDate: "30 April 2010 13:04" }, { title: "Architecture", label: "1.28", versionId: "b265cecb-31c1-4776-8abc-2fe06ee2a74d", createdDate: "27 April 2010 15:15" }, { title: "Architecture", label:

"1.27", versionId: "663b40f5-c335-4000-b086-7b60015a6f65", createdDate: "27 March 2010 18:05" }, { title: "Architecture", label: "1.26", versionId: "18855adb-d26e-40cd-a75f-b3c48d7392af", createdDate: "01 March 2010 22:14" }, { title: "Architecture", label: "1.25", versionId: "9a39c868-0471-4cf8-9cb1-e8f89f17bd8b", createdDate: "01 February 2010 18:37" }, { title: "Architecture", label: "1.24", versionId: "c22e1503-13c0-473e-903d-55393fab09d1", createdDate: "01 February 2010 18:37" }, { title: "Architecture", label: "1.23", versionId: "86c0f2d3-08c1-4aef-ac68-99a621ee55ea", createdDate: "01 February 2010 18:37" }, { title: "Architecture", label: "1.22", versionId: "67689c2a-6ddb-45f4-af40-5edca39fc76d", createdDate: "01 February 2010 18:36" }, { title: "Architecture", label: "1.21", versionId: "92bd7ed8-f80e-4d5f-8f08-8b0fde530e82", createdDate: "15 January 2010 11:57" }, { title: "Architecture", label: "1.20", versionId: "3bb48666f1b2-4ab8-8258-606f883c2c56", createdDate: "25 November 2009 14:49" }, { title: "Architecture", label: "1.19", versionId: "a6a45adf-48c6-4da4-ad2e-1d1d067fb9d0", createdDate: "17 November 2009 17:55" }, { title: "Architecture", label: "1.18", versionId: "dbfa89e6-a9ec-4d05-83d6f78dafb53de6", createdDate: "03 November 2009 16:18" }, { title: "Architecture", label: "1.17", versionId: "31c44fcf-6cb4-4f62-9335-f74217fe60c5", createdDate: "03 November 2009 14:59" }, { title: "Architecture", label: "1.16", versionId: "d355a702-c430-4525-9189-c3d3d5ee3a67", createdDate: "03 November 2009 14:58" }, { title: "Architecture", label: "1.15", versionId: "033d2c3a-1597-46e4-8962-65325b504613", createdDate: "03 November 2009 14:41" }, { title: "Architecture", label: "1.14", versionId: "283f6e8b-1e7d-486d-83b3-a12d5a6efa05", createdDate: "03 November 2009 14:38" }, { title: "Architecture", label: "1.13", versionId: "c1703b7d-e41f-432bbf3a-b9c7414f44c3", createdDate: "03 November 2009 14:36" }, { title: "Architecture", label: "1.12", versionId: "17663679-9779-440a-9e31-6e7e62cdfc60", createdDate: "03 November 2009 14:30" }, { title: "Architecture", label: "1.11", versionId: "7288340a-1536-4c11-a7d5-26aaca7d36ac", createdDate: "03 November 2009 14:29" }, { title: "Architecture", label: "1.10", versionId: "99fdb81b-4a72-4051-af61-bf5297b67b50", createdDate: "03 November 2009 14:20" }, { title: "Architecture", label: "1.9", versionId: "c47a62cc-b3a2-40ae-af54-3a495489b99e", createdDate: "03 November 2009 13:58" }, { title: "Architecture", label: "1.8", versionId: "4a9f6cf9-04e9-4d9eb878-64ed1e623aaa", createdDate: "03 November 2009 13:24" }, { title: "Architecture", label: "1.7", versionId: "38bda5df-b4e3-4f82-b33d-fcc7cb8b83a6", createdDate: "06 October 2009 16:38" }, { title: "Architecture", label: "1.6", versionId: "558cceba-bcde-4eb7-95b8-8b1628a08640", createdDate: "01 October 2009 14:54" }, { title: "Architecture", label: "1.5", versionId: "0c4b18a4-7294-4c35-b83f-f1a0b1d28cfc", createdDate: "01 October 2009 14:52" }, { title: "Architecture", label: "1.4", versionId: "c8572707-5172-4bb0-a2a0-c0f7ba40318e", createdDate: "29 September 2009 17:25" }, { title: "Architecture", label: "1.3", versionId: "9e7cbca2-69e3-4f06-b3bf-3637d2c8bffc", createdDate: "28 September 2009 23:46" }, { title: "Architecture", label: "1.2", versionId: "53adf8df-8e01-4619-ad66-d3cfa91695aa", createdDate: "28 September 2009 23:45" }, { title: "Architecture", label: "1.1", versionId: "ec573a6e-8867-4b43-9111-999a9f80e2ca", createdDate: "28 September 2009 23:32" }, { title: "Architecture", label: "1.0", versionId: "2467383e-7c24-4cec-b9ea-0b4caf226546", createdDate: "28 September 2009 23:28" } ], locale: "en", permissions: { create: true, edit: true, "delete": false } }).setMessages( {"label.earlier": "Earlier", "label.viewVersion": "View version:", "label.versionHistory": "Version History", "section.olderVersion": "Earlier version(s):", "button.revert": "Revert", "message.revertComplete":

"The document was reverted. The page will be reloaded.", "section.thisVersion": "This version:", "label.text": "Text", "label.linkedPages": "Linked Pages", "message.saving": "Saving...",

"label.createdDate": "Modified on:", "tab.details": "Details", "message.sessionTimeout.text":

"Cannot save these changes due to a session timeout. Please copy your changes to the clipboard and refresh the page.", "label.version": "Version", "label.latest": "Latest",

"message.sessionTimeout.title": "Session Timeout", "label.shortVersion": "v", "label.creator":

"Modifier:", "message.confirm.newerVersion": "A newer version of this page exists. Are you sure you want to save your changes?", "link.revert": "Revert", "tab.edit": "Edit Page", "label.title": "Title:", "tab.view": "View Page"} ); //]]>Architecture

View Page | Edit Page | Details

Architecture diagram

Exchange system &M+Archive

Architecture components

- •DP Data Provider
- Archive Repository Structure
- Dynamic Store Backup library

Required cleanup, updates, upgrades

- •DP consolidation and cleanup
- •No single point of failure architecture (DP fail-over, SA failover, etc)
- •DP interface as "Google Visualization-compliant data source" using Google Visualization API wire protocol?
- Audit files back-up and DR
- •Event based triggers support in M+Open
- •Support for scripted policies (python script as filtering policies)
- CAStore restore over the Content Router API
- Exalead search port to v10 API
- •Exalead v5.0 port
- •M+Open connector architecture redesign (code duplication across all connectors)
- Message/stub injection in GW
- Redesign M+Open clustering for communication over HTTP
- •File based centralized PUSH/SEARCH/STORAGE server
- •Consolidate configuration settings/repositories in RCIConfig w/ services requesting their own settings over an HTTP based protocol (policies, DP, SA, ISAPI filters etc)
- •M+Open framework addaptation to M+Archive requirements -> less generic
- Diagnostic tools
- •PDF conversion toolkit w/ support for redaction (commercial version)
- •Diagnostics tab in webadmin
- Support for the latest version of .NET

•Indexing job load balancer, account name hash value based.

A few more ideas...

- Mailbox iterator (the one you don't want)

Centralize the business logic in a single component

Same way to manage the counters

Same way to log stuff;

- Creation of a device component to centralize the code related to writing/updating/deleting (maybe indexing) the messages. All jobs should use this to update the devices. Basically it's refactoring the existing code and remove the duplication.
- Clean up of the job/Framework billion of tracing modules;
- Creation of a super job responsible of managing the duplicate code for all the jobs + code review of all jobs to remove duplication/properly manage the errors/log/count etc...
- Revisit the Integrity Checker, make it's visible and useful;
- Review of all mappings for all job kinds + documentation of the data models and mapping;
- Central point of configuration for all components + Notifications to the registered components of config changes + configuration updates without service restarts;
- Standardization of logging/tracing for all components, including log rotations et folder structure;
- More solid management of account rename;
- More solid management of attachment references count for deletion (Not based on index);
- Disconnect the "on-line" dependency of e-dir. Have an e-dir watcher connected to the configuration manager to distribute the configurations when changed. This should simplify a lot the set-ups.
- System health watcher and post install diagnostic to make sure all is set properly (including the node states).
- Review of the data providers, including getting rid of Exalead Web Service, which is a pain;

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1. D6.1
Message Path	xml/Mailbox/4D637C5F.dom1.po1.100 .1637161.1.D6.1.xml

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1.
From	ATI01 AUTO01
Display Name	ATI01 AUTO01
Email	ati01@smt.qa.com
UUID	6F4FA9A0-01FF-0000-BC4B- AAA2BC7891B1
Reply To	ati01@smt.qa.com
Text	ATI01 AUTO01
То	altă surpriză; ATI01 AUTO01; ATI02 AUTO02; ATI03 AUTO03; ATI04 AUTO04; ATI05 AUTO05; ATI06 AUTO06; ATI07 AUTO07; ATI08 AUTO08; ATI09 AUTO09; ATI0X; ATI10 AUTO10; ATI11 INVISIBLE01; ATI12 EXTERNALENTITY01; Sehenswürdigkeiten Außerdem; EDGE01 RTF01; EDGE02 RTF02; EDGE03 RTF03; EDGE04 RTF04; EDGE05 RTF05; Merkés François; LZ; Népszerű letöltések; QA&DEV Group; Ανάπτυξης Ευρωπλάνο; Προверка драйверы
СС	
Subject	Re: very long attachment extension
Scheduled date	2011-02-22 09:05:22
Creation date	2011-02-22 09:05:22
Modified date	2011-02-22 09:05:35
Delivered date	2011-02-22 09:05:35
Message size	4341
Attachments	2
Attachment	TEXT.htm
Name	TEXT.htm
Content ID	4D637C52.dom1.po1.200.20000F4.1. 50A.1@45:4D637C5F.dom1.po1.100. 1637161.1.D6.1@1:7.dom1.po1.100.0 .1.0.1@16
Is Inline	false
Туре	file
Size	16738
Date	2011-02-22 04:05:22
CA	accounts\ATI09 AUTO09@ATI09.po1.dom1\content\5 C\5C2AF0A517FAA5D3C4B86E7C89 62E835EB632FD456347EEC28D0B4 CC737AA5464F758093
Hash	5C2AF0A517FAA5D3C4B86E7C8962 E835EB632FD456347EEC28D0B4C C737AA5464F758093

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1. D6.1
Attachment	test.111111111111111111111txt2222222 22222223333333333333444444444 4444445555555555
Name	test.11111111111111111111txt2222222 2222222333333333333344444444 4444445555555555
Content ID	4D637C52.dom1.po1.200.20000F4.1. 50B.1@45:4D637C5F.dom1.po1.100. 1637161.1.D6.1@1:7.dom1.po1.100.0 .1.0.1@16
Is Inline	false
Type	file
Size	8
Date	2011-02-22 04:05:22
CA	accounts\ATI09 AUTO09@ATI09.po1.dom1\content\E 4\E45FA5FB5CCAD6CB1221A07E94 E1C8CF6C470375C8CDBAC2E72B8 419235BEC2A7F9FD482
Hash	E45FA5FB5CCAD6CB1221A07E94E 1C8CF6C470375C8CDBAC2E72B84 19235BEC2A7F9FD482
Recipients	26
Recipient	altă surpriză
Display Name	altă surpriză
Email	altă@smt.qa.com
UUID	B796BBF0-01FE-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	ATI01 AUTO01
Display Name	ATI01 AUTO01
Email	ATI01@smt.qa.com
UUID	6F4FA9A0-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI02 AUTO02
Display Name	ATI02 AUTO02
Email	ATI02@smt.qa.com
UUID	85F38FA0-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1. D6.1
Recipient	ATI03 AUTO03
Display Name	ATI03 AUTO03
Email	ATI03@smt.qa.com
UUID	965A2B60-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	ATI04 AUTO04
Display Name	ATI04 AUTO04
Email	ATI04@smt.qa.com
UUID	AB213B10-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI05 AUTO05
Display Name	ATI05 AUTO05
Email	ATI05@smt.qa.com
UUID	BD47FD60-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI06 AUTO06
Display Name	ATI06 AUTO06
Email	ATI06@smt.qa.com
UUID	D0E50C00-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI07 AUTO07
Display Name	ATI07 AUTO07
Email	ATI07@smt.qa.com
UUID	E6CA5CF0-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI08 AUTO08
Display Name	ATI08 AUTO08
Email	ATI08@smt.qa.com
UUID	F79C3DA0-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI09 AUTO09
Display Name	ATI09 AUTO09
Email	ATI09@smt.qa.com
UUID	0A6EA940-0200-0000-BC4B- AAA2BC7891B1

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1. D6.1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI0X
Display Name	ATI0X
Email	ATI0X@smt.qa.com
UUID	0F7B1CF0-02B6-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroup
Recipient	ATI10 AUTO10
Display Name	ATI10 AUTO10
Email	ATI10@smt.qa.com
UUID	1C6CD4F0-0200-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI11 INVISIBLE01
Display Name	ATI11 INVISIBLE01
Email	ATI11@smt.qa.com
UUID	21AF95C0-0204-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	ATI12 EXTERNALENTITY01
Display Name	ATI12 EXTERNALENTITY01
Email	ATI12@smt.qa.com
UUID	B31F07C0-0204-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroupMember
Recipient	Sehenswürdigkeiten Außerdem
Display Name	Sehenswürdigkeiten Außerdem
Email	Außerdem@smt.qa.com
UUID	526E4940-0A79-0000-961A- B6E75AD0D8A9
Distribution Type	ТО
Recipient Type	User
Recipient	EDGE01 RTF01
Display Name	EDGE01 RTF01
Email	EDGE01@smt.qa.com
UUID	3FAA9740-0200-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	EDGE02 RTF02
Display Name	EDGE02 RTF02

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1. D6.1
Email	EDGE02@smt.qa.com
UUID	4FCE5DA0-0200-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	EDGE03 RTF03
Display Name	EDGE03 RTF03
Email	EDGE03@smt.qa.com
UUID	61B271A0-0200-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	EDGE04 RTF04
Display Name	EDGE04 RTF04
Email	EDGE04@smt.qa.com
UUID	7484DD40-0200-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	EDGE05 RTF05
Display Name	EDGE05 RTF05
Email	EDGE05@smt.qa.com
UUID	871E1070-0200-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	Merkés François
Display Name	Merkés François
Email	François@smt.qa.com
UUID	BB6C1BF0-02C4-0000-9410- 6A16583C76B2
Distribution Type	ТО
Recipient Type	User
Recipient	LZ
Display Name	LZ
Email	LZ@smt.ga.com
UUID	D231A130-0D2C-0000-B9F1- 9CABF49B1383
Distribution Type	ТО
Recipient Type	SystemGroup
Recipient	Népszerű letöltések
Display Name	Népszerű letöltések
Email	Népszerű@smt.qa.com
UUID	5C8D0EA0-0864-0000-BB99- ABF1FC860053
Distribution Type	ТО
Recipient Type	SystemGroupMember

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1.
	D6.1
Recipient	QA&DEV Group
Display Name	QA&DEV Group
Email	QA&DEV Group@smt.qa.com
UUID	75D85380-02A9-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	SystemGroup
Recipient	Ανάπτυξης Ευρωπλάνο
Display Name	Ανάπτυξης Ευρωπλάνο
Email	Ευρωπλάνο@smt.qa.com
UUID	413567E0-01FE-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Recipient	Проверка драйверы
Display Name	Проверка драйверы
Email	Проверка@smt.qa.com
UUID	16171620-01FF-0000-BC4B- AAA2BC7891B1
Distribution Type	ТО
Recipient Type	User
Expire	0
Delay delivery until	0
Delegated	false
Archived	false
Read	false
Deleted	false
Opened	false
Completed	false
Security	Normal
Box type	Inbox
Return notification when opened	false
Return notification when deleted	false
Return notification when completed	false
Return notification when declined	false
Return notification when accepted	false
Archive Version	2008.1
Internal ID	4D637C5F.dom1.po1.100.1637161.1. D6.1@1:7.dom1.po1.100.0.1.0.1@16
Name	
Source	received
Class	Public
Account	ATI09 AUTO09@ATI09.po1.dom1
Location ID	1296644423015
Class Name	GW.MESSAGE.MAIL
Original Subject	

Property	Value
Message id	4D637C5F.dom1.po1.100.1637161.1. D6.1
Personal Subject	
Enclosing Folders	1
Folder	Mailbox
ID	7.dom1.po1.100.0.1.0.1@16
Name	Mailbox
Туре	Mailbox
System	true
Share Type	NotShared