

Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について

From: ATI01 AUTO01
To: ATI01 AUTO01, ATI02 AUTO02, ATI03 AUTO03, ATI04 AUTO04, ATI05 AUTO05, ATI06 AUTO06, ATI07 AUTO07, ATI08 AUTO08, ATI09 AUTO09, ATI0X, ATI10 AUTO10, ATI11 INVISIBLE01, ATI12 EXTERNAENTITY01, Sehenswürdigkeiten Außerdem, EDGE01 RTF01, EDGE02 RTF02, EDGE03 RTF03, EDGE04 RTF04, EDGE05 RTF05, expired gw01, external user, Merks François, LOAD 0X, load01 XXX test, load02 test, load03 test, load04 test, load05 test05, load06 test06, load07 test07, load08 test08, load09 test09, load10 test10, QA&DEV Group, Shane O'Malley, Проверка драйверы
Date: 2010/08/04 16:00
Subject: Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について
Attachments: TEXT.htm

「次世代クラウド」をテーマに 8 月 25 日 (水) から 27 日 (金) に開催される Tech・Ed Japan 2010 の参加登録締め切りが迫っています。公開中のセッション スケジュールなどをご検討のうえ、お早めにお手続きください (お得な特別割引もあり)

社外にいる社員への情報共有手段の提供を、セキュリティを理由にあきらめていませんか? 情報セキュリティのレベルを下げることなく、むしろレベルを高めながら、社外から安全に社内システムにアクセスできる、一石二鳥の方法をご紹介します

Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について

2. Visual Studio に並列化をプラスするインテル® ソフトウェア開発製品のご紹介 : Visual Studio を使用し、マルチコア プロセッサー用にアプリケーションを最適化、並列化するための開発手法や事例をデモンストレーションと共にご紹介します。対象ツール : インテル® コンパイラー、インテル® Parallel Studio

| Property | Value |
|--------------|--|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| Message Path | xml/Mailbox/4C598E98.dom1.po1.100.1637161.1.C3.1.xml |
| From | ATI01 AUTO01 |
| Display Name | ATI01 AUTO01 |
| Email | ati01@smt.qa.com |
| UUID | 6F4FA9A0-01FF-0000-BC4B-AAA2BC7891B1 |
| Reply To | ati01@smt.qa.com |
| Text | ATI01 AUTO01 |

| Property | Value |
|----------------|--|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| To | ATI01 AUTO01; ATI02 AUTO02; ATI03 AUTO03; ATI04 AUTO04; ATI05 AUTO05; ATI06 AUTO06; ATI07 AUTO07; ATI08 AUTO08; ATI09 AUTO09; ATI0X; ATI10 AUTO10; ATI11 INVISIBLE01; ATI12 EXTERNAENTITY01; Sehenswürdigkeiten Außerdem; EDGE01 RTF01; EDGE02 RTF02; EDGE03 RTF03; EDGE04 RTF04; EDGE05 RTF05; expired gw01; external user; Merkés François; LOAD 0X; load01 XXX test; load02 test; load03 test; load04 test; load05 test05; load06 test06; load07 test07; load08 test08; load09 test09; load10 test10; QA&DEV Group; Shane O'Malley; Проверка драйверы |
| CC | |
| Subject | Microsoft® SQL Server 2008 R2 とインテル® Xeon® プロセッサー 7500 番台における OLTP 処理の拡張性について |
| Scheduled date | 2010-08-04 16:00:24 |
| Creation date | 2010-08-04 16:00:24 |
| Modified date | 2010-08-13 14:05:22 |
| Delivered date | 2010-08-04 16:00:24 |
| Message size | 505 |
| Attachments | 1 |
| Attachment | TEXT.htm |
| Name | TEXT.htm |
| Content ID | 4C598E98.dom1.po1.200.20000F4.1.340.1@45:4C598E98.dom1.po1.100.1637161.1.C3.1@1:7.dom1.po1.100.0.1.0.1@16 |
| Is Inline | false |
| Type | file |
| Size | 1587 |
| Date | 2010-08-04 09:14:31 |
| CA | accounts\ATI09 AUTO09@ATI09.po1.dom1\content\22\22B6E27AC5F5E1ECD7AC88B6C2CE9EB5FC6FD2C6A85473686E5C2CE13069F480C39BA43E |
| Hash | 22B6E27AC5F5E1ECD7AC88B6C2CE9EB5FC6FD2C6A85473686E5C2CE13069F480C39BA43E |
| Recipients | 36 |
| Recipient | ATI01 AUTO01 |
| Display Name | ATI01 AUTO01 |
| Email | ATI01@smt.qa.com |

| Property | Value |
|-------------------|--------------------------------------|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| UUID | 6F4FA9A0-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI02 AUTO02 |
| Display Name | ATI02 AUTO02 |
| Email | ATI02@smt.qa.com |
| UUID | 85F38FA0-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI03 AUTO03 |
| Display Name | ATI03 AUTO03 |
| Email | ATI03@smt.qa.com |
| UUID | 965A2B60-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI04 AUTO04 |
| Display Name | ATI04 AUTO04 |
| Email | ATI04@smt.qa.com |
| UUID | AB213B10-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI05 AUTO05 |
| Display Name | ATI05 AUTO05 |
| Email | ATI05@smt.qa.com |
| UUID | BD47FD60-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI06 AUTO06 |
| Display Name | ATI06 AUTO06 |
| Email | ATI06@smt.qa.com |
| UUID | D0E50C00-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI07 AUTO07 |
| Display Name | ATI07 AUTO07 |
| Email | ATI07@smt.qa.com |
| UUID | E6CA5CF0-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI08 AUTO08 |

| Property | Value |
|-------------------|--------------------------------------|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| Display Name | ATI08 AUTO08 |
| Email | ATI08@smt.qa.com |
| UUID | F79C3DA0-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI09 AUTO09 |
| Display Name | ATI09 AUTO09 |
| Email | ATI09@smt.qa.com |
| UUID | 0A6EA940-0200-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI0X |
| Display Name | ATI0X |
| Email | ATI0X@smt.qa.com |
| UUID | 0F7B1CF0-02B6-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroup |
| Recipient | ATI10 AUTO10 |
| Display Name | ATI10 AUTO10 |
| Email | ATI10@smt.qa.com |
| UUID | 1C6CD4F0-0200-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI11 INVISIBLE01 |
| Display Name | ATI11 INVISIBLE01 |
| Email | ATI11@smt.qa.com |
| UUID | 21AF95C0-0204-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | ATI12 EXTERNAENTITY01 |
| Display Name | ATI12 EXTERNAENTITY01 |
| Email | ATI12@smt.qa.com |
| UUID | B31F07C0-0204-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroupMember |
| Recipient | Sehenswürdigkeiten Außerdem |
| Display Name | Sehenswürdigkeiten Außerdem |
| Email | Außerdem@smt.qa.com |
| UUID | 526E4940-0A79-0000-961A-B6E75AD0D8A9 |
| Distribution Type | TO |

| Property | Value |
|-------------------|--------------------------------------|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| Recipient Type | User |
| Recipient | EDGE01 RTF01 |
| Display Name | EDGE01 RTF01 |
| Email | EDGE01@smt.qa.com |
| UUID | 3FAA9740-0200-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | EDGE02 RTF02 |
| Display Name | EDGE02 RTF02 |
| Email | EDGE02@smt.qa.com |
| UUID | 4FCE5DA0-0200-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | EDGE03 RTF03 |
| Display Name | EDGE03 RTF03 |
| Email | EDGE03@smt.qa.com |
| UUID | 61B271A0-0200-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | EDGE04 RTF04 |
| Display Name | EDGE04 RTF04 |
| Email | EDGE04@smt.qa.com |
| UUID | 7484DD40-0200-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | EDGE05 RTF05 |
| Display Name | EDGE05 RTF05 |
| Email | EDGE05@smt.qa.com |
| UUID | 871E1070-0200-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | expired gw01 |
| Display Name | expired gw01 |
| Email | expired@smt.qa.com |
| UUID | 90028090-039A-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | external user |
| Display Name | external user |
| Email | external01@qaext |

| Property | Value |
|-------------------|--------------------------------------|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| UUID | 88887B20-039B-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | Merkés François |
| Display Name | Merkés François |
| Email | François@smt.qa.com |
| UUID | BB6C1BF0-02C4-0000-9410-6A16583C76B2 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | LOAD 0X |
| Display Name | LOAD 0X |
| Email | LOAD 0X@smt.qa.com |
| UUID | 671A37A0-02A9-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | SystemGroup |
| Recipient | load01 XXX test |
| Display Name | load01 XXX test |
| Email | load01@smt.qa.com |
| UUID | 4742E960-1332-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load02 test |
| Display Name | load02 test |
| Email | load02@smt.qa.com |
| UUID | 7AA423F0-1332-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load03 test |
| Display Name | load03 test |
| Email | load03@smt.qa.com |
| UUID | 8D20A760-1332-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load04 test |
| Display Name | load04 test |
| Email | load04@smt.qa.com |
| UUID | A4F80450-1332-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load05 test05 |

| Property | Value |
|-------------------|--------------------------------------|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| Display Name | load05 test05 |
| Email | load05@smt.qa.com |
| UUID | AC53AF80-1335-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load06 test06 |
| Display Name | load06 test06 |
| Email | load06@smt.qa.com |
| UUID | C3D0DE80-1335-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load07 test07 |
| Display Name | load07 test07 |
| Email | load07@smt.qa.com |
| UUID | DD702A30-1335-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load08 test08 |
| Display Name | load08 test08 |
| Email | load08@smt.qa.com |
| UUID | F12C5990-1335-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load09 test09 |
| Display Name | load09 test09 |
| Email | load09@smt.qa.com |
| UUID | 738110C0-1336-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | load10 test10 |
| Display Name | load10 test10 |
| Email | load10@smt.qa.com |
| UUID | 36F588B0-1337-0000-992C-B0923B5F9940 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | QA&DEV Group |
| Display Name | QA&DEV Group |
| Email | QA&DEV Group@smt.qa.com |
| UUID | 75D85380-02A9-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |

| Property | Value |
|------------------------------------|--|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| Recipient Type | SystemGroup |
| Recipient | Shane O'Malley |
| Display Name | Shane O'Malley |
| Email | Shane@smt.qa.com |
| UUID | 01B93ED0-15A3-0000-9BFE-8367BDA0E416 |
| Distribution Type | TO |
| Recipient Type | User |
| Recipient | Проверка драйверы |
| Display Name | Проверка драйверы |
| Email | Проверка@smt.qa.com |
| UUID | 16171620-01FF-0000-BC4B-AAA2BC7891B1 |
| Distribution Type | TO |
| Recipient Type | User |
| Expire | 0 |
| Delay delivery until | 0 |
| Delegated | false |
| Archived | false |
| Read | false |
| Deleted | false |
| Opened | false |
| Completed | false |
| Security | Normal |
| Box type | Inbox |
| Return notification when opened | false |
| Return notification when deleted | false |
| Return notification when completed | false |
| Return notification when declined | false |
| Return notification when accepted | false |
| Archive Version | 2008.1 |
| Internal ID | 4C598E98.dom1.po1.100.1637161.1.C3.1@1:7.dom1.po1.100.0.1.0.1@16 |
| Name | |
| Source | received |
| Class | Public |
| Account | ATI09 AUTO09@ATI09.po1.dom1 |
| Location ID | 1295973731638 |
| Class Name | GW.MESSAGE.MAIL |
| Original Subject | |
| Personal Subject | |
| Enclosing Folders | 1 |
| Folder | Mailbox |
| ID | 7.dom1.po1.100.0.1.0.1@16 |
| Name | Mailbox |
| Type | Mailbox |

| Property | Value |
|------------|--------------------------------------|
| Message id | 4C598E98.dom1.po1.100.1637161.1.C3.1 |
| System | true |
| Share Type | NotShared |