recc app again

From: ATI01 AUTO01

To: ATI01 AUTO01, ATI02 AUTO02, ATI03 AUTO03, ATI04 AUTO04, ATI05

AUTO05, ATI06 AUTO06, ATI07 AUTO07, ATI08 AUTO08, ATI09 AUTO09, ATI0X, ATI10 AUTO10, ATI11 INVISIBLE01, ATI12 EXTERNALENTITY01, ATI12_RESOURCE01, EDGE01 RTF01, EDGE02 RTF02, EDGE03 RTF03,

EDGE04 RTF04, EDGE05 RTF05, Simple Room1

 Start:
 2012/10/26 13:30

 End:
 2012/10/26 13:30

 Subject:
 recc app again

Place: ATI12_RESOURCE01

| 9B.1 | ATTIZ_RESOURCEUT | 1 |
|---|-------------------|--|
| 9B.1 | Property | Value |
| 1686E76.1.9B.1.xml | Message id | 4C595854.dom1.po1.100.1686E76.1. 9B.1 |
| Display Name | Message Path | xml/Mailbox/4C595854.dom1.po1.100 .1686E76.1.9B.1.xml |
| Email | From | ATI01 AUTO01 |
| UUID | Display Name | ATI01 AUTO01 |
| AAA2BC7891B1 | Email | ati01@smt.qa.com |
| Text | UUID | |
| ATI01 AUTO01; ATI02 AUTO02; ATI03 AUTO03; ATI04 AUTO04; ATI05 AUTO05; ATI06 AUTO06; ATI07 AUTO07; ATI08 AUTO08; ATI09 AUTO09; ATI008, ATI09 AUTO09; ATI0108, ATI09 AUTO09; ATI0108, ATI09 AUTO09; ATI011 INVISIBLE01; AT EXTERNALENTITY01; ATI12_RESOURCE01; EDGE01 RTF01; EDGE02 RTF02; EDGE03 RTF03; EDGE04 RTF04; EDGE05 RTF05; Simple Room1 | Reply To | ati01@smt.qa.com |
| ATI03 AUTO03; ATI04 AUTO04; ATI05 AUTO05; ATI06 AUTO06; ATI07 AUTO07; ATI08 AUTO06; ATI07 AUTO09; ATI008 AUTO09; ATI09 AUTO09; ATI00X; ATI10 AUTO10; ATI11 INVISIBLE01; AT EXTERNALENTITY01; ATI12_RESOURCE01; EDGE01 RTF01; EDGE02 RTF02; EDGE03 RTF03; EDGE04 RTF04; EDGE05 RTF05; Simple Room1 CC Subject recc app again Scheduled date 2012-10-26 12:30:00 End date 2012-10-26 13:30:00 Creation date 2010-08-04 12:08:52 Modified date 2010-08-13 13:58:37 Delivered date 2010-08-04 12:08:52 Message size 0 Duration 0.0416666666666664 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 | Text | ATI01 AUTO01 |
| Subject recc app again Scheduled date 2012-10-26 12:30:00 End date 2012-10-26 13:30:00 Creation date 2010-08-04 12:08:52 Modified date 2010-08-13 13:58:37 Delivered date 2010-08-04 12:08:52 Message size 0 Duration 0.041666666666666666 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | То | ATI03 AUTO03; ATI04 AUTO04; ATI05 AUTO05; ATI06 AUTO06; ATI07 AUTO07; ATI08 AUTO08; ATI09 AUTO09; ATI0X; ATI10 AUTO10; ATI11 INVISIBLE01; ATI12 EXTERNALENTITY01; ATI12_RESOURCE01; EDGE01 RTF01; EDGE02 RTF02; EDGE03 RTF03; EDGE04 RTF04; EDGE05 |
| Scheduled date 2012-10-26 12:30:00 End date 2012-10-26 13:30:00 Creation date 2010-08-04 12:08:52 Modified date 2010-08-13 13:58:37 Delivered date 2010-08-04 12:08:52 Message size 0 Duration 0.0416666666666666664 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | CC | |
| End date 2012-10-26 13:30:00 Creation date 2010-08-04 12:08:52 Modified date 2010-08-13 13:58:37 Delivered date 2010-08-04 12:08:52 Message size 0 Duration 0.0416666666666666664 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | Subject | recc app again |
| Creation date 2010-08-04 12:08:52 Modified date 2010-08-13 13:58:37 Delivered date 2010-08-04 12:08:52 Message size 0 Duration 0.04166666666666666666666666666666666666 | Scheduled date | 2012-10-26 12:30:00 |
| Modified date 2010-08-13 13:58:37 Delivered date 2010-08-04 12:08:52 Message size 0 Duration 0.041666666666666664 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | End date | 2012-10-26 13:30:00 |
| Delivered date 2010-08-04 12:08:52 Message size 0 Duration 0.041666666666666666 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | Creation date | 2010-08-04 12:08:52 |
| Message size 0 Duration 0.041666666666666664 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | Modified date | 2010-08-13 13:58:37 |
| Duration 0.04166666666666664 Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | Delivered date | 2010-08-04 12:08:52 |
| Appointment State Busy Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | Message size | 0 |
| Alarm 1351269000 Attachments 0 Recipients 20 Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | Duration | 0.04166666666666664 |
| Attachments0Recipients20RecipientATI01 AUTO01Display NameATI01 AUTO01 | Appointment State | Busy |
| Recipients20RecipientATI01 AUTO01Display NameATI01 AUTO01 | Alarm | 1351269000 |
| Recipient ATI01 AUTO01 Display Name ATI01 AUTO01 | Attachments | 0 |
| Display Name ATI01 AUTO01 | Recipients | 20 |
| • * | Recipient | ATI01 AUTO01 |
| į | Display Name | ATI01 AUTO01 |
| Email ATI01@smt.qa.com | Email | ATI01@smt.qa.com |

| Property | Value |
|-------------------|--|
| Message id | 4C595854.dom1.po1.100.1686E76.1. 9B.1 |
| UUID | 6F4FA9A0-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI02 AUTO02 |
| Display Name | ATI02 AUTO02 |
| Email | ATI02@smt.ga.com |
| UUID | 85F38FA0-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI03 AUTO03 |
| Display Name | ATI03 AUTO03 |
| Email | ATI03@smt.ga.com |
| UUID | 965A2B60-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI04 AUTO04 |
| Display Name | ATI04 AUTO04 |
| Email | ATI04@smt.ga.com |
| UUID | AB213B10-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI05 AUTO05 |
| Display Name | ATI05 AUTO05 |
| Email | ATI05@smt.ga.com |
| UUID | BD47FD60-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI06 AUTO06 |
| Display Name | ATI06 AUTO06 |
| Email | ATI06@smt.qa.com |
| UUID | D0E50C00-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI07 AUTO07 |
| Display Name | ATI07 AUTO07 |
| Email | ATI07@smt.qa.com |
| UUID | E6CA5CF0-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI08 AUTO08 |

| Property | Value |
|-------------------|--|
| Message id | 4C595854.dom1.po1.100.1686E76.1. 9B.1 |
| Display Name | ATI08 AUTO08 |
| Email | ATI08@smt.qa.com |
| UUID | F79C3DA0-01FF-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI09 AUTO09 |
| Display Name | ATI09 AUTO09 |
| Email | ATI09@smt.qa.com |
| UUID | 0A6EA940-0200-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI0X |
| Display Name | ATI0X |
| Email | ATI0X@smt.ga.com |
| UUID | 0F7B1CF0-02B6-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | SystemGroup |
| Recipient | ATI10 AUTO10 |
| Display Name | ATI10 AUTO10 |
| Email | ATI10@smt.qa.com |
| UUID | 1C6CD4F0-0200-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI11 INVISIBLE01 |
| Display Name | ATI11 INVISIBLE01 |
| Email | ATI11@smt.qa.com |
| UUID | 21AF95C0-0204-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI12 EXTERNALENTITY01 |
| Display Name | ATI12 EXTERNALENTITY01 |
| Email | ATI12@smt.qa.com |
| UUID | B31F07C0-0204-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | ATI12_RESOURCE01 |
| Display Name | ATI12_RESOURCE01 |
| Email | ATI12_RESOURCE01@smt.qa.com |
| UUID | 7B0E27D0-0204-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |

| Property | Value |
|----------------------|--|
| Message id | 4C595854.dom1.po1.100.1686E76.1. 9B.1 |
| Recipient Type | Resource |
| Recipient | EDGE01 RTF01 |
| Display Name | EDGE01 RTF01 |
| Email | EDGE01@smt.qa.com |
| UUID | 3FAA9740-0200-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | EDGE02 RTF02 |
| Display Name | EDGE02 RTF02 |
| Email | EDGE02@smt.qa.com |
| UUID | 4FCE5DA0-0200-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | EDGE03 RTF03 |
| Display Name | EDGE03 RTF03 |
| Email | EDGE03@smt.qa.com |
| UUID | 61B271A0-0200-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | EDGE04 RTF04 |
| Display Name | EDGE04 RTF04 |
| Email | EDGE04@smt.qa.com |
| UUID | 7484DD40-0200-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | EDGE05 RTF05 |
| Display Name | EDGE05 RTF05 |
| Email | EDGE05@smt.qa.com |
| UUID | 871E1070-0200-0000-BC4B- AAA2BC7891B1 |
| Distribution Type | ТО |
| Recipient Type | User |
| Recipient | Simple Room1 |
| Display Name | Simple Room1 |
| Email | Simple Room1@smt.qa.com |
| UUID | 9462BE70-0921-0000-A6CE- 6A31CD4CD6C4 |
| Distribution Type | то |
| Recipient Type | Resource |
| Expire | 0 |
| Delay delivery until | 0 |
| Delegated | false |

| Property | Value |
|------------------------------------|--|
| Message id | 4C595854.dom1.po1.100.1686E76.1. 9B.1 |
| Archived | false |
| Read | false |
| Deleted | false |
| Opened | false |
| Completed | false |
| Security | Normal |
| Box type | Inbox |
| Return notification when opened | false |
| Return notification when deleted | false |
| Return notification when completed | false |
| Return notification when declined | false |
| Return notification when accepted | false |
| Archive Version | 2008.1 |
| Internal ID | 4C595854.dom1.po1.100.1686E76.1. 9B.1@4:7.dom1.po1.100.0.1.0.1@16 |
| Name | |
| Source | received |
| Class | Public |
| Account | ATI04 AUTO04@ATI04.po1.dom1 |
| Location ID | 1295973731638 |
| Class Name | GW.MESSAGE.APPOINTMENT |
| Original Subject | |
| Personal Subject | |
| Enclosing Folders | 1 |
| Folder | Mailbox |
| ID | 7.dom1.po1.100.0.1.0.1@16 |
| Name | Mailbox |
| Туре | Mailbox |
| System | true |
| Share Type | NotShared |
| place | ATI12_RESOURCE01 |