Message Status - Undeliverable

From: dom1.GWIA.GATEWAY

To: ati01.po1.dom1 **Date:** 2010/08/08 15:09

Subject: Message Status - Undeliverable

The attached file had the following undeliverable recipient(s): extRES02@qaext external01@qaext

Information about your message: Subject: app with external users

GroupWise Message Id: 4C59B6D1.1EC:244:40988

Message log tag: 1835

Number of send attempts: 99

Time of initial send attempt: 08-04-10 14:52:04 Time of last send attempt: 08-08-10 15:09:26

Transcript of session follows:

Command: qaext

Response: 450 Host down (qaext)

Received: from dom1-MTA by qa35vm79srv.qalab.tma.com with Novell_GroupWise; Wed, 04 Aug 2010 14:52:03 -0400

Message-Id:

X-Mailer: Novell GroupWise Internet Agent 8.0.1 Content-class: urn:content-classes:calendarmessage

Date: Wed, 04 Aug 2010 14:52:01 -0400

From: "ATI01 AUTO01"
To: "external user" ,,
"ATI01 AUTO01" ,
"expired gw01"

Subject: app with external users

Mime-Version: 1.0

Content-Type: multipart/alternative; boundary="=__Part0A2712C1.0__="

This is a MIME message. If you are reading this text, you may want to consider changing to a mail reader or gateway that understands how to properly handle MIME multipart messages.

--=__Part0A2712C1.0__=

Content-Type: text/plain; charset=US-ASCII Content-Transfer-Encoding: quoted-printable

Item Type: Appointment (All Day Event)

Start Date: Thursday, 5 Aug 2010, 12:00:00am (Eastern Daylight Time)

Duration: 1 Day Place: extRES02

app with external users and external resource

=20

--= Part0A2712C1.0 =

Content-class: urn:content-classes:calendarmessage

Content-Type: text/calendar; method=REQUEST; name=meeting.ics; charset=UTF-8

Content-Transfer-Encoding: 8bit

BEGIN:VCALENDAR

VERSION:2.0

PRODID:-//Novell Inc//Groupwise 8.0.1

METHOD:REQUEST BEGIN:VTIMEZONE

TZID:(GMT-0500) Eastern Standard Time

BEGIN:STANDARD

TZOFFSETFROM:-0400

TZOFFSETTO:-0500

DTSTART:20001107T020000

RRULE:FREQ=YEARLY;INTERVAL=1;BYDAY=1SU;BYMONTH=11

TZNAME: Eastern Standard Time

END:STANDARD BEGIN:DAYLIGHT

TZOFFSETFROM:-0500

TZOFFSETTO:-0400

DTSTART:20000314T020000

RRULE:FREQ=YEARLY;INTERVAL=1;BYDAY=2SU;BYMONTH=3

TZNAME:Eastern Daylight Time

END:DAYLIGHT END:VTIMEZONE BEGIN:VEVENT

SUMMARY:app with external users

DTSTART;TZID="(GMT-0500) Eastern Standard Time":20100805T000000

X-GWALLDAYEVENT:TRUE

TRANSP:OPAQUE

X-GWSHOW-AS:BUSY

X-GWITEM-TYPE:APPOINTMENT DTSTAMP:20100804T185201Z

ORGANIZER;CN="ATI01 AUTO01";ROLE=CHAIR:MAILTO:ati01@smt.qa.com

Property	Value
Message id	4C5EC8B1.dom1.po1.100.1676169.1. EF.1
Message Path	xml/Cabinet\Mailbox/4C5EC8B1.dom1 .po1.100.1676169.1.EF.1.xml
From	dom1.GWIA.GATEWAY

Message id	Property	Value
EF.1		
Email		
UUID	Display Name	dom1.GWIA.GATEWAY
Reply To	Email	GATEWAY.GWIA.dom1
Text	UUID	
To CC Subject Message Status - Undeliverable Scheduled date 2010-08-08 15:09:36 Creation date 2010-08-08 15:09:36 Modified date 2011-01-07 13:43:58 Delivered date 2010-08-08 15:09:37 Message size 2483 Attachments 0 Recipient Display Name Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false false Galse G	Reply To	GATEWAY.GWIA.dom1
CC Subject Message Status - Undeliverable Scheduled date 2010-08-08 15:09:36 Creation date 2011-01-07 13:43:58 Modified date 2011-01-07 13:43:58 Delivered date 2010-08-08 15:09:37 Message size 2483 Attachments 0 Recipients 1 Display Name Email Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Peleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when accepted false Return notification when accepted false Return notificati	Text	dom1.GWIA.GATEWAY
Subject Message Status - Undeliverable Scheduled date 2010-08-08 15:09:36 Creation date 2010-08-08 15:09:36 Modified date 2011-01-07 13:43:58 Delivered date 2010-08-08 15:09:37 Message size 2483 Attachments 0 Recipients 1 Display Name 1 Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when accepted false Return notification when accepted false Return notification when accepted	То	
Scheduled date 2010-08-08 15:09:36 Creation date 2010-08-08 15:09:36 Modified date 2011-01-07 13:43:58 Delivered date 2010-08-08 15:09:37 Message size 2483 Attachments 0 Recipients 1 Display Name 1 Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16	CC	
Creation date 2010-08-08 15:09:36 Modified date 2011-01-07 13:43:58 Delivered date 2010-08-08 15:09:37 Message size 2483 Attachments 0 Recipients 1 Recipient Display Name Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source <t< td=""><td>Subject</td><td>Message Status - Undeliverable</td></t<>	Subject	Message Status - Undeliverable
Modified date 2011-01-07 13:43:58 Delivered date 2010-08-08 15:09:37 Message size 2483 Attachments 0 Recipients 1 Recipient 0 Display Name ati01.po1.dom1 Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16	Scheduled date	2010-08-08 15:09:36
Delivered date 2010-08-08 15:09:37 Message size 2483 Attachments 0 Recipients 1 Display Name ati01.po1.dom1 Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when declined false Return notification when accepted false Return notification when declined false Return not	Creation date	2010-08-08 15:09:36
Message size 2483 Attachments 0 Recipients 1 Recipient 1 Display Name ati01.po1.dom1 Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Archived false Read false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when declined false Return notification when accepted false	Modified date	2011-01-07 13:43:58
Attachments 0 Recipients 1 Recipient 1 Display Name ati01.po1.dom1 Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Archived false Read false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name False Source received Class Public	Delivered date	2010-08-08 15:09:37
Recipients 1 Display Name ati01.po1.dom1 Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1.EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source received Class Public Account ATI01.AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Message size	2483
Recipient Display Name Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when accepted false Return notificat	Attachments	0
Display Name Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when accepted false Return notification when	Recipients	1
Email ati01.po1.dom1 Distribution Type TO Recipient Type User Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when declined false Return notification when accepted false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1.EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Recipient	
Distribution Type Recipient Type User Expire 0 Delay delivery until 0 Delegated Archived false Read false Deleted Gopened Gompleted Security Normal Box type Inbox Return notification when opened Return notification when completed Return notification when declined Return notification when accepted Return notification when accepted Return notification when accepted Return notification when pened Return notification when declined Return notification when rompleted Return notification when accepted Return notifica	Display Name	
Recipient Type	Email	ati01.po1.dom1
Expire 0 Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Distribution Type	ТО
Delay delivery until 0 Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Recipient Type	User
Delegated false Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when accepted false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Expire	0
Archived false Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Delay delivery until	0
Read false Deleted false Opened false Completed false Security Normal Box type Inbox Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when declined false Return notification when accepted false Return notification when completed false Return notification when completed false Return notification when completed false Return notification when accepted false Return notification when accepted false Return notification when completed false Return notific	Delegated	false
Deleted Opened Galse Completed False Security Normal Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Archived	false
Opened Completed Security Normal Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Read	false
Completed Security Normal Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Deleted	false
Security Box type Inbox Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Archive Version Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Opened	false
Box type Return notification when opened Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Return notification when accepted Archive Version Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID Class Name GW.MESSAGE.MAIL	Completed	false
Return notification when opened false Return notification when deleted false Return notification when completed false Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source received Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Security	Normal
Return notification when deleted Return notification when completed Return notification when declined Return notification when declined Return notification when accepted Archive Version Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Box type	Inbox
Return notification when declined Return notification when declined Return notification when accepted Archive Version Internal ID ACSEC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source Class Public Account ATI01 AUTO01@ATI01.po1.dom1 1295973731638 Class Name GW.MESSAGE.MAIL	Return notification when opened	false
Return notification when declined false Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Fource Source received Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Return notification when deleted	false
Return notification when accepted false Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name received Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Return notification when completed	false
Archive Version 2008.1 Internal ID 4C5EC8B1.dom1.po1.100.1676169.1. EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name received Source received Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Return notification when declined	false
AC5EC8B1.dom1.po1.100.1676169.1.	Return notification when accepted	false
EF.1@1:7.dom1.po1.100.0.1.0.1@16 Name Source received Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Archive Version	2008.1
Name received Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Internal ID	
Source received Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL	Name	
Class Public Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL		received
Account ATI01 AUTO01@ATI01.po1.dom1 Location ID 1295973731638 Class Name GW.MESSAGE.MAIL		
Location ID 1295973731638 Class Name GW.MESSAGE.MAIL		
Class Name GW.MESSAGE.MAIL		-
CHANNEL CHOICE	Original Subject	

Property	Value
Message id	4C5EC8B1.dom1.po1.100.1676169.1. EF.1
Personal Subject	
Enclosing Folders	1
Folder	Mailbox
ID	7.dom1.po1.100.0.1.0.1@16
Name	Mailbox
Туре	Mailbox
System	true
Share Type	NotShared
Published	2011/1/7-18:49:29