# Rajalakshmi Engineering College

Name: Dhanush Kumar

Email: 240701113@rajalakshmi.edu.in

Roll no: Phone: null Branch: REC

Department: I CSE FA

Batch: 2028

Degree: B.E - CSE



### NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 2\_CY

Attempt : 1 Total Mark : 40 Marks Obtained : 40

Section 1: Coding

#### 1. Problem Statement

Students are allowed to work on our computer center machines only after entering the correct secret code. If the code is correct, the message "Logged In" is displayed. They are not allowed to log in to the machine until they enter the correct secret code.

Write a program to allow the student to work only if he/she enters the correct secret code.

Note: Here, secret code means the last three digits should be divisible by the first digit of the number.

### **Input Format**

The input consists of an integer n, which represents the secret code.

### **Output Format**

The output displays either "Logged In" or "Incorrect code" based on the given condition.

Refer to the sample output for the formatting specifications.

### Sample Test Case

Input: 2345

Output: Incorrect code

#### Answer

```
n=int(input())
nstr=str(n)
fd=int(nstr[0])
td=int(nstr[-3:])
if td %fd==0:
    print("Logged In")
else:
    print("Incorrect code")
```

Status: Correct Marks: 10/10

### 2. Problem Statement

Max is fascinated by prime numbers and the Fibonacci sequence. He wants to combine these two interests by creating a program that outputs the first n prime numbers within the Fibonacci sequence.

Your task is to help Max by writing a program that prints the first n prime numbers in the Fibonacci sequence using a while loop along with the break statement to achieve the desired functionality.

### **Input Format**

The input consists of an integer n, representing the number of prime Fibonacci numbers to generate.

### **Output Format**

The output displays space-separated first n prime numbers found in the Fibonacci sequence.

Refer to the sample output for the formatting specifications.

### Sample Test Case

```
Input: 5
Output: 2 3 5 13 89
Answer
n=int(input())
a,b=0,1
count=0
while count<n:
  if b>1:
    ip=True
    for i in range(2,int(b**0.5)+1):
       if b%i==0:
         ip=False
         break
    if ip:
      print(b, end=" ")
       count+=1
  a,b=b,a+b
```

Status: Correct Marks: 10/10

### 3. Problem Statement

John is tasked with configuring the lighting for a high-profile event, where different lighting modes affect the ambiance of the venue. He can choose from three distinct lighting modes, each requiring a specific adjustment to the initial light intensity:

Ambient Lighting (Mode 1): The intensity level is multiplied by 1.5.Stage Lighting (Mode 2): The intensity level is multiplied by 2.0.Spotlight (Mode 3): The intensity level is multiplied by 1.8.

In the event that an invalid mode is provided, the program should output an error message indicating the invalid selection.

Your task is to write a program that reads the selected lighting mode and the initial intensity level, applies the appropriate adjustment, and prints the final intensity.

### **Input Format**

The first line of input is an integer n, representing the lighting mode.

The second line is a floating value m, representing the initial intensity level of the light.

### **Output Format**

The output displays "Intensity: " followed by a float representing the adjusted intensity level, formatted to two decimal places, if the mode is valid.

If the mode is invalid, the output should display "Invalid".

Refer to the sample output for formatting specifications.

### Sample Test Case

Input: 1

```
10.0
Output: Intensity: 15.00

Answer

m=int(input())
i=float(input())
while m<=3:
    if m==1:
        print("Intensity: {:.2f}".format(i*1.50))
elif m==2:
```

```
print("Intensity: {:.2f}".format(i*2.0))
elif m==3:
    print("Intensity: {:.2f}".format(i*1.8))
break
else:
    print("Invalid")
```

Status: Correct Marks: 10/10

### 4. Problem Statement

Nisha is a mathematics enthusiast, eager to explore the realm of twin prime numbers. The objective is to develop a program that enables the discovery and presentation of twin prime pairs.

The program should take an integer 'n' as input and generate 'n' pairs of twin primes, displaying the pairs with a difference of 2 between them.

### **Input Format**

The input consists of a single integer, n.

### **Output Format**

The output displays the 'n' pairs of twin primes, the pairs with a difference of 2 between them.

Refer to the sample output for the formatting specifications.

## Sample Test Case

#### Answer

```
n=int(input())
count=0
num=3
while count < n:
  ip=True
  ipn=True
  for i in range(2,num//2+1):
    if num%i==0:
      ip=False
      break
  for i in range(2,num+2//2+1):
    if (num+2)\%i==0:
      ipn=False
      break
  if ip and ipn:
    print(num,num+2)
    count+=1
  num+=2
```

Status: Correct Marks: 10/10