HELIOS USER GUIDE · COMMERCIAL

Account manager

Procedures, usage, guidelines, and your roles and access

The account manager: you onboard clients commercially: quotes, pilots, contracts and invoices, and the client's first rulebook.

Platform	HELIOS managed detection and response
Guide	09 of 11 · Account manager
Date	31 October 2026
Version	Written against HELIOS 809e500
Screenshots	Taken in the HELIOS test environment with test data, signed in as a account manager. Your screens show your own clients and data.

Contents

1. Your role at a glance
2. Roles and access
3. Getting started
4. Your screens
5. Procedures
6. Guidelines
7. Reference

> You have **10** of 50 permissions and **6** pages in your sidebar: Overview, Tools & Integrations, Rulebooks, Clients, Build & Price, Contracts & Billing.

1. Your role at a glance

The account manager: you onboard clients commercially: quotes, pilots, contracts and invoices, and the client's first rulebook.

What you are responsible for

- Build quotes in Build & Price and send them.
- Run pilots against their measured success criteria and convert them.
- Draft, send and record contracts; issue invoices and record payments.
- Create client records and help draft their first rulebook.

A typical day or shift

1. Check the commercial Overview: pipeline, win rate, recent quotes.
2. Check Contracts & Billing for pilots ending, invoices to issue, overdue invoices and renewals coming up.

Who to turn to

Technical questions go to the SOC manager or detection engineer; price-book changes to the platform admin.

2. Roles and access

What you can see

You work across the clients the MSSP serves. The client switcher at the top focuses every page on one client, or All clients.

Your access comes from your role, and HELIOS checks it on the server for every page, button and API call; hiding a button is only a convenience. A change to your role applies on your next click. Everything you do is written to the hash-chained audit log under your name.

Your pages

Overview, Tools & Integrations, Rulebooks, Clients, Build & Price, Contracts & Billing, plus My alerts and your two-step sign-in settings in the user menu.

Your permissions

What the permission lets you do	You
Cases	
See the overview dashboard (dashboard.view)	Yes
See cases in their queues (or their own tenant, for clients) (cases.view)	No
See every queue, regardless of assigned security domains (cases.view_all)	No
Acknowledge cases, change status and severity (cases.triage)	No
Assign cases to other analysts (cases.assign)	No
Escalate or hand off a case to the next tier (cases.escalate)	No
Comment on cases and @mention teammates (cases.comment)	No
Share cases with the client and external channels (cases.share)	No
Response	
Run containment playbooks (subject to approval) (containment.request)	No
Approve or reject pending containment (containment.approve)	No
Isolate and release endpoints directly (endpoints.contain)	No
Analysis	
Run log investigations (investigations.run)	No
Submit emails and files for forensic analysis (forensics.run)	No
Upload raw logs into the detection pipeline (telemetry.ingest)	No
Govern AI agents: identities, tokens, revocation (governance.manage)	No
Intelligence and detection	
Look up threat indicators (intel.view)	No

Edit the blocklist and indicator store (intel.manage)	No
See ATT&CK coverage (mitre.view)	No
Switch SIEM detectors on and off (detections.tune)	No
See response playbooks (playbooks.view)	No
Author and enable response playbooks (playbooks.manage)	No
AI agents	
See AI agent runs and configuration (ai.view)	No
Dispatch AI agents onto a case (ai.dispatch)	No
Rate AI agent output (ai.feedback)	No
Configure AI providers, agent profiles and autonomy (ai.configure)	No
Tools and endpoints	
See onboarded security tools (integrations.view)	**Yes**
Onboard and configure security tools (integrations.manage)	No
See the endpoint inventory and protection coverage (endpoints.view)	No
Clients and rulebooks	
See client tenants (tenants.view)	**Yes**
Create and edit client tenants (tenants.manage)	**Yes**
Read a client's rulebook: what HELIOS may do on its estate (rulebook.view)	**Yes**
Draft changes to a client's rulebook and its allowlist (rulebook.edit)	**Yes**
Put a client's rulebook in force (client admins sign; staff only on the client's recorded instruction) (rulebook.sign)	No
Compliance and reports	
See regulatory clocks and notices (CERT-In, DPDP) and the ISO 27001 evidence map (compliance.view)	No
Draft regulatory notices, record the client's approval, and file them (compliance.prepare)	No
Approve a regulatory notice before it is filed (the report is the client's; staff record a client's approval given elsewhere) (compliance.approve)	No
Read client-facing incident reports (reports.view)	No
SOC operations	
See the on-call rota, pages, runbooks, QA results and digests (operations.view)	No
Edit the on-call rota, runbooks and operations settings (operations.manage)	No
Review the weekly sample of what the AI did on its own (qa.review)	No
Commercial	
Use the Build & Price configurator (pricing.view)	**Yes**

See internal cost and margin (pricing.margin)	**Yes**
Edit the price book (pricing.manage)	No
See contracts, pilots and invoices (clients: their own) (billing.view)	**Yes**
Draft and record contracts, issue invoices and record payments (billing.manage)	**Yes**
Platform	
Invite users and change roles (users.manage)	No
Edit platform settings: company profile, provider keys, forensics thresholds (settings.manage)	No
Read the audit chain (audit.view)	No
Export the audit chain (audit.export)	No
Create personal API tokens for the REST API (acting with their own permissions) (api.tokens)	No

How your role fits with the others

Role	Group	What it is for
Platform admin	Leadership	Owns the platform: users, AI configuration, price book, everything else.
SOC manager	Leadership	Runs the SOC: every queue, approvals, AI autonomy, tool onboarding.
Tier-1 triage analyst	Security operations	Works the first-line queue: acknowledges, validates AI triage, escalates.
Tier-2 security analyst	Security operations	Primary analysis: investigations, forensics, containment requests.
Tier-3 incident responder	Security operations	Owns major incidents: approves containment, isolates endpoints, client comms.
Threat hunter	Security operations	Hunts across all tenants with investigations, forensics and intel.
Detection engineer	Engineering	Maintains playbooks, detections, tool integrations and ATT&CK coverage.
Auditor / compliance	Governance	Read-only oversight: cases, AI decisions and the audit chain.
Account manager	Commercial	Client onboarding, Build & Price quotes and margins.
Client admin	Client	Client-side: their own tenant's cases and tools; approves containment on their estate.
Client stakeholder	Client	Client-side read-only: dashboards, incident reports and endpoint coverage.

3. Getting started

Signing in

1. Open the HELIOS address you were given and sign in with your email and password. A new account gets a temporary password from its administrator.
2. If two-step sign-in is required, set it up the first time: scan the code with an authenticator app, enter a code, and keep the ten recovery codes somewhere safe. Each recovery code works once.
3. If your organisation uses single sign-on, use the sign-in button for your identity provider instead; it satisfies two-step sign-in.
4. Five wrong passwords or codes in a row lock the account for 15 minutes. An administrator can reset your password or your two-step sign-in if you lose your phone.

Finding your way

- **Sidebar**: your pages, grouped (Operate, Analyze, Intelligence, Platform, Commercial). The arrow at the bottom collapses it.
- **Search or jump to** (Ctrl K or Cmd K): find a case, page or client by name.
- **Client switcher**: All clients, or focus every page on one client.
- **The bell**: your notifications (mentions, hand-offs, approvals, pages). Choose which also reach you by email, SMS or WhatsApp under My alerts.
- **Light, dark or system theme**, and your **user menu**: My alerts, two-step sign-in, Sign out.
- A yellow **Test environment** banner means everything on that installation is test data.

Install it as an app

HELIOS can be installed from the browser (Install app in the address bar) as a desktop or mobile app with its own window and shortcuts.

4. Your screens

Each page you can open, what it is for, and how to use it with your access. Where a page is long, further screenshots show the rest.

Overview

Your starting page. It shows what needs you now, and it changes with your role: the SOC sees live posture, queues, SLAs and AI activity; account managers see the commercial picture; client users see their own organisation.




Figure 1. Overview, as seen by a account manager (test environment).

How to use it

- The commercial overview shows won monthly recurring revenue, the open pipeline, win rate, clients and endpoints under contract, and recent quotes. Build a quote opens Build & Price.

Tools & Integrations

The security tools onboarded for each client: how their logs reach HELIOS and how HELIOS acts through

them.




Figure 2. Tools & Integrations, as seen by a account manager (test environment).

How to use it

- The tiles count tools onboarded, connected, degraded and waiting for their first event. Protection stack coverage shows which security layers have a tool across your clients; gaps are where an attack can go unseen.
- Each tool shows how it sends logs (push to its ingest URL, HELIOS pulling from the vendor's API, or the HELIOS forwarder), its source health, and whether a response connector can act through it.
- A source silent longer than its limit opens a case: attackers often stop logging first. A client can't go live while a source is dead.




Figure 3. Tools & Integrations, further down the page.

Rulebooks

Each client's signed rules for what HELIOS may do on its estate. The rules only ever restrict: protected assets and accounts, which actions run automatically, need approval or never happen, blast-radius limits,

business hours and change freezes, the approver chain, AI data handling and CERT-In contacts.




Figure 4. Rulebooks, as seen by a account manager (test environment).

How to use it

- Pick the client at the top. The page shows the version in force, its hash and when it is due for review.
- The tabs: In force (the rules now applying), Edit, Dry run, Allowlist, Versions, AI models, Autonomy and Policy as code.
- Edit drafts a change, from an industry template or the version in force. Dry run replays the last 30 days of AI proposals under the draft and probes each action. Versions compares any two versions side by side.
- Allowlist: known-good hosts, IPs and accounts, each with an owner, a reason and an expiry. They open no cases, and AI containment against them is only suggested.
- Policy as code: export or import the rulebook as YAML, or keep it in Git (GitHub, GitLab or an https URL): a changed file becomes a draft that still needs signing here.
- AI models: which models may read the client's evidence (any, region-locked or on-premises only), the client's own providers (bring your own key), a provider per agent, and the monthly AI budget.
- Autonomy: the AI's autonomy ladder per action type for this client, and promotions waiting for approval.

Clients

The client organisations (tenants): their plan and SLA, status, contacts, and how far they consent to AI

acting on their estate.




Figure 5. Clients, as seen by a account manager (test environment).

How to use it

- Each client shows its plan, status (onboarding, active, suspended), licensed endpoints and users, and test clients are badged.
- Add or edit a client: name, industry, contacts, plan, licensed counts, and the AI autonomy cap the client has consented to (it caps every agent on their estate). A client moves from onboarding to active only once every data source has sent something in the last day.

Build & Price

Configure a client's protection stack, compare vendors and plans, and estimate what it costs: monthly,

annual, one-time, maintenance and over three years.




Figure 6. Build & Price, as seen by a account manager (test environment).

How to use it

- The tabs: Build, Design, Upgrades, Advisor, Compare and Line items. The estimate on the right (monthly, annual recurring, one-time, year 1 and three-year totals) updates as you go.
- Build: describe the client (size from an existing client, or the numbers: workstations, servers, users, log volume, endpoints counted by OS; company type, industry, IT environment) and choose a tool per protection layer. Advisor suggests one per layer for a goal (best value, lowest cost, strongest protection) with its reasons.
- The upgrade review compares each tool with every alternative: what it adds or removes, whether it runs on the client's machines, and the price difference. The solution design lays out priorities, a phased rollout and coverage gaps.
- See internal cost and margin next to the price.
- Save quote (it is versioned), and print or download it as a PDF; a quote never shows cost or margin.




Figure 7. Build & Price, further down the page.




Figure 8. Build & Price, further down the page.

Contracts & Billing

Pilots with measured success criteria, contracts and GST invoices.




Figure 9. Contracts & Billing, as seen by a account manager (test environment).

How to use it

- Pilots carry success criteria measured from HELIOS's own records (time to acknowledge and contain, SLA, AI agreement, wrong containments, sources live). A week before the end you get their status; convert the pilot to a subscription or record that it isn't continuing.
- Contracts: start From a quote (sent or accepted) or with New contract or pilot; send it with your terms of service; the client's admin signs it in the app (or you record a signature on paper or an e-signature). Sending and signing record the AI autonomy the client consented to and the rulebook version in force; signing is refused if either changed since sending.
- Invoices are drafted each day for every billing period of a signed contract that has started (Draft what's due does it now). Issuing numbers the invoice (prefix, financial year, serial) and works out GST from the place of supply; it can't change after that, only be voided with its number kept. Mark it paid when the money arrives.




Figure 10. Contracts & Billing, further down the page.

A client's rulebook

The rulebook page for one client (here the test client Clinic).




Figure 11. A client's rulebook, as seen by a account manager (test environment).

How to use it

- In force shows the assets (never isolated, crown jewels), the people (never disabled, VIPs), each action's mode (automatic from a severity, needs approval, two people), the schedule, the approver chain, and data handling and obligations. The other tabs are as described above.




Figure 12. A client's rulebook, further down the page.

A client

One client's page: plan and SLA, contacts, consent, onboarding status, tools, users and data keys.




Figure 13. A client, as seen by a account manager (test environment).

How to use it

- The page shows the client's open cases, SLA met, mean time to acknowledge and contain, endpoints, and buttons for its Rulebook, Review upgrades & price, and Edit client.
- AI consent: the most an AI agent may do on the client's systems, whatever the SOC's own settings say. Set it as the client agreed.




Figure 14. A client, further down the page.




Figure 15. A client, further down the page.

A saved quote

One quote: its configuration, the price breakdown and its versions.




Figure 16. A saved quote, as seen by a account manager (test environment).

How to use it

- Reopen it in the configurator, download the PDF, or start a contract draft from it on Contracts & Billing.




Figure 17. A saved quote, further down the page.

My alerts

Which notifications also reach you outside HELIOS, by email, SMS or WhatsApp.




Figure 18. My alerts, as seen by a account manager (test environment).

How to use it

- Every notification lands in the app (the bell at the top). Here choose, per kind of notification, the channels it also comes by, and give your phone number in international format (+91…).
- Deliveries that couldn't go (a channel not set up, no number, over the hourly cap) are listed with the reason.




Figure 19. My alerts, further down the page.

5. Procedures

Step by step, for the tasks your role does most.

5.1 Build and send a quote

1. Open Build & Price. Enter the client's endpoints by operating system and the rest of the estate.
2. Choose a tool per layer, or ask the stack advisor for a goal (best value, lowest cost, strongest protection); read its reasons.
3. Use the upgrade review to compare with what the client already has.
4. Check the estimate and your margin, then save the quote and download its PDF (it never shows cost or margin).

5.2 Run a pilot and convert it

1. On Contracts & Billing, create a pilot (from the quote if you like) with its success criteria and term.
2. The criteria are measured from HELIOS's own records; a week before the end you get their status.
3. Convert it into a subscription draft starting when the pilot ends, or record that it isn't continuing.

5.3 Contract and invoice

1. Draft the contract (fees, endpoints, cycle, term, notice, the liability cap for automated containment) and send it. Sending needs your terms of service, set on the billing page.
2. The client's admin signs it in HELIOS, or you record a signature on paper or an e-signature.
3. Each billing period an invoice draft appears. Issue it: it gets its number for the financial year and its GST worked out. Mark it paid when the money arrives, or void it with a reason.

5.4 Add a client

1. On Clients, add the organisation: name, industry, contacts, plan, licensed endpoints and users, and the AI autonomy cap the client has agreed to.
2. Draft its first rulebook with the SOC manager from an industry template; the client's admin signs it.

6. Guidelines

Do

- Quote the autonomy and liability terms the client actually agreed to; the contract snapshots them.
- Check GSTINs and the place of supply before issuing an invoice.

Don't

- Don't promise response times other than the plan's SLA.
- Don't share internal cost or margin with clients.

For everyone

- Never share your account or password; every action is recorded under your name.
- Keep client information inside HELIOS and to the people who need it.
- Treat text inside evidence (command lines, emails, file names) as possibly written by an attacker: it may address 'the AI' or 'the analyst' to mislead. HELIOS flags such text; don't follow it.
- Every action in HELIOS is reversible or recorded, and audited; write down why you did it.

> The client's signed rulebook binds everyone: the AI, playbooks and people. If HELIOS refuses an action, the reason names the rule. Don't work around it in a vendor's console; ask the client to change the rule.

7. Reference

Terms you will see

Case statuses

Open	New; nobody has acknowledged it yet.
Triaging	Someone is looking at it.
Investigating	Under analysis.
Awaiting approval	Containment is waiting on someone's yes.
Contained	The threat is stopped; clean-up may continue.
Resolved	Closed with a disposition.
False positive	Closed: it wasn't a threat.

Severities

Critical, High, Medium, Low, Info	Set by the detections and adjustable by analysts. The client's plan sets the acknowledgement SLA for each.

Dispositions (when closing)

True positive	A real threat.
Benign true positive	Real activity, but expected or authorised (an admin's tool, a pen test).
False positive	Not what the detection thought.

Tiers

T1	Triage.
T2	Analysis.
T3	Incident response.

Response action statuses

Suggested	A recommendation only; autonomy doesn't allow acting.
Pending approval	Waiting on an approver.
In progress	The vendor was asked; waiting for it to confirm. Doesn't count as containment yet.
Executed	Done and confirmed by the vendor (or by an analyst for a manual action).
Manual required	Approved, but no connector can do it: someone does it in the tool's console and records it.
Blocked	A guardrail or the client's rulebook refused it; the reason is shown.
Rejected	An approver said no.
Rolled back	Undone.

Failed	The vendor or HELIOS couldn't do it.
Shadow	Shadow mode: what the AI would have done, recorded silently and shown once the case closes.

AI autonomy (per agent)

Off	The agent doesn't run.
Suggest only	It proposes; people decide.
Contain with approval	Its containment waits for approval.
Auto-contain	It may act on pre-approved actions above its confidence bar.

Autonomy ladder (per client and action type)

L0 observe	Shadow mode.
L1 suggest	Suggestions only.
L2 approve	Acts once approved.
L3 act and notify	Acts, and tells people at once.
L4 act	Acts, and reports in the daily digest.

Evidence references

D, E, I, T, C	Detections, events, indicators, timeline entries and context in the case; Q for what the investigation agent's tools returned. Every AI finding cites them.

If something doesn't work

- **A page says you don't have access**: your role doesn't include it. Ask your administrator if your job needs it.
- **An action was refused**: the message names the rule (the client's rulebook, a guardrail, the plan or the kill switch).
- **An action is 'Manual required'**: no connector can do it. Do it in the tool's own console, then record what you did on the case.
- **You don't get alerts by SMS or email**: check My alerts for your channel choices, your phone number, and deliveries skipped with their reason.
- **You can't sign in**: after five failures the account locks for 15 minutes; your administrator can reset your password or two-step sign-in.