HELIOS USER GUIDE · CLIENT

Client admin

Procedures, usage, guidelines, and your roles and access

The administrator on the client's side: you see your organisation's incidents, approve containment on your estate, sign the rules HELIOS works under, and look after your security tools and contracts.

Platform	HELIOS managed detection and response
Guide	10 of 11 · Client admin
Date	31 October 2026
Version	Written against HELIOS 809e500
Screenshots	Taken in the HELIOS test environment with test data, signed in as a client admin. Your screens show your own clients and data.

Contents

1. Your role at a glance
2. Roles and access
3. Getting started
4. Your screens
5. Procedures
6. Guidelines
7. Reference

> You have **15** of 50 permissions and **11** pages in your sidebar: Overview, Incidents, Approvals, Endpoints, Service reports, Compliance, Attack Graph, Security tools, Our rulebook, API Tokens, Contracts & invoices.

1. Your role at a glance

The administrator on the client's side: you see your organisation's incidents, approve containment on your estate, sign the rules HELIOS works under, and look after your security tools and contracts.

What you are responsible for

- Approve or reject containment on your estate when the SOC or the AI asks.
- Own your rulebook: protected assets and accounts, what may happen automatically, approvers; sign each version.
- Approve regulatory notices (CERT-In, DPDP) before the SOC files them.
- Keep your security tools connected; decide which AI models may read your data.
- Sign contracts and keep track of invoices.

A typical day or shift

1. Check Approvals: containment, notices and rulebook versions waiting on you.
2. Read Incidents for what is open and what was done.
3. Read your daily digest: what HELIOS did on its own, what is waiting, deadlines.

Who to turn to

Ask the SOC in the incident's discussion; for contract matters, contact your account manager.

2. Roles and access

What you can see

You see your own organisation only. HELIOS enforces this in the database itself (row-level isolation), so no screen, export or API call can show you another client's data.

Your access comes from your role, and HELIOS checks it on the server for every page, button and API call; hiding a button is only a convenience. A change to your role applies on your next click. Everything you do is written to the hash-chained audit log under your name.

Your pages

Overview, Incidents, Approvals, Endpoints, Service reports, Compliance, Attack Graph, Security tools, Our rulebook, API Tokens, Contracts & invoices, plus My alerts and your two-step sign-in settings in the user menu.

Your permissions

What the permission lets you do	You
Cases	
See the overview dashboard (dashboard.view)	Yes
See cases in their queues (or their own tenant, for clients) (cases.view)	Yes
See every queue, regardless of assigned security domains (cases.view_all)	No
Acknowledge cases, change status and severity (cases.triage)	No
Assign cases to other analysts (cases.assign)	No
Escalate or hand off a case to the next tier (cases.escalate)	No
Comment on cases and @mention teammates (cases.comment)	Yes
Share cases with the client and external channels (cases.share)	No
Response	
Run containment playbooks (subject to approval) (containment.request)	No
Approve or reject pending containment (containment.approve)	Yes
Isolate and release endpoints directly (endpoints.contain)	No
Analysis	
Run log investigations (investigations.run)	No
Submit emails and files for forensic analysis (forensics.run)	No
Upload raw logs into the detection pipeline (telemetry.ingest)	No
Govern AI agents: identities, tokens, revocation (governance.manage)	No
Intelligence and detection	

Look up threat indicators (intel.view)	No
Edit the blocklist and indicator store (intel.manage)	No
See ATT&CK coverage (mitre.view)	No
Switch SIEM detectors on and off (detections.tune)	No
See response playbooks (playbooks.view)	No
Author and enable response playbooks (playbooks.manage)	No
AI agents	
See AI agent runs and configuration (ai.view)	No
Dispatch AI agents onto a case (ai.dispatch)	No
Rate AI agent output (ai.feedback)	No
Configure AI providers, agent profiles and autonomy (ai.configure)	No
Tools and endpoints	
See onboarded security tools (integrations.view)	**Yes**
Onboard and configure security tools (integrations.manage)	**Yes**
See the endpoint inventory and protection coverage (endpoints.view)	**Yes**
Clients and rulebooks	
See client tenants (tenants.view)	No
Create and edit client tenants (tenants.manage)	No
Read a client's rulebook: what HELIOS may do on its estate (rulebook.view)	**Yes**
Draft changes to a client's rulebook and its allowlist (rulebook.edit)	**Yes**
Put a client's rulebook in force (client admins sign; staff only on the client's recorded instruction) (rulebook.sign)	**Yes**
Compliance and reports	
See regulatory clocks and notices (CERT-In, DPDP) and the ISO 27001 evidence map (compliance.view)	**Yes**
Draft regulatory notices, record the client's approval, and file them (compliance.prepare)	No
Approve a regulatory notice before it is filed (the report is the client's; staff record a client's approval given elsewhere) (compliance.approve)	**Yes**
Read client-facing incident reports (reports.view)	**Yes**
SOC operations	
See the on-call rota, pages, runbooks, QA results and digests (operations.view)	No
Edit the on-call rota, runbooks and operations settings (operations.manage)	No
Review the weekly sample of what the AI did on its own (qa.review)	No
Commercial	

Use the Build & Price configurator (pricing.view)	No
See internal cost and margin (pricing.margin)	No
Edit the price book (pricing.manage)	No
See contracts, pilots and invoices (clients: their own) (billing.view)	**Yes**
Draft and record contracts, issue invoices and record payments (billing.manage)	No
Platform	
Invite users and change roles (users.manage)	No
Edit platform settings: company profile, provider keys, forensics thresholds (settings.manage)	No
Read the audit chain (audit.view)	No
Export the audit chain (audit.export)	No
Create personal API tokens for the REST API (acting with their own permissions) (api.tokens)	**Yes**

How your role fits with the others

Role	Group	What it is for
Platform admin	Leadership	Owns the platform: users, AI configuration, price book, everything else.
SOC manager	Leadership	Runs the SOC: every queue, approvals, AI autonomy, tool onboarding.
Tier-1 triage analyst	Security operations	Works the first-line queue: acknowledges, validates AI triage, escalates.
Tier-2 security analyst	Security operations	Primary analysis: investigations, forensics, containment requests.
Tier-3 incident responder	Security operations	Owns major incidents: approves containment, isolates endpoints, client comms.
Threat hunter	Security operations	Hunts across all tenants with investigations, forensics and intel.
Detection engineer	Engineering	Maintains playbooks, detections, tool integrations and ATT&CK coverage.
Auditor / compliance	Governance	Read-only oversight: cases, AI decisions and the audit chain.
Account manager	Commercial	Client onboarding, Build & Price quotes and margins.
Client admin	Client	Client-side: their own tenant's cases and tools; approves containment on their estate.
Client stakeholder	Client	Client-side read-only: dashboards, incident reports and endpoint coverage.

3. Getting started

Signing in

1. Open the HELIOS address you were given and sign in with your email and password. A new account gets a temporary password from its administrator.
2. If two-step sign-in is required, set it up the first time: scan the code with an authenticator app, enter a code, and keep the ten recovery codes somewhere safe. Each recovery code works once.
3. Five wrong passwords or codes in a row lock the account for 15 minutes. An administrator can reset your password or your two-step sign-in if you lose your phone.

Finding your way

- **Sidebar**: your pages, grouped (Operate, Analyze, Intelligence, Platform, Commercial). The arrow at the bottom collapses it.
- **Search or jump to** (Ctrl K or Cmd K): find a case, page or client by name.
- **The bell**: your notifications (mentions, hand-offs, approvals, pages). Choose which also reach you by email, SMS or WhatsApp under My alerts.
- **Light, dark or system theme**, and your **user menu**: My alerts, two-step sign-in, Sign out.
- A yellow **Test environment** banner means everything on that installation is test data.

Install it as an app

HELIOS can be installed from the browser (Install app in the address bar) as a desktop or mobile app with its own window and shortcuts.

4. Your screens

Each page you can open, what it is for, and how to use it with your access. Where a page is long, further screenshots show the rest.

Overview

Your starting page. It shows what needs you now, and it changes with your role: the SOC sees live posture, queues, SLAs and AI activity; account managers see the commercial picture; client users see their own organisation.




Figure 1. Overview, as seen by a client admin (test environment).

How to use it

- The Live badge means the figures refresh on their own every 30 seconds; the arrow refreshes now.
- Your security at a glance: open incidents, SLA met over 30 days, average time to acknowledge and to contain, and your endpoints' average protection score. Below, incidents over the last 14 days and your service plan.
- Waiting for your approval lists containment the SOC proposed on your systems; Review opens the incident to approve or reject it.




Figure 2. Overview, further down the page.




Figure 3. Overview, further down the page.

Incidents

Every case HELIOS has opened: detections from your clients' telemetry, vendor alerts, uploaded investigations, email and file analysis, and governed AI agents. Correlated detections for the same user, host or IP join one case instead of opening many.




Figure 4. Incidents, as seen by a client admin (test environment).

How to use it

- You see only your own organisation's incidents. Open one to read what happened, what was done and what is waiting on you.




Figure 5. Incidents, further down the page.

A case

Everything about one case on one page: what was detected, what the AI made of it, what has been done

and what is waiting, the evidence, and the discussion.




Figure 6. A case, as seen by a client admin (test environment).

How to use it

- The header shows severity, status, the SLA, the tier (T1 triage, T2 analysis, T3 incident response), the security domain, the source, the client and whether AI triaged it. Below are the dates (created, acknowledged, contained, resolved), the assignee, the risk score, the confidence and the client's service plan. Report PDF downloads the incident report.
- Response actions lists containment the AI proposed and people requested, each with its status. Approve or Reject what is awaiting approval; the client's rulebook and the response policy still apply.
- Regulatory reporting shows whether CERT-In's 6-hour report or the DPDP breach notices apply, the incident types HELIOS proposes, and the notices' state.
- The discussion takes comments and @mentions. Internal comments stay with the SOC; client-visible ones reach the client.
- You can read the case, its timeline and what was done. Approve or reject containment on your estate from here or from Approvals.




Figure 7. A case, further down the page.




Figure 8. A case, further down the page.




Figure 9. A case, further down the page.

Approvals

Everything waiting on someone's yes, in your scope: containment the response policy held, playbook

runs that need approval, regulatory notices waiting on the client, and rulebooks to sign.




Figure 10. Approvals, as seen by a client admin (test environment).

How to use it

- Each item says what would happen, against what, why it was held, who proposed it, the client, the severity and how long it has waited. Approve or Reject right there.
- Nothing held runs while it waits. The client's approver chain is asked in turn (in the app, by Slack or Teams, email, SMS or WhatsApp); when the chain runs out, the action holds or becomes a suggestion, as the client's rulebook says.
- A two-person rule in the rulebook needs two different approvers; one approval leaves it waiting for the second.
- As a client admin you see only your organisation's items: containment on your estate, notices to approve before filing, and rulebook versions to sign.




Figure 11. Approvals, further down the page.

Endpoints

The endpoint inventory and the whole attack surface: devices, servers, cloud, network, identity, IoT/OT

and applications, with how well each is protected.




Figure 12. Endpoints, as seen by a client admin (test environment).

How to use it

- The tiles count assets, the average protection score, devices missing essential controls, devices isolated now and devices not seen for seven days.
- Attack surface inventory groups every asset; Protection coverage by control shows the share of computers, servers and phones where each protection layer (EDR, antivirus, disk encryption, MFA…) is active, with the essential ones marked.




Figure 13. Endpoints, further down the page.

Service reports

How the service performed over a period: volume, response times, SLA compliance, AI performance and

analyst workload, each compared with the period before.




Figure 14. Service reports, as seen by a client admin (test environment).

How to use it

- Pick a period or a month. The figures include median time to acknowledge, contain and resolve, acknowledgement SLA compliance, the mix by severity, source, domain and client, top ATT&CK techniques and indicators, AI runs and analyst agreement, and containment outcomes.
- You see your own organisation's report, and can download it as a PDF.




Figure 15. Service reports, further down the page.

Compliance

Regulatory clocks and evidence: CERT-In's 6-hour incident reports, the DPDP breach notices, and the

ISO/IEC 27001 evidence map.




Figure 16. Compliance, as seen by a client admin (test environment).

How to use it

- Clocks running lists every notice not yet filed, nearest deadline first. CERT-In: incidents of the 20 listed types are reported within 6 hours of being noticed. DPDP: the Board and each affected person are told without delay, and the Board gets a detailed report within 72 hours.
- A notice goes to the client for approval before it is filed: approve it here or from Approvals. An edit after approval sends it back.
- The ISO 27001 view maps 15 Annex A controls to what HELIOS's records show over the period, and shows gaps (controls with nothing behind them) plainly.
- Switch the period (30 days, 90 days, 12 months) at the top.




Figure 17. Compliance, further down the page.




Figure 18. Compliance, further down the page.

Attack Graph

Cases joined by the hosts, accounts, addresses, indicators and agents they share. An entity is an attack chain when its cases together reach more ATT&CK tactics than any one alone.




Figure 19. Attack Graph, as seen by a client admin (test environment).

How to use it

- Hover or click a node to see the cases behind it; follow chains across tactics to see an intrusion that several smaller cases make up.




Figure 20. Attack Graph, further down the page.

Security tools

The security tools onboarded for each client: how their logs reach HELIOS and how HELIOS acts through

them.




Figure 21. Security tools, as seen by a client admin (test environment).

How to use it

- The tiles count tools onboarded, connected, degraded and waiting for their first event. Protection stack coverage shows which security layers have a tool across your clients; gaps are where an attack can go unseen.
- Each tool shows how it sends logs (push to its ingest URL, HELIOS pulling from the vendor's API, or the HELIOS forwarder), its source health, and whether a response connector can act through it.
- Onboard a tool for a client: pick it from the catalog, enter its read-only credentials (encrypted with the client's own key), test the connection, set the collectors running, and turn on the response connector (dry-run first). Generate the forwarder configuration for syslog, Windows event logs and files. Replay records waiting in the dead-letter queue.
- A source silent longer than its limit opens a case: attackers often stop logging first. A client can't go live while a source is dead.




Figure 22. Security tools, further down the page.




Figure 23. Security tools, further down the page.

Our rulebook

Each client's signed rules for what HELIOS may do on its estate. The rules only ever restrict: protected assets and accounts, which actions run automatically, need approval or never happen, blast-radius limits, business hours and change freezes, the approver chain, AI data handling and CERT-In contacts.




Figure 24. Our rulebook, as seen by a client admin (test environment).

How to use it

- The tabs: In force (the rules now applying), Edit, Dry run, Allowlist, Versions, AI models, Autonomy and Policy as code.
- Edit drafts a change, from an industry template or the version in force. Dry run replays the last 30 days of AI proposals under the draft and probes each action. Versions compares any two versions side by side.
- Sign the draft to put it in force. Client admins sign their own; staff activate only on the client's recorded instruction, naming it.
- Allowlist: known-good hosts, IPs and accounts, each with an owner, a reason and an expiry. They open no cases, and AI containment against them is only suggested.
- Policy as code: export or import the rulebook as YAML, or keep it in Git (GitHub, GitLab or an https URL): a changed file becomes a draft that still needs signing here.
- AI models: which models may read the client's evidence (any, region-locked or on-premises only), the client's own providers (bring your own key), a provider per agent, and the monthly AI budget.
- Autonomy: the AI's autonomy ladder per action type for this client, and promotions waiting for approval.




Figure 25. Our rulebook, further down the page.

API Tokens

Personal tokens for the REST API, for ticketing systems, SOAR and client portals. A token acts as you:

same role, client and queues.




Figure 26. API Tokens, as seen by a client admin (test environment).

How to use it

- New token: give it a name (what will use it), an expiry (90 days by default), and switch on Read & write only if it must change things. Create token shows it once; copy it then. Your tokens lists yours to revoke.
- The page includes the API reference: endpoints, parameters and examples. Calls are limited to 300 a minute per token, and every change through the API is audited.




Figure 27. API Tokens, further down the page.

Contracts & invoices

Pilots with measured success criteria, contracts and GST invoices.




Figure 28. Contracts & invoices, as seen by a client admin (test environment).

How to use it

- You see your organisation's contracts and issued invoices, and download their PDFs.
- As client admin, sign a contract sent to you here.

My alerts

Which notifications also reach you outside HELIOS, by email, SMS or WhatsApp.




Figure 29. My alerts, as seen by a client admin (test environment).

How to use it

- Every notification lands in the app (the bell at the top). Here choose, per kind of notification, the channels it also comes by, and give your phone number in international format (+91…).
- Deliveries that couldn't go (a channel not set up, no number, over the hourly cap) are listed with the reason.




Figure 30. My alerts, further down the page.

5. Procedures

Step by step, for the tasks your role does most.

5.1 Approve or reject containment

1. Open Approvals (or the incident). Each item says what would happen (isolate a device, disable an account, block an address…), why, and who proposed it.
2. Approve if it is right for your business, or Reject with a reason. Nothing held runs while it waits.
3. Approvals also reach you by email, SMS or WhatsApp if you chose that under My alerts.

5.2 Sign your rulebook

1. Open Our rulebook. Review the draft against the version in force (the differences are shown) and the dry-run result.
2. Check the protected assets (never isolate, crown jewels), protected accounts (VIP, break-glass, service), which actions may run automatically and from what severity, business hours and change freezes, and your approver chain.
3. Sign. The new version applies at once to everything HELIOS, its AI and its analysts do on your estate.

5.3 Approve a regulatory notice

1. When a CERT-In report or DPDP notice is ready, it appears in Approvals and on Compliance.
2. Read the draft. Approve it, or ask the SOC for changes. An edit after approval comes back to you.

5.4 Decide which AI may read your data

1. In Our rulebook → AI, set residency (any provider, region-locked, or on-premises only) and whether personal data is masked before a cloud model sees it.
2. Optionally add your own provider (your Anthropic, Amazon Bedrock or Azure OpenAI account, or an on-premises AI box), pick a provider per agent, and set a monthly AI budget.
3. A model you pick acts on its own only once it has passed HELIOS's evaluation; until then it only suggests.

5.5 Approve a promotion of the AI's autonomy

1. Autonomy is earned per action type: a promotion needs at least 20 decisions in 30 days, 90% agreement with the SOC's analysts, no more than 2% wrong containment, and none on a critical asset.
2. When one is proposed, open Our rulebook → the autonomy ladder; read the record behind it and discuss it with the SOC.
3. Approve or decline it. Your plan, your consent and your rulebook still cap every level.

6. Guidelines

Do

- Keep your never-isolate list and protected accounts current; they bind the SOC's people as well as the AI.
- Name approvers who can be reached at night, and keep their contact details current.
- Set up My alerts so approvals reach you quickly.

Don't

- Don't share your account; invite colleagues as client stakeholders instead.
- Don't approve containment you don't understand: ask the SOC in the incident's discussion first.

For everyone

- Never share your account or password; every action is recorded under your name.
- Keep client information inside HELIOS and to the people who need it.
- Treat text inside evidence (command lines, emails, file names) as possibly written by an attacker: it may address 'the AI' or 'the analyst' to mislead. HELIOS flags such text; don't follow it.
- Every action in HELIOS is reversible or recorded, and audited; write down why you did it.

> The client's signed rulebook binds everyone: the AI, playbooks and people. If HELIOS refuses an action, the reason names the rule. Don't work around it in a vendor's console; ask the client to change the rule.

7. Reference

Terms you will see

Case statuses

Open	New; nobody has acknowledged it yet.
Triaging	Someone is looking at it.
Investigating	Under analysis.
Awaiting approval	Containment is waiting on someone's yes.
Contained	The threat is stopped; clean-up may continue.
Resolved	Closed with a disposition.
False positive	Closed: it wasn't a threat.

Severities

Critical, High, Medium, Low, Info	Set by the detections and adjustable by analysts. The client's plan sets the acknowledgement SLA for each.

Dispositions (when closing)

True positive	A real threat.
Benign true positive	Real activity, but expected or authorised (an admin's tool, a pen test).
False positive	Not what the detection thought.

Tiers

T1	Triage.
T2	Analysis.
T3	Incident response.

Response action statuses

Suggested	A recommendation only; autonomy doesn't allow acting.
Pending approval	Waiting on an approver.
In progress	The vendor was asked; waiting for it to confirm. Doesn't count as containment yet.
Executed	Done and confirmed by the vendor (or by an analyst for a manual action).
Manual required	Approved, but no connector can do it: someone does it in the tool's console and records it.
Blocked	A guardrail or the client's rulebook refused it; the reason is shown.
Rejected	An approver said no.
Rolled back	Undone.

Failed	The vendor or HELIOS couldn't do it.
Shadow	Shadow mode: what the AI would have done, recorded silently and shown once the case closes.

AI autonomy (per agent)

Off	The agent doesn't run.
Suggest only	It proposes; people decide.
Contain with approval	Its containment waits for approval.
Auto-contain	It may act on pre-approved actions above its confidence bar.

Autonomy ladder (per client and action type)

L0 observe	Shadow mode.
L1 suggest	Suggestions only.
L2 approve	Acts once approved.
L3 act and notify	Acts, and tells people at once.
L4 act	Acts, and reports in the daily digest.

Evidence references

D, E, I, T, C	Detections, events, indicators, timeline entries and context in the case; Q for what the investigation agent's tools returned. Every AI finding cites them.

If something doesn't work

- **A page says you don't have access**: your role doesn't include it. Ask your administrator if your job needs it.
- **An action was refused**: the message names the rule (the client's rulebook, a guardrail, the plan or the kill switch).
- **An action is 'Manual required'**: no connector can do it. Do it in the tool's own console, then record what you did on the case.
- **You don't get alerts by SMS or email**: check My alerts for your channel choices, your phone number, and deliveries skipped with their reason.
- **You can't sign in**: after five failures the account locks for 15 minutes; your administrator can reset your password or two-step sign-in.