HELIOS USER GUIDE · CLIENT

# Client stakeholder

Procedures, usage, guidelines, and your roles and access

A stakeholder on the client's side (a manager, an executive, an IT lead): you read your organisation's incidents, reports and coverage.

| | |
|---|---|
| Platform | HELIOS managed detection and response |
| Guide | 11 of 11 · Client stakeholder |
| Date | 31 October 2026 |
| Version | Written against HELIOS 809e500 |
| Screenshots | Taken in the HELIOS test environment with test data, signed in as a client stakeholder. Your screens show your own clients and data. |

# Contents

1. Your role at a glance
2. Roles and access
3. Getting started
4. Your screens
5. Procedures
6. Guidelines
7. Reference

> You have **6** of 50 permissions and **7** pages in your sidebar: Overview, Incidents, Endpoints, Service reports, Compliance, Attack Graph, Our rulebook.

# 1. Your role at a glance

A stakeholder on the client's side (a manager, an executive, an IT lead): you read your organisation's incidents, reports and coverage.

## What you are responsible for

- Keep informed of incidents affecting your organisation.
- Read the monthly service reports and endpoint coverage.
- Know the rules HELIOS works under on your estate.

## A typical day or shift

1. Glance at Overview for open incidents.
2. Read the service report each month.

## Who to turn to

Questions about an incident go to your client admin, who can raise them with the SOC.

# 2. Roles and access

## What you can see

You see your own organisation only. HELIOS enforces this in the database itself (row-level isolation), so no screen, export or API call can show you another client's data.

Your access comes from your role, and HELIOS checks it on the server for every page, button and API call; hiding a button is only a convenience. A change to your role applies on your next click. Everything you do is written to the hash-chained audit log under your name.

## Your pages

Overview, Incidents, Endpoints, Service reports, Compliance, Attack Graph, Our rulebook, plus My alerts and your two-step sign-in settings in the user menu.

## Your permissions

| What the permission lets you do | You |
|---|---|
| **Cases** | |
| See the overview dashboard (dashboard.view) | Yes |
| See cases in their queues (or their own tenant, for clients) (cases.view) | Yes |
| See every queue, regardless of assigned security domains (cases.view_all) | No |
| Acknowledge cases, change status and severity (cases.triage) | No |
| Assign cases to other analysts (cases.assign) | No |
| Escalate or hand off a case to the next tier (cases.escalate) | No |
| Comment on cases and @mention teammates (cases.comment) | No |
| Share cases with the client and external channels (cases.share) | No |
| **Response** | |
| Run containment playbooks (subject to approval) (containment.request) | No |
| Approve or reject pending containment (containment.approve) | No |
| Isolate and release endpoints directly (endpoints.contain) | No |
| **Analysis** | |
| Run log investigations (investigations.run) | No |
| Submit emails and files for forensic analysis (forensics.run) | No |
| Upload raw logs into the detection pipeline (telemetry.ingest) | No |
| Govern AI agents: identities, tokens, revocation (governance.manage) | No |
| **Intelligence and detection** | |
| Look up threat indicators (intel.view) | No |

| | |
|---|---|
| Edit the blocklist and indicator store (intel.manage) | No |
| See ATT&CK coverage (mitre.view) | No |
| Switch SIEM detectors on and off (detections.tune) | No |
| See response playbooks (playbooks.view) | No |
| Author and enable response playbooks (playbooks.manage) | No |
| **AI agents** | |
| See AI agent runs and configuration (ai.view) | No |
| Dispatch AI agents onto a case (ai.dispatch) | No |
| Rate AI agent output (ai.feedback) | No |
| Configure AI providers, agent profiles and autonomy (ai.configure) | No |
| **Tools and endpoints** | |
| See onboarded security tools (integrations.view) | No |
| Onboard and configure security tools (integrations.manage) | No |
| See the endpoint inventory and protection coverage (endpoints.view) | **Yes** |
| **Clients and rulebooks** | |
| See client tenants (tenants.view) | No |
| Create and edit client tenants (tenants.manage) | No |
| Read a client's rulebook: what HELIOS may do on its estate (rulebook.view) | **Yes** |
| Draft changes to a client's rulebook and its allowlist (rulebook.edit) | No |
| Put a client's rulebook in force (client admins sign; staff only on the client's recorded instruction) (rulebook.sign) | No |
| **Compliance and reports** | |
| See regulatory clocks and notices (CERT-In, DPDP) and the ISO 27001 evidence map (compliance.view) | **Yes** |
| Draft regulatory notices, record the client's approval, and file them (compliance.prepare) | No |
| Approve a regulatory notice before it is filed (the report is the client's; staff record a client's approval given elsewhere) (compliance.approve) | No |
| Read client-facing incident reports (reports.view) | **Yes** |
| **SOC operations** | |
| See the on-call rota, pages, runbooks, QA results and digests (operations.view) | No |
| Edit the on-call rota, runbooks and operations settings (operations.manage) | No |
| Review the weekly sample of what the AI did on its own (qa.review) | No |
| **Commercial** | |
| Use the Build & Price configurator (pricing.view) | No |

| | |
|---|---|
| See internal cost and margin (pricing.margin) | No |
| Edit the price book (pricing.manage) | No |
| See contracts, pilots and invoices (clients: their own) (billing.view) | No |
| Draft and record contracts, issue invoices and record payments (billing.manage) | No |
| **Platform** | |
| Invite users and change roles (users.manage) | No |
| Edit platform settings: company profile, provider keys, forensics thresholds (settings.manage) | No |
| Read the audit chain (audit.view) | No |
| Export the audit chain (audit.export) | No |
| Create personal API tokens for the REST API (acting with their own permissions) (api.tokens) | No |

## How your role fits with the others

| Role | Group | What it is for |
|---|---|---|
| Platform admin | Leadership | Owns the platform: users, AI configuration, price book, everything else. |
| SOC manager | Leadership | Runs the SOC: every queue, approvals, AI autonomy, tool onboarding. |
| Tier-1 triage analyst | Security operations | Works the first-line queue: acknowledges, validates AI triage, escalates. |
| Tier-2 security analyst | Security operations | Primary analysis: investigations, forensics, containment requests. |
| Tier-3 incident responder | Security operations | Owns major incidents: approves containment, isolates endpoints, client comms. |
| Threat hunter | Security operations | Hunts across all tenants with investigations, forensics and intel. |
| Detection engineer | Engineering | Maintains playbooks, detections, tool integrations and ATT&CK coverage. |
| Auditor / compliance | Governance | Read-only oversight: cases, AI decisions and the audit chain. |
| Account manager | Commercial | Client onboarding, Build & Price quotes and margins. |
| Client admin | Client | Client-side: their own tenant's cases and tools; approves containment on their estate. |
| **Client stakeholder** | Client | Client-side read-only: dashboards, incident reports and endpoint coverage. |

# 3. Getting started

## Signing in

1. Open the HELIOS address you were given and sign in with your email and password. A new account gets a temporary password from its administrator.
2. If two-step sign-in is required, set it up the first time: scan the code with an authenticator app, enter a code, and keep the ten recovery codes somewhere safe. Each recovery code works once.
3. Five wrong passwords or codes in a row lock the account for 15 minutes. An administrator can reset your password or your two-step sign-in if you lose your phone.

## Finding your way

- **Sidebar**: your pages, grouped (Operate, Analyze, Intelligence, Platform, Commercial). The arrow at the bottom collapses it.
- **Search or jump to** (Ctrl K or Cmd K): find a case, page or client by name.
- **The bell**: your notifications (mentions, hand-offs, approvals, pages). Choose which also reach you by email, SMS or WhatsApp under My alerts.
- **Light, dark or system theme**, and your **user menu**: My alerts, two-step sign-in, Sign out.
- A yellow **Test environment** banner means everything on that installation is test data.

## Install it as an app

HELIOS can be installed from the browser (Install app in the address bar) as a desktop or mobile app with its own window and shortcuts.

# 4. Your screens

Each page you can open, what it is for, and how to use it with your access. Where a page is long, further screenshots show the rest.

## Overview

Your starting page. It shows what needs you now, and it changes with your role: the SOC sees live posture, queues, SLAs and AI activity; account managers see the commercial picture; client users see their own organisation.





Figure 1. Overview, as seen by a client stakeholder (test environment).

### How to use it

- The Live badge means the figures refresh on their own every 30 seconds; the arrow refreshes now.
- Your security at a glance: open incidents, SLA met over 30 days, average time to acknowledge and to contain, and your endpoints' average protection score. Below, incidents over the last 14 days and your service plan.
- Waiting for your organisation's approval lists containment the SOC proposed on your systems; your client admin decides. View opens the incident.





Figure 2. Overview, further down the page.





Figure 3. Overview, further down the page.

## Incidents

Every case HELIOS has opened: detections from your clients' telemetry, vendor alerts, uploaded investigations, email and file analysis, and governed AI agents. Correlated detections for the same user, host or IP join one case instead of opening many.





Figure 4. Incidents, as seen by a client stakeholder (test environment).

### How to use it

- You see only your own organisation's incidents. Open one to read what happened, what was done and what is waiting on you.





Figure 5. Incidents, further down the page.

## A case

Everything about one case on one page: what was detected, what the AI made of it, what has been done

and what is waiting, the evidence, and the discussion.





Figure 6. A case, as seen by a client stakeholder (test environment).

## How to use it

- The header shows severity, status, the SLA, the tier (T1 triage, T2 analysis, T3 incident response), the security domain, the source, the client and whether AI triaged it. Below are the dates (created, acknowledged, contained, resolved), the assignee, the risk score, the confidence and the client's service plan. Report PDF downloads the incident report.
- Regulatory reporting shows whether CERT-In's 6-hour report or the DPDP breach notices apply, the incident types HELIOS proposes, and the notices' state.
- You can read the case, its timeline and what was done; you can't change it.





Figure 7. A case, further down the page.





Figure 8. A case, further down the page.





Figure 9. A case, further down the page.

## Endpoints

The endpoint inventory and the whole attack surface: devices, servers, cloud, network, identity, IoT/OT

and applications, with how well each is protected.




Figure 10. Endpoints, as seen by a client stakeholder (test environment).

### How to use it

- The tiles count assets, the average protection score, devices missing essential controls, devices isolated now and devices not seen for seven days.
- Attack surface inventory groups every asset; Protection coverage by control shows the share of computers, servers and phones where each protection layer (EDR, antivirus, disk encryption, MFA…) is active, with the essential ones marked.





Figure 11. Endpoints, further down the page.

## Service reports

How the service performed over a period: volume, response times, SLA compliance, AI performance and

analyst workload, each compared with the period before.





Figure 12. Service reports, as seen by a client stakeholder (test environment).

## How to use it

- Pick a period or a month. The figures include median time to acknowledge, contain and resolve, acknowledgement SLA compliance, the mix by severity, source, domain and client, top ATT&CK techniques and indicators, AI runs and analyst agreement, and containment outcomes.
- You see your own organisation's report, and can download it as a PDF.





Figure 13. Service reports, further down the page.

## Compliance

Regulatory clocks and evidence: CERT-In's 6-hour incident reports, the DPDP breach notices, and the

ISO/IEC 27001 evidence map.





Figure 14. Compliance, as seen by a client stakeholder (test environment).

## How to use it

- Clocks running lists every notice not yet filed, nearest deadline first. CERT-In: incidents of the 20 listed types are reported within 6 hours of being noticed. DPDP: the Board and each affected person are told without delay, and the Board gets a detailed report within 72 hours.
- The ISO 27001 view maps 15 Annex A controls to what HELIOS's records show over the period, and shows gaps (controls with nothing behind them) plainly.
- Switch the period (30 days, 90 days, 12 months) at the top.





Figure 15. Compliance, further down the page.





Figure 16. Compliance, further down the page.

## Attack Graph

Cases joined by the hosts, accounts, addresses, indicators and agents they share. An entity is an attack chain when its cases together reach more ATT&CK tactics than any one alone.





Figure 17. Attack Graph, as seen by a client stakeholder (test environment).

### How to use it

- Hover or click a node to see the cases behind it; follow chains across tactics to see an intrusion that several smaller cases make up.




Figure 18. Attack Graph, further down the page.

## Our rulebook

Each client's signed rules for what HELIOS may do on its estate. The rules only ever restrict: protected assets and accounts, which actions run automatically, need approval or never happen, blast-radius limits,

business hours and change freezes, the approver chain, AI data handling and CERT-In contacts.





Figure 19. Our rulebook, as seen by a client stakeholder (test environment).

## How to use it

- The tabs: In force (the rules now applying), Edit, Dry run, Allowlist, Versions, AI models, Autonomy and Policy as code.
- Autonomy: the AI's autonomy ladder per action type for this client, and promotions waiting for approval.
- You can read the rules HELIOS works under on your estate; your client admin changes and signs them.





Figure 20. Our rulebook, further down the page.

## My alerts

Which notifications also reach you outside HELIOS, by email, SMS or WhatsApp.





Figure 21. My alerts, as seen by a client stakeholder (test environment).

### How to use it

- Every notification lands in the app (the bell at the top). Here choose, per kind of notification, the channels it also comes by, and give your phone number in international format (+91…).
- Deliveries that couldn't go (a channel not set up, no number, over the hourly cap) are listed with the reason.





Figure 22. My alerts, further down the page.

# 5. Procedures

Step by step, for the tasks your role does most.

## 5.1 Read an incident

1. Open Incidents and the incident: what was detected, what was done, and its timeline.
2. Download its report as a PDF if you need to share it inside your organisation.

## 5.2 Read the service report

1. Open Service reports and pick the month: volume, response times against your SLA, and what the AI and the SOC did.
2. Download the PDF for your management.

## 5.3 Check how well your devices are covered

1. Open Endpoints: assets, protection score, devices missing essential controls, and coverage by protection layer.

# 6. Guidelines

## Do

- Ask your client admin for anything that needs a decision (approvals, rulebook changes).
- Treat incident details as confidential.

## Don't

- Don't forward incident reports outside your organisation without agreement.

## For everyone

- Never share your account or password; every action is recorded under your name.
- Keep client information inside HELIOS and to the people who need it.
- Treat text inside evidence (command lines, emails, file names) as possibly written by an attacker: it may address 'the AI' or 'the analyst' to mislead. HELIOS flags such text; don't follow it.
- Every action in HELIOS is reversible or recorded, and audited; write down why you did it.

> The client's signed rulebook binds everyone: the AI, playbooks and people. If HELIOS refuses an action, the reason names the rule. Don't work around it in a vendor's console; ask the client to change the rule.

# 7. Reference

## Terms you will see

### Case statuses

| | |
|---|---|
| **Open** | New; nobody has acknowledged it yet. |
| **Triaging** | Someone is looking at it. |
| **Investigating** | Under analysis. |
| **Awaiting approval** | Containment is waiting on someone's yes. |
| **Contained** | The threat is stopped; clean-up may continue. |
| **Resolved** | Closed with a disposition. |
| **False positive** | Closed: it wasn't a threat. |

### Severities

| | |
|---|---|
| **Critical, High, Medium, Low, Info** | Set by the detections and adjustable by analysts. The client's plan sets the acknowledgement SLA for each. |

### Dispositions (when closing)

| | |
|---|---|
| **True positive** | A real threat. |
| **Benign true positive** | Real activity, but expected or authorised (an admin's tool, a pen test). |
| **False positive** | Not what the detection thought. |

### Tiers

| | |
|---|---|
| **T1** | Triage. |
| **T2** | Analysis. |
| **T3** | Incident response. |

### Response action statuses

| | |
|---|---|
| **Suggested** | A recommendation only; autonomy doesn't allow acting. |
| **Pending approval** | Waiting on an approver. |
| **In progress** | The vendor was asked; waiting for it to confirm. Doesn't count as containment yet. |
| **Executed** | Done and confirmed by the vendor (or by an analyst for a manual action). |
| **Manual required** | Approved, but no connector can do it: someone does it in the tool's console and records it. |
| **Blocked** | A guardrail or the client's rulebook refused it; the reason is shown. |
| **Rejected** | An approver said no. |
| **Rolled back** | Undone. |

| | |
|---|---|
| **Failed** | The vendor or HELIOS couldn't do it. |
| **Shadow** | Shadow mode: what the AI would have done, recorded silently and shown once the case closes. |

### AI autonomy (per agent)

| | |
|---|---|
| **Off** | The agent doesn't run. |
| **Suggest only** | It proposes; people decide. |
| **Contain with approval** | Its containment waits for approval. |
| **Auto-contain** | It may act on pre-approved actions above its confidence bar. |

### Autonomy ladder (per client and action type)

| | |
|---|---|
| **L0 observe** | Shadow mode. |
| **L1 suggest** | Suggestions only. |
| **L2 approve** | Acts once approved. |
| **L3 act and notify** | Acts, and tells people at once. |
| **L4 act** | Acts, and reports in the daily digest. |

### Evidence references

| | |
|---|---|
| **D, E, I, T, C** | Detections, events, indicators, timeline entries and context in the case; Q for what the investigation agent's tools returned. Every AI finding cites them. |

## If something doesn't work

- **A page says you don't have access**: your role doesn't include it. Ask your administrator if your job needs it.
- **An action was refused**: the message names the rule (the client's rulebook, a guardrail, the plan or the kill switch).
- **An action is 'Manual required'**: no connector can do it. Do it in the tool's own console, then record what you did on the case.
- **You don't get alerts by SMS or email**: check My alerts for your channel choices, your phone number, and deliveries skipped with their reason.
- **You can't sign in**: after five failures the account locks for 15 minutes; your administrator can reset your password or two-step sign-in.