MANAGED DETECTION AND RESPONSE · AI-LED, CLIENT-GOVERNED

HELIOS

One security operations platform for a managed security provider and every client it protects: every tool's logs in one place, AI that contains threats in the first minutes and works each case to a final analysis, and rules each client approves.


> **AI executes. HELIOS governs. The client authorises. The audit trail proves.**
> The AI performs initial containment itself, only within rules the client and HELIOS have approved. No AI can change those rules.

Minutes
from alert to initial containment, by the AI, within the client's rules

2 keys
every rule change needs the client's and HELIOS's approval

6 h
CERT-In clock, with the report drafted from the case

India
logs, keys and AI can stay in India (180-day retention)



The SOC's overview. Live posture across every client: open and critical cases, SLA, response times and what the AI did.

02 What HELIOS is
03 How it works
04 AI-led containment
05 Rules change only with approval
06 Cases worked to the end
07 What it does
09 Explore: every log
10 Security testing
11 For your clients
12 Built to be trusted
13 Who uses it
14 AI models
15 Deploy it your way
16 Compliance in India
17 Getting started
· One command on a Mac

01 · THE PLATFORM

One SOC for many clients, run by people and AI together

HELIOS runs a security operations centre for many client organisations at once. Each client's security tools stream alerts and logs into one place; HELIOS turns them into cases; AI agents investigate and contain first, within the client's approved rules; HELIOS then collects every log the client's tools hold and writes the final analysis; analysts and the client review it and decide what's left. It also runs the business around it: quotes, pilots, contracts, GST invoices and India's regulatory reporting.

11
roles, from tier-1 analyst to the client's administrator

9
vendor log collectors, plus push and a signed forwarder

7
native response connectors acting through the client's tools


4
kinds of AI: Anthropic, Amazon Bedrock, Azure OpenAI, local models

The problem

- Alerts arrive from dozens of tools across many clients, in different formats, faster than a small team can read them.
- Attacks move in minutes; waiting for a person to wake up and approve every first step costs the client.
- Automation helps only if each client can trust it: what it may touch, when, and who says yes.
- Clients must see what was done, approve what matters and meet their regulators' clocks.
- Finishing a case means pulling logs from each client's different tools by hand, then writing it up for the client.
- Clients also want to search their own logs and know what they expose to the internet.

The HELIOS answer

- **One queue** for every source, related alerts joined into one case, SLA clocks from the client's plan.
- **AI first response**: every case triaged with cited evidence, and initial containment run by the AI within the client's approved rules.
- **Client-governed rules** that bind the AI, playbooks and people; changed only with the client's and HELIOS's approval.
- **Cases worked to the end**: a final analysis with when to lift containment and how to remediate.
- **One search over every log**, and security testing on request, in the same platform.
- **A client portal** for incidents, approvals, log search, reports, the rulebook and the contract.



One case queue for every client and source, with severity, SLA, queue, assignment and the AI's status on each case.

02 · HOW IT WORKS

From the first log line to the report, every step on the record

Collect 1
Logs and alerts arrive by push, by API pull or through the signed forwarder, stored once in OCSF form with locations.

Detect 2
Built-in detectors and Sigma rules, tested before they go live, run over each batch and the last 24 hours, tuned per client.

Correlate 3
Findings for the same user, host or IP join one case; severity only ratchets up, never silently down.

Investigate 4
The AI agent analyses the case with read-only tools, cites its evidence, maps ATT&CK techniques and picks the containment.

Decide 5
A fixed stack of rules checks it: kill switch, plan, consent, rulebook, autonomy, evaluation, limits.

Contain 6
Allowed first steps run at once through the client's tools and are confirmed with the vendor; the rest wait for a person.

Final analysis 7
HELIOS collects every log the client's tools hold, investigates, and proposes lifting and remediation.

Review and close 8
The SOC and the client review and approve; analysts close; reports, digests and notices follow.

Logs in: 9 vendor collectors
Microsoft Entra ID, Defender XDR, Azure Activity Log, AWS CloudTrail, Google Workspace, Google Cloud, Okta, CrowdStrike Falcon, SentinelOne; plus a push URL per source and a signed Fluent Bit forwarder for syslog and Windows events.


Detections: 11 built in, plus Sigma
Reconnaissance, credential harvesting, lateral movement, persistence, defence evasion, data exfiltration, impact, threat-intel matches, anomalous actions, impossible travel and sign-in chains; Sigma rules backtested before they go live.

Actions out: 7 native connectors
Defender for Endpoint, Entra ID, Exchange Online, CrowdStrike, SentinelOne, Okta and Cloudflare, or a signed webhook to anything else. Each action is dry-run-able, time-boxable and rolled back from the case.

AI does the first minutes
Triage, evidence, the containment decision and the initial containment itself, around the clock, in seconds.

People decide what's left
Lifting containment, remediation that changes access or data, and closing the case: HELIOS proposes, people approve.

Every step is evidence
Each proposal, rule, approval and action is in a hash-chained audit trail that can't be quietly changed.



A case HELIOS has worked: correlated activity, SLA and status, and its final analysis waiting for review.

03 · THE GOVERNING PRINCIPLE

The AI contains first, inside rules people approve

AI executes
Investigates, picks the containment and runs the initial steps itself, in seconds, when the rules allow.

HELIOS governs
A deterministic policy engine, not the AI, decides every action against the rules in force, then checks again as it acts.

The client authorises
Each client's rulebook says what may run on its own, what needs a yes and what never happens.

The audit trail proves
Every decision records the exact rulebook version and fingerprint it was made under.

What the AI may do on its own

Only the first, reversible steps, each undoable from the case, and only when every rule allows it:

Isolate a host · Block an IP · Block a sender · Quarantine a file · Collect logs

Always proposed for a person, whatever the rules say:

Disable an account · Reset a password · Kill a process · Purge mail · Collect forensics · Revoke an agent

Never, under any rule: containing a never-isolate asset or a break-glass account, or an action the client forbids.

- Each action the AI runs is announced at once to the SOC's managers, the case's watchers and the client's admins.
- Each can be rolled back from the case in one click; IP blocks and account actions can expire on their own after the client's set hours.
- Initial containment buys time. Eradication, recovery and closing the case stay with analysts.

How every action is decided


A fixed stack; the most restrictive layer wins and is named on the case:

1 Grounding	The target must appear in the case's evidence
2 AI safety	Evidence aimed at the AI sends it to a person
3 Kill switch · circuit breaker	Stops all AI action at once
4 Plan · client consent	What the client bought and agreed
5 Client rulebook	Assets, accounts, modes, hours, limits
6 Autonomy ladder	Earned per client and per action
7 Agent · model · rate	Confidence bar, evaluation, hourly cap

Checked twice
Just before acting, an AI action nobody approved is checked again against the rules in force *now*. If the rules moved on, it waits for a person.

Monitored all the time
Every action is confirmed with the vendor, notified to the SOC and the client, and re-checked every five minutes.

Stopped on any violation
Anything outside the approved rules is blocked, the client's automatic containment pauses, and the on-call analyst is paged.



Containment on a case: each proposed action with its confidence and the rule that decided it, approved or rejected in one click.

04 · CHANGE CONTROL

No AI takeover: rules change only when people approve

No AI model, provider or agent can change a rule, raise its own autonomy or approve anything. Models supply analysis; HELIOS's code decides. Every change to what containment runs under is a request with a fingerprint, approved before it takes effect. Until then the approved rules stay in force.

Change	Takes effect after
New rulebook version	Client **and** HELIOS approve
Allowlist entry added or removed	Client **and** HELIOS
AI autonomy raised (ladder)	Client **and** HELIOS
Client's AI consent raised	Client **and** HELIOS
Containment agent given more room	A second HELIOS approver
Platform limits widened, kill switch off	A second HELIOS approver
Kill switch on, lowering autonomy or consent	**At once**: stopping never waits

How a rule change goes

1. **Draft** the change, from a template, the editor, YAML or the client's Git repository.
2. **Review**: approvers see exactly what changes against the version in force.
3. **Dry run**: the last 30 days of AI decisions replayed under the new rules.
4. **Client approves**: its admin, or HELIOS records the client's written instruction.
5. **HELIOS approves**: an approver other than whoever asked.
6. **In force**, checked unchanged since the request, fingerprinted and audited. Edits after submission void the approvals.

Four eyes, always


Nobody approves their own request for HELIOS; whoever records a client's instruction can't also approve for HELIOS.

Tamper-evident rules

A rulebook edited outside HELIOS no longer matches its fingerprint: automation for that client stops and the SOC is told.

One place to decide

Rule changes waiting, approved, turned down or lapsed, for the client and for HELIOS, on one page.



Rule changes: what changes, the dry run on 30 days, and both approvals; requesters can't approve their own.

05 · AUTONOMOUS ANALYSIS

Nobody has to sit with a case: HELIOS finishes it for review

Once the AI has contained a threat, HELIOS carries on by itself: it gathers every log the client's own tools hold about the case, investigates, and writes the final analysis, with when to lift containment and how to remediate. People only review it and approve what it proposes.

Collect the logs 1
Catches up with each of the client's sources, then gathers every event touching the case's hosts, accounts, addresses and files, grouped by log type.

Investigate 2
The investigation agent works the case with read-only tools on the model the client chose; the report writer adds a narrative for the client.

Final analysis 3
Verdict and confidence, root cause, scope, timeline, findings, techniques, what's contained, the logs collected and open questions.


Propose 4
A release for each containment, with the conditions for lifting it; remediation as actions waiting for approval, or tasks with an owner.

Review 5
The SOC, the assignee and the client are told. The SOC marks it reviewed, the client acknowledges it, and both approve what's proposed.


Each client's own tools
Every client has different tools, so the sweep works from that client's integrations, and names the log types the case needed that the client doesn't send.

Lifting a laptop's isolation
Proposed, never done alone: a clean EDR scan, persistence removed, passwords reset and 24 quiet hours, then one click.

Remediation that sticks
Reset a password, purge a phishing mail, block a C2 address: waiting as actions. The rest are tasks with an owner.



The final analysis: summary, root cause, scope, findings and techniques.



Further down: containment, the remediation plan with one-click approvals, and the logs collected by type.

06 · CAPABILITIES

Everything a managed SOC runs on, in one platform

Cases and alerts
One queue for every source with tier 1–3 escalation, assignment, watchers, @mentions, internal or client-visible discussion, SLA clocks and correlation.

Log collection
Push, pull from nine vendor APIs, or a signed forwarder; a durable queue that takes clients in turn; OCSF storage; dead-letter replay; quiet sources open cases.

Detection engineering
Eleven built-in detectors; Sigma rules compiled, backtested, tested, then made live; tuning per client with reasons and expiry.

AI agents
Triage, containment, phishing, threat-intel, investigation, report and search agents with cited evidence, grounding, prompt-injection defences and evaluations.


Response connectors
Defender for Endpoint, Entra ID, Exchange Online, CrowdStrike, SentinelOne, Okta and Cloudflare, or a signed webhook; dry run, rollback, time boxes.

Investigations
Upload a log bundle for a root-cause pipeline; an investigation agent works a case with read-only tools and cites what it read.


Platform
Two-step sign-in and single sign-on, a REST API with scoped tokens, an installable app for desktop and phone, light and dark themes, a command palette.

Case work
Assignment, tiers, watchers, @mentions, client-visible or internal comments, sharing, SLA clocks, related cases, PDF case reports.


Integrations
A catalog of 79 security products across every protection layer, with each client's live stack, coverage gaps and source health.




Tools and integrations: each client's stack and coverage by layer.



Detection engineering: detectors and Sigma rules, tested first.



Investigations: upload logs for a root-cause pipeline.



Forensics: mail and files analysed, links detonated safely.

Email and file forensics

Headers, links, attachments, macros, archives and QR codes analysed; links detonated through a vetted proxy.

Threat intelligence

A shared indicator store with feeds, providers, a blocklist and IP locations; an attack graph that finds chains across cases.

Playbooks and runbooks

Response playbooks with approval steps; runbooks that attach to matching cases and are worked as checklists.

SOC operations


On-call rota with escalating pages and handoffs, weekly QA of what the AI did alone, daily digests.

Data retention


Per-client searchable and kept periods, an encrypted archive in India, legal holds, monthly partitions.

Build, price and bill


Quote a client's stack with an advisor; pilots measured from HELIOS's own records; contracts signed in the app; GST invoices.




Attack graph: cases joined into attack chains.




MITRE ATT&CK coverage across every source.




SOC operations: on-call, pages, rota and AI QA.



Playbooks: response workflows with approval steps.



Data retention: per-client periods, archive and holds.



Build & Price: quotes with an advisor and a design.

07 · LOG SEARCH

One search over every log, from every tool, for every client

The search analysts know from Splunk, Chronicle, QRadar and Wazuh, inside HELIOS: the SOC searches across clients or one at a time; each client's users search their own logs only, enforced by the database itself.

A query language analysts know
`host:FIN-WS-04 type:LOGIN_FAIL -user:svc_*`: OR, NOT, wildcards, `port:>1024`, lists, has a value or not, and free text over the raw record. Field names from other tools work too.


Answers at a glance
How many events matched, a histogram to zoom into, the top hosts, accounts, IPs, ports, processes and tools to click in or out, and every event with its raw and OCSF record.

Ask in plain words
"Failed sign-ins for alice this week": the search assistant writes the search on the client's chosen model. It never sees the logs; what it writes is checked like anything typed.

Keep and share
Saved searches, private or shared with your side; CSV export of up to 10,000 events, safe to open in a spreadsheet; the same search over the REST API.

Safe by construction
Fields map to fixed columns and every value is a bound parameter; each search has a time limit; a client's search can't reach another client.

For clients too
As *Search logs* in the client portal: their own events, from all their tools, with their own saved searches.



Explore: the assistant, the search, the time range and client, saved searches, the histogram and the facets.

08 · SECURITY TESTING

Authorised tests of what a client exposes to the internet

How a test goes

1. **Ask**: the client's internet-facing names, public addresses or URLs, the checks, a window and the rules of engagement.
2. **Prove control**: a DNS TXT record on each name; addresses count only through a verified name. Private addresses are never tested.
3. **Authorise twice**: the client's admin, attesting they may permit it, and a HELIOS approver who didn't ask.
4. **HELIOS runs it** when the window opens, checking the proof again first; either side can stop it.
5. **Report**: findings worst first with evidence and how to fix each, as a page and a PDF for the client and its auditors.
6. **Fix and re-test**: mark findings fixed or accept a risk with its reason; a re-test in the window confirms the fixes.


What it checks

- ✓ Exposed services: RDP, SMB, databases, Docker, Telnet and more, by TCP connect and the banner a service volunteers
- ✓ TLS: expired or soon-expiring certificates, name mismatches, self-signed, outdated protocols
- ✓ Web: HTTP that doesn't redirect to HTTPS, missing HSTS and security headers, version leaks
- ✓ Email: missing or permissive SPF, missing or unenforced DMARC
- ✓ Every probe logged with its time, all inside the authorised window


What it never does

- ✗ Exploit anything, guess passwords or touch anything not proven and authorised

Deeper scans run in established scanners under the same authorisation: Nessus Greenbone OWASP ZAP Nuclei results join the same report, kept to the verified scope.



A test: scope with its DNS proof, both authorisations, and open findings by severity.



Findings: evidence and the fix for each, from HELIOS and the scanners.

09 · THE CLIENT PORTAL


Clients see what was done, approve what matters, set the rules

See
Their incidents with HELIOS's final analysis, their own logs in Search logs, coverage gaps, reports and a digest.


Approve
Held containment, lifting it and remediation, in one tap by app, email, SMS or WhatsApp; security tests.

Set the rules
Their rulebook, allowlist, AI consent and data handling; every change needs their approval and HELIOS's.


Meet regulators
CERT-In reports and DPDP notices drafted from the case, approved by them, filed on time.




Overview: open incidents, response times, approvals waiting.




Approvals: held containment, decided in one tap.




An incident: what happened, and HELIOS's final analysis.



Rule changes: what changes and the dry run, approved by them and HELIOS.



Search logs: their own events, from all their tools.



Service reports: cases, response times and SLA, as PDF.

10 · TRUST AND SECURITY

Built to be trusted with a client's estate

The client's rules bind everyone

A versioned, fingerprinted rulebook decides what may happen on the estate. Hard rules bind analysts and playbooks too, re-checked when acting.

Evidence, not assertions

Every AI finding cites the evidence it rests on. A grounding check drops claims and targets the evidence doesn't contain.

Attacker text stays attacker text

Text aimed at the AI is flagged and fenced off; a fooled model can't downgrade a case, and proposals from steered evidence wait for a person.

Autonomy within approved rules

Initial containment from day one (or shadow mode first); more only on a clean record and both approvals; demotion after a bad week; weekly QA.


Actions are real or they don't count

A connector checks the target, acts once, and reads the vendor's state back before an action counts as containment.

Each client's data stays theirs

Isolation enforced by the database itself; each client's credentials sealed with its own key, destroyable at offboarding.

Layer	Security built in
Sign-in	Two-step sign-in, single sign-on, lockout, server-side permission checks on every page and action
Data	Row-level isolation per client; AES-256-GCM sealed secrets under per-client keys wrapped by AWS KMS
Database	The app's role can't change the schema, bypass isolation or alter the audit log
Web	Per-request Content Security Policy, strict security headers, HSTS, upload limits
Network	No fetches to private or cloud-metadata addresses; Kubernetes default-deny policies
Containers	Distroless, non-root, read-only, no capabilities, Pod Security “restricted”
Audit	Hash-chained trail; changing any entry breaks every hash after it



Audit log: every action, hash-chained, with a one-click integrity check and export.

11 · ROLES AND ACCESS

Eleven roles, each seeing exactly what it needs

Each person has one role, which decides every page, button and API call they can use, checked on the server. Client users are also confined to their own organisation by the database itself.

Platform admin Leadership
Runs the platform: accounts, settings, AI configuration, price book, keys.

SOC manager Leadership
Runs the SOC: queues, SLAs, approvals, on-call, AI autonomy, rule approvals.

Tier 1 analyst Analysts
Triages new cases, confirms or dismisses, escalates, requests containment.

Tier 2 analyst Analysts
Investigates, runs forensics and threat intel, shares with clients.

Tier 3 responder Analysts
Leads major incidents, approves containment, works regulatory notices.

Threat hunter Specialists
Hunts across telemetry and intelligence, feeds indicators back.

Detection engineer Specialists
Builds and tunes detections, Sigma rules and playbooks.


Auditor Oversight
Reads everything, verifies and exports the audit trail; changes nothing.

Account manager Commercial
Quotes, pilots, contracts and billing for clients.

Client admin Client
Their incidents and final analyses, approvals, log search, rulebook and rule changes, security tests, tools and contract.

Client viewer Client
Their own incidents, endpoints, reports and rulebook, read-only, with no approvals or changes.

Who approves what
Containment and lifting it: tier 3, SOC manager, client admin. Rule changes and security tests: client admin and a HELIOS approver.



Team and roles: people, their role, queues and security domains, and who has set up two-step sign-in.

12 · YOUR CHOICE OF AI

Cloud, in your own cloud account, or on your own hardware

Every agent works with no model at all (a built-in deterministic engine). Models add analysis. Whatever the model, it never decides what runs: the policy engine, the client's approved rules and change control do. Each client's rulebook can say which models may read its evidence.


Where the model runs	Options	Best for
Anthropic API	Claude, set with an API key	The simplest start; strongest triage and investigation
Your AWS account	Claude in Amazon Bedrock, Mumbai (ap-south-1)	Evidence and billing stay in your AWS account, in India
Your Azure tenant	Azure OpenAI, Central India	Organisations standardised on Microsoft
Your Mac or server	Ollama, LM Studio, vLLM (OpenAI-compatible)	Testing offline; full data control
The client's site	The HELIOS AI box: Ollama or vLLM behind Caddy with API key and mutual TLS	Clients whose rules say "on-premises AI only"

Evaluated first
A model acts on its own only after passing HELIOS's evaluation on a golden set.

Data handled
Personal data is masked before cloud models see it, per client.

Cost visible
Spend per run and per client, with prompt caching to cut repeat cost.

Kill switch
One switch stops all AI action at once; turning it off needs a second approver.



AI agents: the kill switch, first-response settings, spend, providers and a model per agent.

13 · DEPLOYMENT

From a laptop to a hardened cloud, the same images

On a Mac: one command
`./helios.sh` installs Docker if needed, generates secrets, builds, starts and opens HELIOS. `--test-data` and `--with-ollama` add test data and a local AI model.

On Kubernetes
Kustomize manifests: autoscaled web, worker, a migrate Job, Pod Security "restricted", default-deny network policies, no metadata access.

In the cloud
Recommended: AWS Mumbai with EKS, RDS Multi-AZ, ALB + WAF, KMS, Secrets Manager and S3 Object Lock; disaster recovery in Hyderabad.

Users and clients
Browser or installed app

Route 53 · AWS WAF
Managed rules, rate limits

Application Load Balancer
TLS 1.3, ACM certificate

▼ private subnets, three availability zones ▼

EKS · helios-web ×2–10
Stateless, autoscaled, Pod Security restricted, read-only, non-root

EKS · helios-worker ×2
Ingest queue, collectors, retention, escalation, the containment monitor

helios-migrate Job
Migrations as the schema owner, then least-privilege grants


RDS PostgreSQL 16
Multi-AZ, KMS-encrypted, TLS only, 35-day point-in-time restore, isolated subnets

Secrets Manager · KMS
Secrets via External Secrets; master key decrypted by KMS at start-up

S3 · SES · Bedrock
Log archive with Object Lock, mail, Claude in-region

GuardDuty · Security Hub · CloudTrail
The platform watched like a client

Step	What you do
1 Guardrails	Production account, India-only regions, CloudTrail, GuardDuty, Security Hub
2 Network and data	VPC over three zones; RDS in isolated subnets; run `roles.sql` once
3 Secrets and keys	KMS keys; the master key's ciphertext and database URLs in Secrets Manager
4 Cluster and images	EKS with the load balancer controller and External Secrets; build both architectures to ECR
5 Deploy	Fill in the AWS overlay, `kubectl apply -k`, wait for the migrate Job, point DNS
6 Before the first client	Require two-step sign-in, connect SSO, test a restore, run a penetration test



HELIOS in containers on one machine, started with `./helios.sh --test-data`: the first admin's overview and setup checklist.

14 · REGULATORY

CERT-In, DPDP and ISO 27001, from the same records

CERT-In: six hours
Cases of a reportable type start the clock on their own. The report is drafted from the case, approved by the client and filed; updates follow until closed.

DPDP breach notices
For clients who are Data Fiduciaries: the Board's intimation and notices to each affected person, drafted, approved and recorded.


180 days in India
Logs kept searchable and archived in India per client, with legal holds; partitions past retention dropped whole.

ISO 27001 evidence
For fifteen Annex A controls, what the platform's own records show over any period: cases, containment, filings, sign-in, keys.

Contracts that match
Each contract records the AI autonomy agreed, the rulebook version in force, the liability cap for automated containment and the DPA.

Data residency for AI
A client's rules can keep its evidence with region-locked or on-premises models only, with personal data masked.

Obligation	Clock	What HELIOS does
CERT-In incident report	6 hours from noticing	Starts the clock for reportable case types at or above the client's severity; drafts the report; client approves; filing recorded
CERT-In updates	Until closed	Follow-up reports from the case as it develops
DPDP: the Board	Without delay	Intimation drafted from the case; client's own target for "without delay"
DPDP: each person affected	Without delay	Notices with the client's contact, approved and recorded
Log retention	180 days, in India	Per-client periods, encrypted archive, legal holds that stop deletion



ISO 27001 evidence: for each Annex A control, what the platform's own records show over the period, as PDF for auditors.

15 · GETTING STARTED

From install to the first protected client

Set up HELIOS (once)

1. Deploy: `./helios.sh` on a Mac, Docker Compose on a server, or Kubernetes in the cloud.
2. Sign in as the first admin; set up two-step sign-in; fill in Settings.
3. Define service plans and the price book.
4. Connect an AI provider and run its evaluation (or start with the built-in engine).
5. Invite the team, each with one role.
6. Turn on threat feeds.
7. Require two-step sign-in for staff and connect single sign-on.

Bring on a client

1. Quote with Build & Price; run a measured pilot if they want one.
2. Create the client with its plan, licences and AI consent; invite its admin.
3. Onboard its security tools; watch sources go healthy.
4. Draft its rulebook from an industry template; dry-run it; the client and HELIOS approve it.
5. HELIOS contains from day one within those rules (or starts in shadow mode, if the client asks).
6. Sign the contract in the app; invoices follow each billing period.

When a threat lands


The AI contains within the rules in minutes, HELIOS collects every log and writes the final analysis, and the SOC and the client review it.

When rules must change

Ask on the rulebook page; both sides see the diff and the dry run; it takes effect when the client and HELIOS approve.

When something looks wrong

Pull the kill switch, or lower a client's autonomy or consent: it applies at once, no approval needed. Then review the case and the audit trail.



A client's rulebook in force: protected assets, never-disabled accounts, what runs on its own, schedules and approvers.