SYNTHETIC DEMO — NOT A REAL PATIENT — FOR SOFTWARE TESTING ONLY

MediNova Clinical Intelligence Diagnostic Core

Laboratory Document: Comprehensive Glycemic & Metabolic Biomarker Panel

Specimen ID: SYN-GLYC-1092	**Demographics:** 29 yrs, Female	**Date:** 2026-10-19

Diagnostic Analyte / Biomarker Tested	Patient Result	Units	Laboratory Reference Interval
Glycated Hemoglobin (HbA1c)	**5.1**	%	Ref: 4.0 - 5.6
Fasting Blood Glucose	**86**	mg/dL	Ref: 70 - 99
Body Mass Index (BMI)	**22.4**	kg/m²	Ref: 18.5 - 24.9
Patient Age	**29**	years	Ref: 18 - 85
Biological Gender	**Female**		Ref: Male / Female
Hypertension History	**Negative**		Ref: Negative
Coronary Heart Disease	**Negative**		Ref: Negative
Smoking Status	**Never**		Ref: Never / Non-Smoker

CLINICAL VALIDATION: Specimen analyzed in accordance with automated clinical chemistry protocols. Verified for automated AI report scanner integration testing. Certified Synthetic Test Specimen • MediNova Quality Assurance Core