SYNTHETIC DEMO — NOT A REAL PATIENT — FOR SOFTWARE TESTING ONLY

MediNova Clinical Intelligence Diagnostic Core

Laboratory Document: Hepatic Function Profile (Liver Function Test - LFT)

Specimen ID: SYN-HEPA-2015	**Demographics:** 35 yrs, Female	**Date:** 2026-10-19

Diagnostic Analyte / Biomarker Tested	Patient Result	Units	Laboratory Reference Interval
Total Bilirubin	**0.7**	mg/dL	Ref: 0.2 - 1.2
Direct Bilirubin	**0.2**	mg/dL	Ref: 0.0 - 0.3
Alkaline Phosphatase (ALP)	**85**	U/L	Ref: 30 - 120
Alanine Aminotransferase (ALT / SGPT)	**22**	U/L	Ref: 7 - 56
Aspartate Aminotransferase (AST / SGOT)	**24**	U/L	Ref: 10 - 40
Total Proteins	**7.2**	g/dL	Ref: 6.0 - 8.3
Serum Albumin	**4.4**	g/dL	Ref: 3.4 - 5.4
Albumin and Globulin Ratio	**1.55**		Ref: 1.0 - 2.2
Patient Age	**35**	years	Ref: 18 - 85
Biological Gender	**Female**		Ref: Male / Female

CLINICAL VALIDATION: Specimen analyzed in accordance with automated clinical chemistry protocols. Verified for automated AI report scanner integration testing. Certified Synthetic Test Specimen • MediNova Quality Assurance Core