SYNTHETIC DEMO — NOT A REAL PATIENT — FOR SOFTWARE TESTING ONLY

MediNova Clinical Intelligence Diagnostic Core

Laboratory Document: Comprehensive Thyroid Profile (TSH, T3, TT4) & Endocrine Panel

Specimen ID: SYN-THYR-1044	**Demographics:** 34 yrs, Female	**Date:** 2026-10-19

Diagnostic Analyte / Biomarker Tested	Patient Result	Units	Laboratory Reference Interval
Thyroid Stimulating Hormone (TSH)	**1.85**	µIU/mL	Ref: 0.4 - 4.5
Total Triiodothyronine (T3)	**1.45**	ng/mL	Ref: 0.8 - 2.0
Total Thyroxine (TT4)	**8.2**	µg/dL	Ref: 4.5 - 12.0
T4 Uptake Ratio (T4U)	**0.98**		Ref: 0.8 - 1.3
Free Thyroxine Index (FTI)	**3.2**		Ref: 1.2 - 4.2
Patient Age	**34**	years	Ref: 18 - 85
Biological Gender	**Female**		Ref: Male / Female
On Thyroxine Medication	**Negative**		Ref: Negative / Positive

CLINICAL VALIDATION: Specimen analyzed in accordance with automated clinical chemistry protocols. Verified for automated AI report scanner integration testing. Certified Synthetic Test Specimen • MediNova Quality Assurance Core