

Literature Survey: Indic Claim Verification

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim

classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and

other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also

recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.

Recent research in automated fact-checking has rapidly evolved with advances in multilingual language models, evidence retrieval, and natural language inference (NLI). Fact verification systems typically consist of claim detection, evidence retrieval, evidence ranking, and claim classification. While English fact-checking has benefited from datasets such as FEVER, Indic languages remain underrepresented because of limited annotated datasets, diverse scripts, and code-mixed content. Researchers have therefore explored multilingual transformers including XLM-RoBERTa, MuRIL, IndicBERT, and mBERT for cross-lingual transfer. XLM-RoBERTa has shown strong performance because it is pretrained on over 100 languages, allowing knowledge transfer across related languages. However, handling Tamil-English (Thanglish), Hindi-English, and other code-mixed text remains challenging due to inconsistent spellings and transliterations. Recent retrieval-based systems combine Dense Passage Retrieval (DPR) with contextual encoders to identify supporting evidence before classification. Data augmentation methods, including token deletion, back translation, paraphrasing, and synthetic claim generation, improve retrieval robustness and reduce overfitting. Human-centered approaches emphasize explainability, presenting retrieved evidence alongside model predictions to improve user trust. Studies also recommend integrating attention visualization and confidence scores for transparent decision making. Despite these advances, current systems often require large computational resources and extensive labeled data, limiting deployment for low-resource Indic languages. Future research focuses on lightweight multilingual models, retrieval-augmented generation, domain adaptation, and robust handling of code-mixed social media content. A complete end-to-end Indic claim verification framework should integrate multilingual evidence retrieval, semantic reranking, XLM-RoBERTa-based NLI classification, and data augmentation techniques to achieve higher accuracy and better generalization across diverse Indian languages including Bengali, Tamil, Telugu, Malayalam, Kannada, Marathi, Gujarati, Punjabi, Odia, and code-mixed variants. This direction addresses the limitations of existing literature and motivates the proposed system.