
[Title]

Project: ReQ

Document: VideoStreaming

Author: Noel Kempter DHBW Friedrichshafen

Published on: 2023-03-15

[Title]

Table of Contents

No table of contents entries found.

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
Section	1. Introduction				
Section	1.1 Purpose				
Information	1.1.1 Movie streaming service [VideoStreaming-39] The application to be defined will be used for streaming movies which were released semi-recently (more specific time frames follow later) in exchange for monthly payments to the producer of the application				
Section	1.2 Scope [VideoStreaming-3]				
Information	1.3 Software product(s) [VideoStreaming-40] There are two major software products to be developed: <ol style="list-style-type: none"> 1. A downloadable app 2. A web based application (PWA) <p>Every requirement will by default apply to both of these products unless specifically stated otherwise</p>				
Information	1.4 Functionality [VideoStreaming-41] Users may decide between different membership tiers that each cost a different amount of money (paid each month) and grants different levels of functionality at the core of which is the streaming of movies				
Section	1.5 Product perspective				
Section	1.5.1 System interfaces				

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	[VideoStreaming-5]				
Section	1.5.2 User interfaces				
Information	1.5.2.1 Styleguide [VideoStreaming-43] A more detailed styleguide will be created further on in the development cycle but key requirements are: <ul style="list-style-type: none"> • All forms and controls must have rounded corners • There must be both light mode and dark mode • The color scheme will consist of white and blue (light mode) or black and blue (dark mode) 				
Section	1.5.3 Hardware interfaces				
Information	1.5.3.1 Supported devices [VideoStreaming-66] Supported devices are: <ul style="list-style-type: none"> • PC • Notebook/Laptop • Tablets • Smartphones 				
Section	1.5.4 Software interfaces				
Information	1.5.4.1 Email service [VideoStreaming-44] The application requires an interface to an email service				
Information	1.5.4.2 Database access [VideoStreaming-45] The application requires an interface to a database where both movie data and user data are stored				
Information	1.5.4.3 Payment service [VideoStreaming-107] The application must have an interface				

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	to a service that checks the validity of the payment informations a user inputs during registration				
Section	1.5.5 Memory constraints				
Information	1.5.5.1 Application size [VideoStreaming-87] The application must not need more than 500 MB of storage space on any given device (excluding possible movie downloads)				
Section	1.6 Product functions				
Information	1.6.1 Stream movies [VideoStreaming-35] Primary use of the application is the streaming of movies that were that were released in roughly the last to years(more details later)				
Information	1.6.2 Search movies [VideoStreaming-36] In order to find a specific movie there has to be a possibility to search for movies				
Information	1.6.3 Download movies [VideoStreaming-37] Depending on the account type of the user it should be possible to download and store movies for watching when not online				
Information	1.6.4 Recommendations [VideoStreaming-38] The application must give recommendations to the user based on his search and watch history				
Information	1.6.5 Account management				

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	[VideoStreaming-42] The application must have functionality for account management				
Section	1.7 User characteristics				
Information	1.7.1 Average user [VideoStreaming-32] <ul style="list-style-type: none"> • age between 18 and 40 • male • no specific nationality • has prior experience with similar applications 				
Information	1.7.2 Underaged user [VideoStreaming-33] With the parents consent it is possible for underaged persons to use the application				
Information	1.7.3 User with disabilities [VideoStreaming-34] Users may have disabilities like the following: <ul style="list-style-type: none"> • color blindness • bad eyesight or complete blindness • deafness 				
Section	1.8 Limitations				
Information	1.8.1 Banned movies [VideoStreaming-108] Should a movie be banned in a country it must not be possible for users connecting to the service from that country to get access to that movie				
Section	1.9 Assumptions and dependencies [VideoStreaming-17]				

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
Section	1.10 Acronyms and abbreviations				
Information	1.10.1 PWA [VideoStreaming-86] Progressive web application				
Information	1.10.2 MPAA [VideoStreaming-81] Motion Picture Association				
Information	1.10.3 NIST [VideoStreaming-82] National Institute of Standards and Technology				
Information	1.10.4 GDPR [VideoStreaming-96] General Data Protection Regulation				
Section	2. Requirements				
Section	2.1 External interfaces [VideoStreaming-21]				
Section	2.2 Functions				
Functional Requirement	2.2.1 User registration [VideoStreaming-47] The application must have a form with which a user can create an account. This formula must have inputs for: <ul style="list-style-type: none"> • Email address • Password (must fulfill most recent NIST recommendations) • Repeat password • Membership type • Payment option (either Paypal or Debit card) 		High	Test	Threshold

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
Functional Requirement	2.2.1.1 Multiple Membership types [VideoStreaming-99] At time of launch users may decide between two different membership types that will decide upon the extent of the functionality they will have access to: <ul style="list-style-type: none"> • Normal (5\$/month) • Premium (15\$/month) 		Low	Inspection	Performance
Functional Requirement	2.2.1.2 Successful registration [VideoStreaming-79] On successful registration the user will receive an email to verify and activate his account after which he will be redirected to the login page		High	Test	Threshold
Functional Requirement	2.2.1.3 Unsuccessful registration [VideoStreaming-80] On unsuccessful registration one or more error message(s) will be displayed detailing what went wrong (e.g. password doesn't meet security standards)		High	Test	Threshold
Functional Requirement	2.2.2 Login [VideoStreaming-48] The application must have a form with which the user can log into his account. Must have inputs for: <ul style="list-style-type: none"> • Email address (identification) • password (authentication) • "Remember me" checkbox (only for the PWA) 		High	Test	Threshold
Functional Requirement	2.2.2.1 Successful login [VideoStreaming-83] On successful login the user will be able to select the profile after		High	Test	Threshold

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	which he will be redirected to the startscreen of the application				
Functional Requirement	2.2.2.2 Unsuccessful login [VideoStreaming-84] On an unsuccessful login attempt an error message will be displayed and the password input will be cleared		High	Test	Threshold
Functional Requirement	2.2.2.3 Forgot password [VideoStreaming-85] It must be possible to reset the password for an account by requesting an email		High	Test	Threshold
Functional Requirement	2.2.3 Account management [VideoStreaming-68] The application must have functionality for account management		High	Test	Threshold
Functional Requirement	2.2.3.1 Number of profiles [VideoStreaming-67] Normal users can have up to 4 different profiles per account of which 2 may use the application simultaneously. Premium users can have up to 8 different profiles per account of which 6 may use the application simultaneously.		High	Test	Performance
Functional Requirement	2.2.3.2 Admin profile [VideoStreaming-70] Profiles can be declared admins for the account granting them several administrative rights (see following requirements)		High	Test	Threshold

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
Functional Requirement	2.2.3.3 Create profiles [VideoStreaming-71] Admin profiles can create new profiles as long as the maximum number for their membership plan is not exceeded		High	Test	Threshold
Functional Requirement	2.2.3.4 Delete profiles [VideoStreaming-72] Admin profiles can delete other non-admin profiles		High	Test	Threshold
Functional Requirement	2.2.3.5 Grant admin [VideoStreaming-73] Admin profiles can grant admin status to other profiles		High	Test	Threshold
Functional Requirement	2.2.3.6 Age restriction [VideoStreaming-69] Admin profiles can enable and disable age restriction mode for profiles		Medium	Test	Threshold
Functional Requirement	2.2.3.7 Deactivate account [VideoStreaming-75] Admin users can deactivate the account making it impossible for any profile of the account to use the applications services		High	Test	Threshold
Non-func. Requirement	2.2.3.8 Reactivate account [VideoStreaming-104] The user should have a 30 day time period in which he can reactivate his account without having to go through the process of registering again		Medium	Test	Performance
Non-func. Requirement	2.2.3.9 Delete account [VideoStreaming-103] Deactivated accounts automatically have all their data deleted 30 days after deactivation or earlier should the user wish so		Medium	Test	Performance

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
Functional Requirement	2.2.4 Startscreen [VideoStreaming-78] The application must have a startscreen showing both profile-related and non-profile-related recommendations		High	Inspection	Threshold
Functional Requirement	2.2.4.1 Current trends [VideoStreaming-88] On the startscreen displayed will be the Top 10 most watched movies of the last week		Medium	Inspection	Performance
Functional Requirement	2.2.4.2 Recommendations [VideoStreaming-89] On the startscreen displayed should be recommendations for the user the are based on his search and watch history		Medium	Inspection	Performance
Functional Requirement	2.2.4.3 History [VideoStreaming-90] On the startscreen displayed will be both unfinished and recently watched movies		High	Inspection	Threshold
Functional Requirement	2.2.5 Movie search [VideoStreaming-77] It must be possible to serach for movies by their title		High	Test	Threshold
Functional Requirement	2.2.5.1 Successful search [VideoStreaming-91] On successful search the movie will be displayed with additional information (runtime, actors, regie, genres) and is able to be started with 1 additional click		High	Test	Threshold
Functional Requirement	2.2.5.2 Unsuccessful search [VideoStreaming-92] On unsuccessful search the user will		High	Test	Threshold

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	be notified that the movie is not available				
Functional Requirement	2.2.5.3 Search for actors [VideoStreaming-93] It should be possible to search for actors which will return the 5 most popular movies starring that actor		Medium	Test	Performance
Functional Requirement	2.2.6 Stream movies [VideoStreaming-94] The application must allow a user to stream a movie while connected to the internet and having the necessary connection speed		High	Inspection	Threshold
Functional Requirement	2.2.6.1 Change language and subtitle [VideoStreaming-100] It must be possible to change the movies language and the subtitles language without having to pause the Film		High	Inspection	Threshold
Functional Requirement	2.2.6.2 Remember time of pause [VideoStreaming-101] The application must save the time at which a user stopped the movie even should the application be terminated		High	Test	Threshold
Functional Requirement	2.2.7 Download movies [VideoStreaming-95] It must be possible to download movies and save them so they can also be watched when no internet connection is available. (Only applicable to the downloadable app)		Medium	Inspection	Performance

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
Functional Requirement	<p>2.2.7.1 Number of downloadable movies</p> <p>[VideoStreaming-98] Profiles belonging to a normal account may download two movies each.</p> <p>Profiles belonging to a premium account may download five movies each.</p>		Medium	Test	Performance
Non-func. Requirement	<p>2.2.7.2 Downloaded movies storage size</p> <p>[VideoStreaming-97] In order to save storage space on the users device all downloaded movies are only available in FullHD</p>		Medium	Inspection	Performance
Functional Requirement	<p>2.2.8 Rate movies</p> <p>[VideoStreaming-102] It should be possible to rate movies on a scale From 1 to 5 (half points are possible)</p>		Low	Inspection	Excitement
Functional Requirement	<p>2.2.9 Advertising</p> <p>[VideoStreaming-112] The application may display advertisement for users with a normal account</p>		Medium	Inspection	Reverse
Non-func. Requirement	<p>2.2.9.1 Targeted advertising</p> <p>[VideoStreaming-119] When using the web based application the application must show a Cookie banner upon login.</p> <p>The application may use optional Cookies for targeted advertisement should the user not prohibit the usage</p>		Medium	Inspection	Reverse
Functional Requirement	2.2.10 Localization		High	Test	Indifferent

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	[VideoStreaming-117] The application may use information like ip-address, connection informations and additional information from internet service providers to roughly localize the user				
Non-func. Requirement	2.2.10.1 Measures against VPNs [VideoStreaming-118] The application may take action against the usage of VPNs (e.g. banning IP-Addresses of known VPN-Servers) in order to bypass the ban on movies in their country		Medium	Test	Reverse
Section	2.3 Usability requirements				
Functional Requirement	2.3.1 Application language(s) [VideoStreaming-58] The application must support all of the following languages: <ul style="list-style-type: none"> • English • French • Spanish • Portuguese • German • Italian • Chinese • Japanese • Korean • Arabic 		High	Inspection	Threshold
Functional Requirement	2.3.2 Movie language(s) [VideoStreaming-59] Every movie must be available in its original language and if existing dubbed in: <ul style="list-style-type: none"> • English • French • Spanish • German • Chinese 		High	Inspection	Threshold

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	<ul style="list-style-type: none"> Japanese <p>Additionally every movie must have subtitles for all supported application languages</p>				
Functional Requirement	2.3.3 Standard resolution [VideoStreaming-56] Every movie must be available in FullHD for all users		High	Inspection	Threshold
Functional Requirement	2.3.3.1 Additional resolution [VideoStreaming-57] For premium members every movie must also be available in 2K, QHD and 4K		Low	Inspection	Excitement
Functional Requirement	2.3.4 Accessibility [VideoStreaming-60] For users with disabilities the application should support color blind mode and text reader		Medium	Inspection	Performance
Functional Requirement	2.3.4.1 Healthcare warnings [VideoStreaming-110] The application must have healthcare warnings for at least these possible problems: <ul style="list-style-type: none"> Movies that feature rapidly blinking lights that might lead to epileptic seizures must have a warning After an uninterrupted use of 6 hours the application must show a warning that excessive use may be bad for eyesight 		Medium	Inspection	Indifferent
Non-func. Requirement	2.3.5 Energy saving [VideoStreaming-111] The user may enable eye-tracking using their devices camera.		Low	Test	Excitement

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	Should the application notice that the user isn't focusing on the screen for more than 15 seconds the movie will automatically pause, allowing the users enrgy saving settings to possibly send the device into sleep mode				
Functional Requirement	2.3.6 Age restriction mode [VideoStreaming-74] The application must support an age restricted mode based on the MPAA film rating system that can be activated to restrict access to age restricted movies		High	Inspection	Threshold
Section	2.4 Performance requirements				
Non-func. Requirement	2.4.1 Number of users [VideoStreaming-61] At time of launch the application must be able to support 1 million users simultaneously		High	Analysis	Threshold
Non-func. Requirement	2.4.2 Available movies [VideoStreaming-62] Every movie that ran in cinemas must be available 100 days after their theatrical relase and will then be available for exactly 2 years		High	Inspection	Threshold
Non-func. Requirement	2.4.3 Connection speed [VideoStreaming-63] While streaming a connection speed of 10 Mbps must be enough for the movie to run in FullHD without lagging		High	Analysis	Threshold
Non-func. Requirement	2.4.4 Process time [VideoStreaming-76] 90% of transactions (e.g. login, movie		High	Analysis	Threshold

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	search) must be completed in under 1 second				
Section	2.5 Logical database requirements				
Non-func. Requirement	2.5.1 Account data [VideoStreaming-64] Account data consists of: <ul style="list-style-type: none"> • email • membership type • payment information • number of profiles for this account • references to the profile data for this account Additionally it has to be encrypted before being stored in the database		High	Analysis	Indifferent
Non-func. Requirement	2.5.2 Profile data [VideoStreaming-65] Profile data consists of: <ul style="list-style-type: none"> • application language • default movie language • top search result of the last 25 searches • watch history (last 10 watched movies including at which point the movie was stopped) • age restriction mode 		High	Analysis	Indifferent
Non-func. Requirement	2.5.3 Movie data [VideoStreaming-113] Movie data consists of: <ul style="list-style-type: none"> • video data in different resolutions • audio data for different languages • subtitles in different languages 		High	Analysis	Indifferent

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
Section	2.6 Design constraints				
Non-func. Requirement	2.6.1 Styling [VideoStreaming-49] The styleguide for HMI must at all times be observed		High	Inspection	Indifferent
Section	2.7 Standards compliance				
Non-func. Requirement	2.7.1 GDPR [VideoStreaming-53] In compliance with the GDPR will all user data of users living in the EU also be stored there		High	Analysis	Threshold
Non-func. Requirement	2.7.2 Banned movies [VideoStreaming-114] If a movie is banned in a country it must not be possible for users connecting to the service from that country to get access to that movie		High	Analysis	Threshold
Section	2.8 Software system attributes				
Non-func. Requirement	2.8.1 Reliability [VideoStreaming-50] The application must run without crashing in 95% of its uses		High	Analysis	Threshold
Non-func. Requirement	2.8.2 Availability [VideoStreaming-51] The application must be available at all times and in every country except the following: <ul style="list-style-type: none"> • North Korea • Russia 		High	Analysis	Threshold
Non-func. Requirement	2.8.3 Security [VideoStreaming-52] <ul style="list-style-type: none"> • Personal data is to be encrypted using the 		High	Analysis	Threshold

<i>Type</i>	<i>Description</i>	<i>Source</i>	<i>Priority</i>	<i>Ver. Method</i>	<i>Kano-Model Category</i>
	Advanced Encryption Standard (AES)				
Non-func. Requirement	<p>2.8.4 Portability</p> <p>[VideoStreaming-55] The Application must be available from:</p> <ul style="list-style-type: none"> • Google Play Store • App Store <p>The Application must be runnable on the last 3 major version of each of these operating systems:</p> <ul style="list-style-type: none"> • Windows • macOS • Android • iOS • iPadOS <p>The web based application must be functional with the last 5 versions of these browsers:</p> <ul style="list-style-type: none"> • Chrome • Safari • Firefox • Edge 		High	Inspection	Threshold
Non-func. Requirement	<p>2.8.5 Scalability</p> <p>[VideoStreaming-115] The application must be scalable to support both a larger number of users and a larger number of movies than anticipated at launch without having to refactor more than 10% of the source code</p>		High	Analysis	Indifferent
Section	<p>3. Verification</p> <p>[VideoStreaming-29]</p>				