



LED




April 2025

CONSUMER LIGHTING CATALOG

# wipro Lighting

Wipro Lighting is proud to be one of the most trusted brand in lighting industry. We have continuously focused on embracing the latest and finest technology to deliver highly efficient products for numerous lighting application areas and have always believed in offering our customers the best in class, latest design, environment friendly lighting products and solutions. Our endeavour has also been recognized by some of the most important and influential organizations around the world which reaffirms our right approach towards leadership, technological innovation, customer service & strategic product development.



## WIPRO LED ADVANTAGES



### Superior Quality LED Chip with LM 80 Tested LED Technology

Low lumen depreciation

No color change

Ensures long life



### Designed for Indian Condition

High voltage protection upto 380VAC

Surge protection upto 2.5KV



### High Quality Optics

High efficiency non yellowing diffuser

Antiglare design with LGP technology

Safe for eyes



### Efficient Heat Management

Aluminum heat sink for better heat dissipation.

Low LED soldering temperature

Long life assured.



## GARNET LED LIGHTING RANGE



## SMART HOME



## SMART PRODUCTS

Control your smart products via Wipro Next App in your smart phone and through voice control like Amazon Alexa or Google Assistant. Download the "Wipro Next Smart Home" app from the Apple App Store or Google Play Store. Now choose from 16 million color shades and light up your moments with different shades of Wipro smart LED bulb. Set the brightness to any level, schedule a timer and create light group as desired.

Download the  
Wipro Next Smart Home App



# GARNET SMART BULB

- >Create your ambience with 16mn color & white tunable options
- Smoothly change brightness of lights from 100% to 10%
- Control your light from anywhere with Wipro Next Smart App\*
- Voice control lights through Amazon Alexa and Google Assistant\*
- Set timer to automatically turn on/off lights using schedule function
- Create different group of lights to operate it together




CAT NO	TYPE	WATT(W)	CCT(K)	CAP
NS9400	WiFi	9	[2700-6500] + RGB	B22
NS9500	WiFi	9	[2700-6500] + RGB	E27
NS1220	WiFi	12.5	[2700-6500] + RGB	B22



CAT NO	TYPE	WATT(W)	CCT(K)	CAP
NS9600	Beacon	9	[2700-6500] + RGB	B22
NS9700	Beacon	9	[2700-6500] + RGB	E27



\*For Wi-Fi based Smart bulbs only



## APPLICATIONS



BED ROOM




LIVING ROOM



KITCHEN



BALCONY



## GARNET SMART BATTEN




- >Create your ambience with 16mn color & white tunable options
- Smoothly change brightness of lights from 100% to 10%
- Control your light from anywhere with Wipro Next Smart App
- Voice control lights through Amazon Alexa and Google Assistant
- Set timer to automatically turn on/off lights using schedule function
- Create different group of lights to operate it together
- The lights are operated directly through 2.4 GHz Wi-Fi without hub



CAT NO	WATTAGE (W)	CCT (K)	VOLTAGE RANGE (VAC)
DS12000	20	(6500-2700)	220-240
DS22000	20	(6500-2700)+RGB	220-240
SB22240	24	(6500-2700)+RGB	220-240

### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
20 (CCT)	1136 mm	38 mm	55 mm
20 (CCT+RGB)	900 mm	34 mm	45 mm
24 (CCT+RGB)	900 mm	34 mm	45 mm



### APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN



BALCONY

# GARNET SMART DOWNLIGHTS

The new generation Wipro Smart Panels can change color and brightness through Wipro Next Smart Home. It helps to set the mood of occasion by changing color and also saves energy by controlling the brightness as per the requirement.



## MOOD LIGHTING

Change Color between 2700K and 6500K to create right ambience



## DIMMABLE

Set Brightness of Panels from 100% to 10% as per requirement



## VOICE CONTROL

Control lights with your voice after connecting it to internet via Gateway



Set the right light for the right mood

BRIGHT COOL WHITE



BRIGHT NEUTRAL WHITE



BRIGHT WARM WHITE



WARM WHITE



COOL WHITE

WARM WHITE



## GARNET SMART TRIMLESS COB



- >Create ambience with white tunable smart cob comes with trimless and compact design perfect for your smart home
- Smoothly change brightness of lights from 100% to 10%.
- Control lights from anywhere in the world with Wipro App\*
- Wipro Bluetooth Mesh Gateway required to connect lights to internet.
- Voice control lights through Amazon Alexa and Google Assistant\*
- Create different group lights to operate them together

\*After lights are connected to Internet via sigmesh gateway

### White Tunable

Warm White

Cool White

### Dimmable Lights

10%

100%

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DS50610	06	2700-6500	480*	220-240
DS51010	10	2700-6500	800*	220-240
DS51510	15	2700-6500	1100*	220-240

\* for 6500K at standard conditions


### DIMENSIONS



WATTAGE(W)	DIAMETER (A)	HEIGHT(B)	CUTOUTØ(ø)	BEAM ANGLE(°)
06	64 mm	61 mm	56 mm	24°
10	85 mm	77 mm	75 mm	24°
15	85 mm	77 mm	75 mm	24°



### APPLICATIONS



LIVING ROOM

SHOWROOMS

HOSPITALITY

RETAIL

# GARNET

## SMART MODULE COB



- >Create ambiance with white tunable Smart COB
- Smoothly change brightness of lights from 100% to 10%.
- Control lights from anywhere in the world with Wipro App\*
- Wipro Bluetooth Mesh Gateway required to connect lights to internet.
- Voice control lights through Amazon Alexa and Google Assistant\*
- Create different group lights to operate them together

\*After lights are connected to Internet via sigmesh gateway



CAT NO	WATTAGE(W)	LUMENS(lm)	CCT(K)	VOLTAGE RANGE(VAC)
DS51000	10	800	2700-6500	220-240
DS51500	15	1200	2700-6500	220-240

WATTAGE(W)	DIAMETER(A)	HEIGHT(B)	BEAM ANGLE(°)
10	80 mm	80 mm	25°
15	80 mm	80 mm	25°



### APPLICATIONS



LIVING ROOM



SHOWROOMS



HOSPITALITY



RETAIL



## APPLICATIONS



BED ROOM



LIVING ROOM



OFFICES



## GARNET SMART PANEL



- » Create ambiance with white tunable Smart panel
- » Smoothly change brightness of lights from 100% to 10%
- » Control lights from anywhere in the world with Wipro App\*
- » Wipro Bluetooth Mesh Gateway required to connect lights to internet
- » Voice control lights through Amazon Alexa and Google Assistant\*
- » Create different group of lights to operate them together

\*After lights are connected to Internet via sigmesh gateway



## White Tunable

Warm White



Cool White



## Dimmable Lights

10%





100%

CAT NO	WATTAGE (W)	CCT (K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DS70600	6	6500-2700	450*	220-240
DS71000	10	6500-2700	750*	220-240
DS71500	15	6500-2700	1200*	220-240


DS70600	6	6500-2700	450*	220-240
DS71000	10	6500-2700	750*	220-240
DS71500	15	6500-2700	1200*	220-240

\* for 6500K at standard conditions

## DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)
6	120 mm	22 mm	100 mm
10	145 mm	22 mm	125 mm
15	168 mm	22 mm	150 mm



# SMART DOORBELL

SMART SECURITY


- ⇒ Full HD 3MP Video Camera with 120° Wide Horizontal View Angle
- ⇒ Hassle-free AC Operation. No battery required
- ⇒ Compatible with both 5 GHz & 2.4 GHz Wi-Fi, leading to seamless connection
- ⇒ Two-way Communication
- ⇒ Smart AI Motion Detection and Alerts
- ⇒ Automatic Night Vision
- ⇒ Protection from Rain & Dust
- ⇒ Wireless Door Chime
- ⇒ Supports video recording with SD card upto 256GB  
(SD card to be bought separately)




CAT NO	DESCRIPTION	CAMERA	VIDEO RESOLUTION	COMMUNICATION PROTOCOL
SD04000	Smart AC Doorbell	3MP	1296p	2.4GHz & 5GHz Wi-Fi

## DIMENSIONS

Chime



Doorbell



CAT NO	DESCRIPTION	WIDTH	DEPTH	HEIGHT
SD04000	Smart Doorbell	44.7 mm	31.3 mm	114.92 mm
	Smart Chime	50 mm	34 mm	70 mm



## APPLICATIONS



HOME



OFFICE

# SMART ELECTRICALS



Enhance your space with intelligent power control. Our smart plug and retrofit module offer energy monitoring and seamless automation for a smarter, more efficient lifestyle.

**wipro** Consumer Lighting


## SMART PLUG

- Transform your normal appliances like Geysers, Air Conditioners, Motors etc into Smart appliances
- Control the devices from anywhere in the world
- Hassle-free plug & play setup. No hub needed
- Set smart routines and schedules to enhance your convenience
- Monitor the energy consumption of the device connected
- Control your appliances with Voice via Alexa or Google Assistant



CAT NO	DESCRIPTION	VOLTAGE (VAC)	COMMUNICATION PROTOCOL
DSP1100	10 A Smart Plug	220-240	2.4 GHz Wi-Fi
DSP1160	16 A Smart Plug	220-240	2.4 GHz Wi-Fi

### DIMENSIONS



CAT NO	DESCRIPTION	WIDTH	DEPTH	HEIGHT
DSP1100	10 A Smart Plug	57 mm	59 mm	57 mm
DSP1160	16 A Smart Plug	51 mm	64 mm	81 mm



### APPLICATIONS



## SMART EXTENSION



- Smartly control your normal devices like mobile charging etc
- Qualcomm quick charge with 18W USB port
- Control the devices from anywhere in the world
- Travel-friendly universal sockets
- Surge protection upto 3 kV
- Automatic cutoff protection from Over-Voltage (above 275V) & Over-Current (above 10A)
- Monitor the energy consumption of the device connected
- Control your devices with Voice via Alexa or Google Assistant



### APPLICATIONS



HOME



BED ROOM




LIVING ROOM



OFFICE

CAT NO	DESCRIPTION	VOLTAGE (VAC)	COMMUNICATION PROTOCOL
DSE2150	4 Way Smart Extension	220-240	2.4 GHz Wi-Fi
DSE3150	3+3 USB Smart Extension	220-240	2.4 GHz Wi-Fi

### DIMENSIONS



CAT NO	DESCRIPTION	WIDTH	DEPTH	HEIGHT
DSE2150	4 Way Smart Extension	300mm	35mm	68mm
DSE3150	3+3 USB Smart Extension	325mm	35mm	60mm




## SMART RETROFIT SWITCH

- Convert your regular home to Wireless Automated Home
- Control the devices from anywhere in the world
- Control your appliances with Voice via Alexa or Google Assistant
- Set smart routines and schedules to enhance your convenience
- Surge Voltage protection upto 3 kV
- Hassle-free retrofit installation and no hub required



CAT NO	DESCRIPTION	RESISTIVE LOAD/NODE
DSP2200	2 Node	500 W x 2
DSP2400	4 Node	500 W x 2
DSP410	3+1 Fan Node	120 W Fan + 500 W x 3

### DIMENSIONS



CAT NO	DESCRIPTION	WIDTH	DEPTH	HEIGHT
DSP2200	2 Node	50 mm	23 mm	44 mm
DSP2400	4 Node	91 mm	23 mm	51 mm
DSP410	3+1 Fan Node	91 mm	23 mm	51 mm



Download  
Wipro Next Smart Home App  
App Store & Play Store



### APPLICATIONS



BED ROOM



LIVING ROOM



OFFICE

**BeuHome** LIGHTS



Add a touch of everyday luxury to your home with beautifully crafted  
wall and pendant lights – designed to bring warmth, style, and elegance to any space.

**wipro** Consumer Lighting



**Antique Sliver  
Black Pendant  
Light**

**Matte Gold  
Pendant  
Light**


**ASB Dome-Shaped  
Pendant Light**

Product Code	BP01001
Colour	Antique Sliver Black & Gold
Material	Aluminium & Mild Steel
Finish	Antique Sliver Black
Weight	470 grams
Lamp Base	E27
No of Lamps	01
Wattage	Upto a maximum of 40W LED Bulb can be used

**MG Dome-Shaped  
Pendant Light**

Product Code	BP01002
Colour	Matte Gold & White
Material	Aluminium & Mild Steel
Finish	Matte Gold
Weight	470 grams
Lamp Base	E27
No of Lamps	01
Wattage	Upto a maximum of 40W LED Bulb can be used

**DIMENSIONS**



DIAMETER (A)   HEIGHT (B)   LENGTH (C)

305mm      240mm      1600mm



**APPLICATIONS**



HOME



HOTEL



RESTAURANT



OFFICE


# BeuHome

## PENDANT LIGHT

### BP02 SERIES



#### APPLICATIONS



HOME

HOTEL

RESTAURANT

OFFICE




**Bright Pink  
Pendant  
Light**

**Ivy League  
Pendant  
Light**

**Antique Silver  
Black Pendant  
Light**

	BP Bell-Shaped Pendant Light	IL Bell-Shaped Pendant Light	ASB Bell-Shaped Pendant Light
Product Code	BP02001	BP02002	BP02003
Colour	Bright Pink	Ivy League	Antique Silver Black & Gold
Material	Aluminium, Mild Steel & Wood	Aluminium, Mild Steel & Wood	Aluminium, Mild Steel & Wood
Finish	Matte Pink & Natural Polished Wood	Matte Ivy League & Natural Polished Wood	Antique Silver Black & Natural Polished Wood
Weight	820 grams	820 grams	820 grams
Lamp Base	E27	E27	E27
No of Lamps	01	01	01
Wattage	Upto a maximum of 40 W LED bulb can be used	Upto a maximum of 40 W LED bulb can be used	Upto a maximum of 40 W LED bulb can be used

#### DIMENSIONS



DIAMETER (A)	HEIGHT (B)	LENGTH (C)
320mm	295mm	1600mm



Ivy League  
Pendant  
Light

Maroon  
Pendant  
Light


**IL Bell-Shaped  
Pendant Light**

Product Code	BP03001
Colour	Ivy League
Material	Aluminium & Mild Steel
Finish	Matte Ivy League
Weight	710 grams
Lamp Base	E27
No of Lamps	01
Wattage	Upto a maximum of 40W LED bulb can be used

**MR Bell-Shaped  
Pendant Light**

Product Code	BP03002
Colour	Maroon
Material	Aluminium & Mild Steel
Finish	Matte Maroon
Weight	710 grams
Lamp Base	E27
No of Lamps	01
Wattage	Upto a maximum of 40W LED bulb can be used

**DIMENSIONS**



DIAMETER (A)    HEIGHT (B)    LENGTH (C)

320mm    295mm    1600mm



**APPLICATIONS**



HOME



HOTEL



RESTAURANT



OFFICE


# BeuHome

## PENDANT LIGHT

### BP04 SERIES



#### APPLICATIONS



HOME HOTEL RESTAURANT OFFICE




**Matte Pink  
Pendant  
Light**

**Matte White  
Pendant  
Light**

**Matte Sky Blue  
Pendant  
Light**

	MP Cone-Shaped Pendant Light	MW Cone-Shaped Pendant Light	MS Cone-Shaped Pendant Light
Product Code	BP04001	BP04002	BP04003
Colour	Matte Pink	Matte White	Matte Sky Blue
Material	Aluminium & Mild Steel	Aluminium & Mild Steel	Aluminium & Mild Steel
Finish	Matte	Matte	Matte
Weight	480 grams	480 grams	480 grams
Lamp Base	E27	E27	E27
No of Lamps	01	01	01
Wattage	Up to a maximum of 40W LED bulb can be used	Up to a maximum of 40W LED bulb can be used	Up to a maximum of 40W LED bulb can be used

#### DIMENSIONS



DIAMETER (A)	HEIGHT (B)	LENGTH (C)
179mm	223mm	1582mm

# BeuHome

## WALL LIGHT

### BW01 SERIES




**Matte Nickel  
Single  
Wall Light**

**Matte Nickel  
Double  
Wall Light**

	MN Single Wall Light	MN Double Wall Light
Product Code	BW01001	BW01002
Colour	Matte Nickel & White	Matte Nickel & White
Material	Mild Steel & PPCP	Mild Steel & PPCP
Finish	Matte Nickel with Clear Electro-plating	Matte Nickel with Clear Electro-plating
Weight	300 grams	400 grams
Lamp Base	B22	B22
No of Lamps	01	02
Wattage	Upto a maximum of 40 W LED bulb can be used	Upto a maximum of 40W LED bulb each can be used


#### DIMENSIONS



CODE	WIDTH (A)	HEIGHT (B)	DEPTH (C)
BW01001	130mm	262.5mm	214mm
BW01002	306mm	260mm	196mm



#### APPLICATIONS



# BeuHome

## WALL LIGHT

### BW02 SERIES



#### APPLICATIONS




HOME



HOTEL



RESTAURANT



OFFICE




**Brush Bronze  
Single  
Wall Light**

**Brush Bronze  
Double  
Wall Light**

	BB Single Wall Light	BB Double Wall Light
Product Code	BW02001	BW02002
Colour	Brush Bronze & White	Brush Bronze & White
Material	Mild Steel & PPCP	Mild Steel & PPCP
Finish	Nickel with Brushed Brass Electro-plating	Nickel with Brushed Brass Electro-plating
Weight	300 grams	400 grams
Lamp Base	E27	E27
No of Lamps	01	02
Wattage	Up to a maximum of 40W LED bulb can be used	Up to a maximum of 40W LED bulb each can be used

#### DIMENSIONS



CODE	WIDTH (A)	HEIGHT (B)	DEPTH (C)
BW02001	135mm	235mm	200mm
BW02002	300mm	235mm	180mm

# BeuHome

## WALL LIGHT

### BW03 SERIES




**Matte Nickle  
Single  
Wall Light**


**Matte Nickle  
Double  
Wall Light**

	MN Single Wall Light	MN Double Wall Light
Product Code	BW03001	BW03002
Colour	Matte Nickle, Black & White	Matte Nickle, Black & White
Material	Glass & Mild Steel	Glass & Mild Steel
Finish	Nickel with clear Electro-Plating & Black Powder Coating	Nickel with clear Electro-Plating & Black Powder Coating
Weight	500 grams	900 grams
Lamp Base	E27	E27
No of Lamps	01	02
Wattage	Upto a maximum of 40W LED bulb can be used	Upto a maximum of 40W LED bulb each can be used


#### DIMENSIONS



CODE	WIDTH [A]	HEIGHT [B]	DEPTH [C]
BW03001	152mm	320mm	220mm
BW03002	440mm	420mm	175mm



#### APPLICATIONS



# BeuHome

## WALL LIGHT


### BW04 SERIES



**Antique Nickel Single Wall Light      Antique Nickel Double Wall Light**


	AN Single Wall Light	AN Double Wall Light
Product Code	BW04001	BW04002
Colour	Antique Nickel	Antique Nickel
Material	Glass & Mild Steel	Glass & Mild Steel
Finish	Smoky glass & Brush Antique Nickel Black Electro-plating	Smoky glass & Brush Antique Nickel Black Electro-plating
Weight	500 grams	700 grams
Lamp Base	E27	E27
No of Lamps	01	02
Wattage	Upto a maximum of 40W LED bulb can be used	Upto a maximum of 40W LED bulb each can be used

#### DIMENSIONS



CODE	WIDTH (A)	HEIGHT (B)	DEPTH (C)
BW04001	152mm	234mm	222mm
BW04002	350mm	235mm	200mm

#### APPLICATIONS



# BeuHome

## WALL LIGHT

### BW05 SERIES





**Brush Bronze  
Single  
Wall Light**

**Brush Bronze  
Double  
Wall Light**

	BB Single Wall Light	BB Double Wall Light
Product Code	BW05001	BW05002
Colour	Brush Bronze	Brush Bronze
Material	Glass & Mild Steel	Glass & Mild Steel
Finish	Frosted Glass & Nickel with Brushed Brass Electro-plating	Frosted Glass & Nickel with Brushed Brass Electro-plating
Weight	500 grams	700 grams
Lamp Base	E27	E27
No of Lamps	01	02
Wattage	Upto a maximum of 40W LED bulb can be used	Upto a maximum of 40W LED bulb each can be used

#### DIMENSIONS



CODE	WIDTH (A)	HEIGHT (B)	DEPTH (C)
BW05001	150mm	275mm	240mm
BW05002	335mm	275mm	225mm



#### APPLICATIONS



HOME



HOTEL



RESTAURANT



OFFICE

# BeuHome

## WALL LIGHT

### BW06 SERIES



#### APPLICATIONS



HOME



HOTEL



RESTAURANT



OFFICE




**Brush Bronze  
Single  
Wall Light**

**Brush Bronze  
Double  
Wall Light**

	BB Single Wall Light	BB Double Wall Light
Product Code	BW06001	BW06002
Colour	Brush Bronze	Brush Bronze
Material	Glass & Mild Steel	Glass & Mild Steel
Finish	Opal Frosted Glass & Nickel with Brushed Brass Electro-plating	Opal Frosted Glass & Nickel with Brushed Brass Electro-plating
Weight	500 grams	700 grams
Lamp Base	E27	E27
No of Lamps	01	02
Wattage	Upto a maximum of 40W LED bulb can be used	Upto a maximum of 40W LED bulb each can be used

#### DIMENSIONS



CODE	WIDTH (A)	HEIGHT (B)	DEPTH (C)
BW06001	120mm	270mm	215mm
BW06002	290mm	270mm	200mm

# GARNET

## MAGNETIC TRACK



Designed for modern spaces, the magnetic tracklight offers flexible positioning and smooth adjustability. Focus light exactly where it's needed—be it products, artworks, or interiors.

**APPLICATIONS**

MODERN HOME



SHOWROOM



OFFICE



RETAIL

## GARNET MAGNETIC PROFILE LIGHT



- LM80 tested LED ensures long life
- Plug and play design with easy installation and removal
- Shock-Free Hazardless Installation
- Flexible and customizable arrangement of lights
- Glare free light for better visual comfort



Warm White




Neutral White

CAT NO	WATTAGE (W)	CCT (K)	INPUT VOLTAGE
DM11040	10W	4000	DC48V
DM11030	10W	3000	DC48V
DM12040	20W	4000	DC48V
DM12030	20W	3000	DC48V
DM13040	30W	4000	DC48V
DM13030	30W	3000	DC48V

**DIMENSIONS**

Magnetic Profile Light




CAT NO	WATTAGE (W)	LENGTH (A)	WIDTH (B)	HEIGHT (B)
DM11030/40	10	300 mm	22 mm	25 mm
DM12030/40	20	600 mm	22 mm	25 mm
DM13030/40	30	900 mm	22 mm	25 mm

## GARNET MAGNETIC LASER LIGHT



- » LM80 tested LED ensures long life
- » Customizable and Creative Possibilities
- » Plug and play design with easy installation and removal
- » Shock-free hazardless installation
- » Flexible arrangement of lighting
- » Glare free light for better visual comfort



CAT NO	WATTAGE (W)	CCT (K)	INPUT VOLTAGE
DM20640	6W	4000	DC48V
DM20640	6W	3000	DC48V
DM21240	12W	4000	DC48V
DM21230	12W	3000	DC48V




## GARNET MAGNETIC FOLDABLE LASER LIGHT




CAT NO	WATTAGE (W)	CCT (K)	INPUT VOLTAGE
DM30640	6W	4000	DC48V
DM30630	6W	3000	DC48V
DM31240	12W	4000	DC48V
DM31230	12W	3000	DC48V

### DIMENSIONS

Magnetic Laser Light



Magnetic Foldable Laser Light



CAT NO	WATTAGE (W)	LENGTH (A)	WIDTH (B)	HEIGHT (B)
DM20630/40	6	112 mm	22 mm	25 mm
DM21230/40	12	220 mm	22 mm	25 mm
DM30630/40	6	116 mm	22 mm	100 mm
DM31230/40	12	331 mm	22 mm	100 mm



### APPLICATIONS



MODERN HOME



SHOWROOM



OFFICE



RETAIL



## GARNET MAGNETIC TRACK LIGHT



- ⇒ LM80 tested LED ensures long life
- ⇒ Customizable and creative possibilities
- ⇒ Plug and play design with easy installation and removal
- ⇒ Shock-free hazardless installation
- ⇒ Flexible arrangement of lighting
- ⇒ Glare free light for better visual comfort



CAT NO	WATTAGE (W)	CCT (K)	INPUT VOLTAGE
DM40740	7W	4000	DC48V
DM40730	7W	3000	DC48V
DM41040	10W	4000	DC48V
DM41030	10W	3000	DC48V


## GARNET MAGNETIC PENDANT LIGHT




CAT NO	WATTAGE (W)	CCT (K)	INPUT VOLTAGE
DM50740	7W	4000	DC48V
DM50730	7W	3000	DC48V

### DIMENSIONS

Magnetic Track Light



Magnetic Pendant Light



### APPLICATIONS



MODERN HOME



SHOWROOM



OFFICE



RETAIL

CAT NO	WATTAGE (W)	LENGTH (A)	WIDTH (B)	HIEGHT (B)
DM40730/40	7	35 mm	35 mm	80 mm
DM41030/40	10	45 mm	45 mm	100 mm
DM50730/40	7	49 mm	49 mm	300 mm


## GARNET MOUNTED TRACK

CAT NO	LENGTH	MATERIAL	SIZE	MOUNTING
HM0400	1m	Aluminium	26.4 X 50.5 mm	Surface
HM0410	2m	Aluminium	26.4 X 50.5 mm	Surface
HM0300	1m	Aluminium	62.5 X 46.8 mm	Recessed
HM0310	2m	Aluminium	62.5 X 46.8 mm	Recessed



## GARNET TRACK ACCESSORIES

CAT NO	DESCRIPTION	SIZE	MOUNTING
HM0600	L Track Joint Ceiling to ceiling	100*100*51mm	Surface
HM0610	L Track Joint Ceiling to wall	100*100*27mm	Surface
HM0500	L Track Joint Ceiling to ceiling	100*100*47mm	Recessed
HM0510	L Track Joint Ceiling to wall	100*100*62mm	Recessed



### APPLICATIONS



MODERN HOME



SHOWROOM



OFFICE



RETAIL



## GARNET DRIVER CONNECTION KIT

- High voltage protection of 380Vac
- Driver with surge protection upto 2.5kV

## MAGNETIC TRACK DRIVER

CAT NO	WATTAGE(W)	TYPE	INPUT VOLTAGE	OUTPUT VOLTAGE	SIZE
HM0100	100	Internal	230VAC	DC48V	168*22*44mm
HM0110	200	Internal	230VAC	DC48V	228*22*44mm
HM0120	100	External	230VAC	DC48V	145*8*29mm



## CONNECTOR ACCESSORIES

CAT NO	CONNECTOR TYPE	SIZE	MOUNTING
HM0210	Director Connector	124X19X16	Surface
HM0220	Flexible Connector	305X19X18	Surface
HM0200	External Connector	87X19X18	Recessed

### APPLICATIONS



MODERN HOME



SHOWROOM



OFFICE



RETAIL

# GARNET COLOR CHANGING LIGHTS

## COOL DAY WHITE

6500K

Energise your room  
with vibrant shades from  
Cool White lighting.

## NEUTRAL WHITE

4000K

Let your interiors  
look pleasant with  
Neutral White lighting.

## WARM WHITE

2700K

Add a warm and  
relaxing atmosphere to  
your space with Warm  
White lighting.



## 1 Light 3 Modes

A tri colour LED Batten that changes the ambience of your room to suit your mood. It's three shades of white compliment your room at different times of the day.




## GARNET WAVE COLOR CHANGING PANEL



- Changes color between 2700K to 6500K with click of switch
- Trimless design for seamless emergence with ceiling
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection of 440V
- Surge protection upto 4KV



CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DG30600	06	6500/4000/2700	220-240
DG31000	10	6500/4000/2700	220-240
DG31500	15	6500/4000/2700	220-240



TURN OFF AND ON  
IN 3 SECONDS  
TO CHANGE COLOR

### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)(Ø)
06	116 mm	32 mm	100 mm
10	145 mm	32 mm	130 mm
15	166 mm	32 mm	150 mm

\* Lumen for 6500K

## Alpha

### TRIMLESS CCT COB



- Changes Colour between 2700K to 6500K with click of switch
- Trimless design that seamlessly merge with the ceiling
- Sharp beam angle with reflector optics
- Aluminium PDC heat sink for good heat dissipation
- Wide Voltage range of 220-240VAC
- High Voltage protection upto 380V
- Surge protection upto 2.5kV



Warm White



Neutral White




Cool White




CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DC030700	7W	6500/4000/2700	220-240
DC031200	12W	6500/4000/2700	220-240



#### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(Ø)	BEAM (°)
7	67 mm	62 mm	55 mm	36°
12	85 mm	71 mm	75 mm	36°



#### APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL



#### APPLICATIONS



BED ROOM



LIVING ROOM



OFFICE

## GARNET PLUS COLOR CHANGING BATTEN



- Changes color between 6500K/4000K/2700K with click of switch
- Slim design with decorative end cap
- High perform diffuser for uniform light distribution
- LM 80 tested high brightness LED technology
- Driver with high voltage protection upto 440V
- Surge protection upto 4kV



Warm White




Neutral White



Cool White

CAT NO WATTAGE (W) CCT (K) LUMENS (lm) VOLTAGE RANGE (VAC)

D532200 22 6500/4000/2700 2200 220-240



TURN OFF AND ON  
IN 3 SECONDS  
TO CHANGE COLOR

#### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
22	1136 mm	34 mm	28 mm

## GARNET

### Rimless CCT Panel



- Changes color by switching ON and OFF
- Rimless design with large light emitting area
- High voltage protection upto 380V
- Surge protection upto 2.5 kV



CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DD11200	12	6500K/4000K/2700K	220-240
DD11800	18	6500K/4000K/2700K	220-240





TURN OFF AND ON  
IN 3 SECONDS  
TO CHANGE COLOR


#### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)
12	120	27
18	155	27



#### APPLICATIONS





## GARNET WAVE COLOR CHANGING PANEL




- Changes color between 2700K to 6500K with click of switch
- Trimless design for seamless mergence with ceiling
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection of 440V
- Surge protection upto 4KV



Warm White      Neutral White      Cool White

CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DG40600	06	6500/4000/2700	220-240
DG41000	10	6500/4000/2700	220-240
DG41500	15	6500/4000/2700	220-240



TURN OFF AND ON  
IN 3 SECONDS  
TO CHANGE COLOR

### DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)[Ø]
06	116 mm	116 mm	100 mm
10	145 mm	145 mm	130 mm
15	166 mm	166 mm	150 mm

\* Lumen for 6500K

# GARNET COB



New generation COB LED technology, with an innovative adjustable optics to focus light on desired areas. Great color & light quality adds value to your products & merchandise by enhancing their looks & appeal.



## GARNET RADIANCE COB



- » Adjustable design that allows perfect throw of light
- » Anti-glare light with deep recessed design
- » LM 80 tested LED technology ensures long life
- » Aluminum heat sink for better heat dissipation
- » High voltage protection upto 380V
- » Surge protection upto 2.5 kV



Warm White



Neutral White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC010740	7	4000	480	220-240
DC010727	7	2700	470	220-240
DC011240	12	4000	830	220-240
DC011227	12	2700	820	220-240
DC011840	18	4000	1250	220-240
DC011827	18	2700	1240	220-240



### APPLICATIONS



MODERN HOMES



SHOWROOMS




HOSPITALITY



RETAIL



### DIMENSIONS




WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
7	67 mm	62 mm	60 mm	24°
12	85 mm	71 mm	75 mm	24°
18	105 mm	96 mm	95 mm	24°

## GARNET ELEGANCE COB



- Unique curved reflector & premium finish with aluminium housing
- Anti-glare light with deep recessed design
- LM 80 tested LED technology ensures long life
- Aluminum heat sink for better heat dissipation
- High voltage protection upto 380V
- Surge protection upto 2.5 kV




Warm White   Neutral White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC060740	7	4000	510	220-240
DC060727	7	2700	490	220-240
DC061240	12	4000	950	220-240
DC061227	12	2700	940	220-240




### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
7	70 mm	50 mm	65 mm	24°
12	85 mm	65 mm	80 mm	24°



### APPLICATIONS



## GARNET LED LIGHTING RANGE




### APPLICATIONS



RESIDENTIAL



OFFICE



SHOWROOMS



RETAIL

## GARNET SPECTRA COB



- » Sharp beam angle with COB Chip and reflector optics
- » Adjustable design with 360° horizontal and 90° vertical rotation
- » LM 80 tested LED Technology provides longer life
- » Good thermal design with Aluminum housing
- » High voltage protection up to 380V
- » Surge protection up to 2.5 KV



Warm White




Neutral White




Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC021240	12	4000		220-240
DC021227	12	2700		220-240



### DIMENSIONS




WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	BEAM (°)
12	73 mm	100 mm	24°

## GARNET SURFACE COB



- Premium design with stylish look in Aluminum housing
- Antiglare Design with Deep Reflector Optics
- LM 80 tested LED technology ensures long life
- Wide Input Voltage Range 150–300VAC
- High voltage protection upto 400V
- Surge protection upto 3.5kV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH60727	7	2700	550	220-240
DH60740	7	4000	560	220-240
DH61227	12	2700	950	220-240
DH61240	12	4000	960	220-240
DH62027	20	2700	1550	220-240
DH62040	20	4000	1600	220-240




### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	BEAM (°)
7	53 mm	75 mm	24°
12	73 mm	95 mm	36°
20	73 mm	125 mm	36°



### APPLICATIONS





## GARNET PENDANT COB



- » Premium design with stylish look in Aluminum housing
- » Antiglare Design with Deep Reflector Optics
- » LM 80 tested LED technology ensures long life
- » Wide Input Voltage Range 150–300VAC
- » High voltage protection upto 400V
- » Surge protection upto 3.5kV



Warm White



Neutral White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH71240	12	4000	960	220-240
DH71227	12	2700	930	220-240



### APPLICATIONS



MODERN HOMES



SHOWROOMS




HOSPITALITY



RETAIL



### DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	BEAM (°)
12	73 mm	145 mm	36°

## GARNET TRACK LIGHT



- Adjustable Design with 360° Horizontal & 90° Vertical Rotation
- LM 80 tested LED technology ensures long life
- Premium design with stylish look in Aluminum housing
- Antiglare Design with Deep Reflector Optics
- Wide Input Voltage Range 150–300VAC
- High voltage protection upto 400V
- Surge protection upto 4KV




Warm White



Neutral White



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH52027	20	2700	1500	220-240
DH52040	20	4000	1600	220-240
DH53027	30	2700	2400	220-240
DH53040	30	4000	2500	220-240




### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	BEAM (°)
20	65 mm	141 mm	36°
30	76 mm	156 mm	36°

### APPLICATIONS





## GARNET SURFACE TRACK LIGHT



- » Adjustable Design with 360° Horizontal & 90° Vertical Rotation
- » Antiglare Design with Deep Reflector Optics
- » LM 80 tested LED technology ensures long life
- » Wide Input Voltage Range 150-300VAC
- » High voltage protection upto 400V
- » Surge protection upto 3.5kV



Warm White




Neutral White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH80727	7	2700	525	220-240
DH80740	7	4000	560	220-240
DH81227	12	2700	900	220-240
DH81240	12	4000	960	220-240



### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	BEAM (°)
7	49 mm	111 mm	24°
12	65 mm	116 mm	36°

### APPLICATIONS



MODERN HOMES



SHOWROOMS



RETAIL

# Alpha

## TRIMLESS COB



- Trimless design that seamlessly merge with the ceiling
- Sharp Beam angle with reflector optics
- Aluminum PDC heat sink for good heat dissipation
- Wide voltage range of 220-240VAC
- High voltage protection upto 380V
- Surge protection upto 2.5kV



Warm White



Neutral White




Cool White



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC030765	7	6500	560	220-240
DC030740	7	4000	550	220-240
DC030727	7	2700	540	220-240
DC031265	12	6500	960	220-240
DC031240	12	4000	950	220-240
DC031227	12	2700	940	220-240



### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
7	67 mm	62 mm	55 mm	36°
12	85 mm	71 mm	75 mm	36°



### APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL



## APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL



## Alpha TRIMLESS GOLD COB



- Trimless design that seamlessly merge with the ceiling
- Sharp beam angle with reflector optics
- Aluminum PDC heat sink for good heat dissipation
- Wide voltage range of 220-240VAC
- High voltage protection upto 380V
- Surge protection upto 2.5kV




Warm White





Neutral White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC040740	7	4000	560	220-240
DC040727	7	2700	540	220-240
DC041240	12	4000	960	220-240
DC041227	12	2700	950	220-240



## DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(Ø)	BEAM (°)
7	67 mm	62 mm	60 mm	36°
12	85 mm	71 mm	75 mm	36°

## Alpha

### TRIMLESS BLACK COB



- Trimless design that seamlessly merge with the ceiling
- Sharp beam angle with reflector optics
- Aluminum PDC heat sink for good heat dissipation
- Wide voltage range of 220-240VAC
- High voltage protection upto 380V
- Surge protection upto 2.5kV



Warm White




Neutral White



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC050740	7	4000	560	220-240
DC050727	7	2700	550	220-240
DC051240	12	4000	960	220-240
DC051227	12	2700	950	220-240





#### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)[Ø]	BEAM [°]
7	67 mm	62 mm	60 mm	36°
12	85 mm	71 mm	75 mm	36°

#### APPLICATIONS





## APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL

## GARNET TRIMLESS COB



- Trimless & compact design seamlessly merges with the ceiling
- Antiglare optics with deep reflector design
- Aluminium heat sink for better heat dissipation
- Sharp light cone effect on wall for wall washer application
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC.
- Surge protection upto 2.5 KV



2700K



4000K





6500K

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC20665	6	6500	530	220-240
DC20640	6	4000	525	220-240
DC20627	6	2700	510	220-240
DC20965	9	6500	830	220-240
DC20940	9	4000	810	220-240
DC20927	9	2700	780	220-240
DC21265	12	6500	960	220-240
DC21240	12	4000	950	220-240
DC21227	12	2700	930	220-240
DC21565	15	6500	1230	220-240
DC21540	15	4000	1220	220-240
DC21527	15	2700	1210	220-240



## DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
6	50 mm	53 mm	45 mm	60°
9	70 mm	64 mm	65 mm	40°
12	78 mm	82 mm	75 mm	40°
15	78 mm	82 mm	75 mm	40°

# GARNET

## TRIMLESS COB GOLD



- ⇒ Premium black housing with Rose Gold Reflector
- ⇒ Trimless & compact design seamlessly merges with the ceiling
- ⇒ Deep reflector optics to create sharp light beam without glare
- ⇒ Sharp light cone effect on wall for wall washer
- ⇒ LM 80 tested LED technology ensures long life
- ⇒ Driver with high voltage protection upto 380VAC
- ⇒ Surge protection upto 2.5 KV



Warm White






Neutral White


CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE RANGE(VAC)
DC30940	9	4000	740	220-240
DC30927	9	2700	710	220-240
DC31540	15	4000	1230	220-240
DC31527	15	2700	1180	220-240



### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
9	75 mm	64 mm	65 mm	40°
15	85 mm	76 mm	75 mm	38°



### APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL



## GARNET COMPACT COB GOLD



- Ultra compact design with rose gold reflector
- Aluminium heat sink for better heat dissipation
- Deep reflector optics to provide glare free light
- Very sharp & intense light beam to highlight wall & objects
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5 KV



Warm White



Neutral White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC50540	5	4000	390	220-240
DC50527	5	2700	380	220-240
DC51240	12	4000	850	220-240
DC51227	12	2700	820	220-240



### APPLICATIONS



MODERN HOMES



SHOWROOMS




HOSPITALITY



RETAIL

### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
5	46 mm	59 mm	40 mm	45°
12	60 mm	82 mm	55 mm	15°

## GARNET TRIMLESS BLACK COB



- ⇒ Premium finish with black housing
- ⇒ Trimless & compact design seamlessly merges with the ceiling
- ⇒ Deep reflector optics to create sharp light beam without glare
- ⇒ Sharp light cone effect on wall for wall washer
- ⇒ LM 80 tested LED technology ensures long life
- ⇒ Driver with high voltage protection upto 380VAC
- ⇒ Surge protection upto 2.5 KV




CAT NO WATTAGE(W) CCT(K) LUMENS(lm) VOLTAGE RANGE(VAC)


DC60640	6	4000	470	220-240
DC60627	6	2700	460	220-240
DC60940	9	4000	730	220-240
DC60927	9	2700	710	220-240
DC61540	15	4000	1170	220-240
DC61527	15	2700	1160	220-240




### DIMENSIONS




WATTAGE (W)	DIAMETER(A)	SIZE (B)	CUTOUT (C)[Ø]	BEAM (°)
6	50 mm	53 mm	45	60°
9	71 mm	65 mm	65	36°
15	78 mm	82 mm	75	36°



### APPLICATIONS





## APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL

## GARNET LINEAR COB




- Deep reflector optics to provide glare free light
- Linear design with very sharp and high intensity LED chip
- LM80 tested LED technology for long life
- Aluminium heat sink for better heat dissipation
- Surge protection upto 2.5kV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DC71040	10	4000	800	220-240
DC71027	10	2700	800	220-240
DC72040	20	4000	1600	220-240
DC72027	20	2700	1600	220-240



## DIMENSIONS



WATTAGE (W)	SIZE (A)	SIZE (B)	SIZE (C)	CUTOUT
10	147 mm	44 mm	31 mm	141 x 36 mm
20	280 mm	44 mm	31 mm	274 x 36 mm


## GARNET COB



- Industry best lumen output with efficacy more than 100lm/W
- Reflector & clear optics to create sharp light beam without glare
- Adjustable design to focus light on desired area
- Aluminium heat sink for better heat dissipation
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5 KV

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(Lm)	VOLTAGE RANGE(VAC)
DC10365	3	6500	210	220-240
DC10340	3	4000	205	220-240
DC10327	3	2700	200	220-240
DC10665	6	6500	490	220-240
DC10640	6	4000	480	220-240
DC10627	6	2700	470	220-240
DC10965	9	6500	860	220-240
DC10940	9	4000	850	220-240
DC10927	9	2700	790	220-240
DC11265	12	6500	1100	220-240
DC11240	12	4000	1050	220-240
DC11227	12	2700	1040	220-240
DC11665	16	6500	1620	220-240
DC11640	16	4000	1540	220-240
DC11627	16	2700	1500	220-240
DC12465	24	6500	2360	220-240
DC12440	24	4000	2350	220-240
DC12427	24	2700	2180	220-240
DC13065	30	6500	2850	220-240
DC13040	30	4000	2750	220-240
DC13027	30	2700	2650	220-240


### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
3	66 mm	30 mm	55 mm	38°
6	81 mm	40 mm	65 mm	38°
9	90 mm	50 mm	75 mm	38°
12	98 mm	55 mm	85 mm	38°
16	110 mm	65 mm	90 mm	38°
24	145 mm	84 mm	135 mm	38°
30	165 mm	90 mm	145 mm	38°



### APPLICATIONS





## GARNET SLIM COB SPOTLIGHTS



- Slimmest spotlights (20mm), easily used in low depth false ceilings
- Aluminium PDC heat sink for effective heat dissipation
- Dual optics technology for better light distribution
- Adjustable design to focus light on desired area
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV



2700K





4000K



6500K

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D320365	3	6500	230	220-240
D320340	3	4000	220	220-240
D320327	3	2700	210	220-240
D320665	6	6500	520	220-240
D320640	6	4000	510	220-240
D320627	6	2700	500	220-240
D320965	9	6500	720	220-240
D320940	9	4000	710	220-240
D320927	9	2700	700	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)[∅]	BEAM (°)
3	72 mm	20 mm	62 mm	38°
6	82 mm	20 mm	72 mm	38°
9	87 mm	20 mm	77 mm	38°

# GARNET

## WAVE SPOTLIGHT



- Adjustable Design to focus light on desired area
- LM 80 tested LED Technology for better life
- Sharp light beam angle gives brighter light
- High Voltage protection upto 440VAC
- Surge protection upto 4KV




Warm White   Neutral White   Cool White



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DG50365	3	6500	225	220-240
DG50340	3	4000	210	220-240
DG50327	3	2700	195	220-240
DG50665	6	6500	480	220-240
DG50640	6	4000	450	220-240
DG50627	6	2700	420	220-240
DG50965	9	6500	720	220-240
DG50940	9	4000	675	220-240
DG50927	9	2700	630	220-240
DG51265	12	6500	960	220-240
DG51240	12	4000	900	220-240
DG51227	12	2700	840	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM °
3	75x75	43	60mm	60°
6	95x95	46	75 mm	60°
9	116x116	52	100 mm	60°
12	139x139	55	125 mm	60°



### APPLICATIONS


	MODERN HOMES		SHOWROOMS		HOSPITALITY		RETAIL
--	--------------	--	-----------	--	-------------	--	--------



## GARNET WAVE BLACK SPOTLIGHT



- Available with Smooth Glossy Black & Gold reflector to match with Interior aesthetics
- Sharp beam angle, suitable to highlight any piece of art
- LM 80 tested LEDs ensures long life
- Surge Protection upto 4KV
- High voltage protection up to 440V



Warm White   Neutral White


CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DG70740	7	4000	450	220-240
DG70727	7	2700	430	220-240

## GARNET WAVE GOLD SPOTLIGHT



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DG60740	7	4000	450	220-240
DG60727	7	2700	435	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C) [Ø]	BEAM [°]
7	89mm	45 mm	75 mm	36°

### APPLICATIONS



RESIDENTIAL



HOSPITALITY



SHOWROOMS



RETAIL

# GARNET MINI SPOTLIGHTS




- Compact cob spotlight with adjustable design
- Reflector optics to create sharp light beam
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection of 400VAC
- Surge protection upto 2.5KV




CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D340365	3	6500	260	220-240
D340327	3	2700	240	220-240
D340380	3	BLUE	-	220-240
D340395	3	GREEN	-	220-240
D340390	3	RED	-	220-240
D340385	3	PINK	-	220-240



## DIMENSIONS



## APPLICATIONS





## APPLICATIONS



DECORATION



SHELF



FOCUS




CABINET

## GARNET 2W SPOTLIGHT




- Compact design with 17 mm height, ideal for shelf lighting
- Lens optics to create sharp light cone without glare
- LM 80 tested LED technology ensures long life
- Integrated driver with high voltage protection upto 400V
- Surge protection upto 2.5kV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS (lm)	VOLTAGE RANGE(VAC)
D740265	2	6500	95	220-240
D740227	2	2700	95	220-240
D740280	2	BLUE		220-240
D742890	2	RED		220-240
D740295	2	GREEN		220-240
D740285	2	PINK		220-240



## DIMENSIONS




WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)[Ø]	BEAM [°]
2	42 mm	17 mm	33 mm	60°

## GARNET CABINET COB




- LM80 Tested COB technology
- Anti-glare design with deep down optics
- Compact design ideal for cabinets & wardrobes
- Aluminium housing for better heat dissipation



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D920127	1	2700	90	220-240
D910327	3	2700	180	220-240




### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM (°)
1	31	21.75	23	36°
3	37.8	28	35	36°




### APPLICATIONS



# GARNET DOWNLIGHTS



An exquisite range of LED downlighters, with the best light output in the industry. It is simple to install due to its integrated design and comes with IP44 protection (resistant to dust and water splashes).



# GARNET

## ALUMINIUM DOWNLIGHT



- ⇒ Premium Looks with Aluminium die cast housing
- ⇒ High quality diffuser for better visual comfort
- ⇒ High Brightness Design with Efficacy upto 100lm/W
- ⇒ Efficient Heat Management with Aluminum PDC body
- ⇒ High Voltage protection upto 380VAC
- ⇒ Surge protection upto 2.5kV



Warm White



Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE RANGE (VAC)
DC91065	10	6500	1000	220-240
DC91040	10	4000	980	220-240
DC91027	10	2700	950	220-240
DC91565	15	6500	1500	220-240
DC91540	15	4000	1450	220-240
DC91527	15	2700	1425	220-240
DC92065	20	6500	2000	220-240
DC92040	20	4000	1950	220-240
DC92027	20	2700	1900	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø
10	118 mm	50 mm	100 mm
15	148 mm	52 mm	125 mm
20	177 mm	58 mm	150 mm



### APPLICATIONS



## GARNET LED LIGHTING RANGE



### APPLICATIONS



MODERN HOMES



OFFICES



SHOWROOMS



HOSPITALITY



RETAIL



## GARNET WAVE ROUND DOWNLIGHTS



- Premium and compact design
- High quality diffuser for better visual comfort
- LM 80 tested SMD LED technology
- IP 44 protection against dust and moisture
- Integrated driver with high voltage protection upto 380VAC



2700K





Neutral White



6500K

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE RANGE (VAC)
D540565	5	6500	440	220-240
D540540	5	4000	420	220-240
D540527	5	2700	400	220-240
D540865	8	6500	720	220-240
D540840	8	4000	700	220-240
D540827	8	2700	650	220-240
D541265	12	6500	1100	220-240
D541240	12	4000	1050	220-240
D541227	12	2700	1000	220-240
D541565	15	6500	1400	220-240
D541540	15	4000	1360	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø
5	95 mm	58 mm	70 mm
8	113 mm	59 mm	94 mm
12	145 mm	66 mm	125 mm
15	174 mm	68 mm	150 mm

## Alpha DLWNLT



- LM80 tested LED technology ensures long life
- High Brightness design with upto 100lm/W efficacy\*
- High quality diffuser for better visual comfort
- High voltage protection upto 440V
- Surge protection upto 4KV




CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D520865	8	6500	680	220-240
D520840	8	4000	600	220-240
D520827	8	2700	560	220-240
D520790	8	RED		220-240
D520795	8	GREEN		220-240
D520780	8	BLUE		220-240
D520785	8	PINK		220-240
D521065	10	6500	900	220-240
D521040	10	4000	850	220-240
D521027	10	2700	800	220-240
D521080	10	BLUE		220-240
D521090	10	RED		220-240
D521095	10	GREEN		220-240
D521085	10	GREEN		220-240
D521265	12	6500	1200	220-240
D521240	12	4000	1020	220-240
D521227	12	2700	960	220-240



## COLOR CHANGING PANEL

CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
D520800	8	6500/4000/2700	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)(Ø)
8	110 mm	48 mm	75 mm
10	110 mm	48 mm	75 mm
12	110 mm	48 mm	75 mm



### APPLICATIONS






## Alpha SLIM DOWNLIGHT



- LM80 tested LED technology ensures long life
- High Brightness design with upto 100lm/W efficacy\*
- High quality diffuser for better visual comfort
- High voltage protection upto 440V
- Surge protection upto 4KV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D520665	6	6500	500	220-240
D520640	6	4000	480	220-240
D520627	6	2700	450	220-240
D520695	6	GREEN		220-240
D520690	6	RED		220-240
D520685	6	PINK		220-240
D520680	6	BLUE		220-240



### APPLICATIONS



BED ROOM



LIVING ROOM



RETAIL

### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)(Ø)
6	112 mm	22 mm	75 mm

## GARNET MINI DOWNLIGHTS



- Compact design suitable for 2 inch junction boxes
- High quality diffuser for better visual comfort
- Wide beam angle for uniform lighting
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 400VAC
- Surge protection upto 3.5KV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D350365	3	6500K	240	220-240
D350327	3	2700K	210	220-240
D350390	3	RED	-	220-240
D350395	3	GREEN	-	220-240
D350380	3	BLUE	-	220-240
D350385	3	PINK	-	220-240
D350865	8	6500K	640	220-240
D350827	8	2700K	575	220-240
D351565	15	6500K	1275	220-240
D351527	15	2700K	1150	220-240

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D350365	3	6500K	240	220-240
D350327	3	2700K	210	220-240
D350390	3	RED	-	220-240
D350395	3	GREEN	-	220-240
D350380	3	BLUE	-	220-240
D350385	3	PINK	-	220-240
D350865	8	6500K	640	220-240
D350827	8	2700K	575	220-240
D351565	15	6500K	1275	220-240
D351527	15	2700K	1150	220-240

### COLOR CHANGING MINI DOWNLIGHT

CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
D350300	3	RED/BLUE/PINK	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER(A)	HEIGHT (B)	CUTOUT (C)Ø
3	80 mm	32 mm	55 mm
8	83 mm	60 mm	43 mm
15	140 mm	67 mm	43 mm



### APPLICATIONS





## GARNET IP65 Wall Light



- LM80 tested LED ensures long life
- Premium design with stylish look in Aluminum housing
- Lens based technology for sharp beam
- IP65 protection for outdoor application
- Driver with high voltage protection upto 440V
- Surge protection upto 4kV




Warm White


CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DW20627	6W	2700	220-240



### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
6W	80 mm	75 mm	66 mm



### APPLICATIONS

## GARNET

### IP65 UD Wall Light



- » LM80 tested LED ensures long life
- » Premium design with stylish look in Aluminum housing
- » Lens based technology for sharp beam
- » IP65 protection for outdoor application
- » Driver with high voltage protection upto 440V
- » Surge protection upto 4kV




Warm White


CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DW11227	12W	2700	220-240



#### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
12W	81 mm	142 mm	66 mm



#### APPLICATIONS



OUTDOOR WALL LIGHT



## GARNET 1 x 2 Way IP65 LED Wall Light




- LM80 tested LED ensures long life
- Premium design with stylish look in Aluminum housing
- Lens based technology for sharp beam
- IP65 protection for outdoor application
- Driver with high voltage protection upto 440V
- Surge protection upto 4kV



Warm White

CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DW70227	2W	2700	220-240



### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
2W	88.5 mm	35 mm	61 mm

## GARNET

### 2 x 2 Way IP65 LED Wall Light



- ⇒ LM80 tested LED ensures long life
- ⇒ Premium design with stylish look in Aluminum housing
- ⇒ Lens based technology for sharp beam
- ⇒ IP65 protection for outdoor application
- ⇒ Driver with high voltage protection upto 440V
- ⇒ Surge protection upto 4kV




Warm White

CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DW70427	4W	2700	220-240



#### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
4W	98 mm	37 mm	81.7mm

#### APPLICATIONS



OUTDOOR WALL LIGHT



## GARNET

### 3 x 2 Way IP65 LED Wall Light



- LM80 tested LED ensures long life
- Premium design with stylish look in Aluminum housing
- Lens based technology for sharp beam
- IP65 protection for outdoor application
- Driver with high voltage protection upto 440V
- Surge protection upto 4kV




Warm White

CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DW70627	6W	2700	220-240



#### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
6W	153 mm	41.5 mm	80 mm

#### APPLICATIONS



OUTDOOR WALL LIGHT

## GARNET

### 4 Way IP65 LED Wall Light




- ⇒ LM80 tested LED ensures long life
- ⇒ Premium design with stylish look in Aluminum housing
- ⇒ Lens based technology for sharp beam
- ⇒ IP65 protection for outdoor application
- ⇒ Driver with high voltage protection upto 440V
- ⇒ Surge protection upto 4kV




Warm White


CAT NO	WATTAGE(W)	CCT(K)	VOLTAGE RANGE(VAC)
DW60427	4W	2700	220-240



#### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
4W	75 mm	53.5 mm	75 mm



#### APPLICATIONS



OUTDOOR WALL LIGHT



## GARNET STEP LIGHT IP20



- Compact design with aluminum die cast housing
- Indirect light optics provides glare free light
- LM80 tested LED technology gives long life to LED Chips
- IP20 protection for indoor usage
- Driver designed with high voltage protection upto 380V
- Surge protection upto 2.5KV




Warm White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DW10327	03	2700	150	220-240



### DIMENSIONS




WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
03	84 mm	84 mm	40 mm

# GARNET PANEL LIGHTS



The range of ultra slim panels with edge-lit LED's that provide soft, energy efficient light which is used for ambient lighting (indoor applications). It imparts a sense of luxury, with its classic design, aesthetics and quality light.



## APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN

## GARNET

### Wave Infinity Round Panel Light



- Rimless design with large light emitting area
- High brightness design with upto 110 Lm/W Efficacy
- LM80 tested LED technology gives long life to LED Chips.
- High quality diffuser for better visual comfort
- Driver designed with high voltage protection upto 440VAC.
- Surge protection upto 4KV



Warm White





Neutral White



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DG10627	6	2700	480	220-240
DG10640	6	4000	510	220-240
DG10665	6	6500	540	220-240
DG11027	10	2700	900	220-240
DG11040	10	4000	950	220-240
DG11065	10	6500	1000	220-240
DG31227	12	2700	1080	220-240
DG31240	12	4000	1140	220-240
DG31265	12	6500	1200	220-240
DG11527	15	2700	1425	220-240
DG11540	15	4000	1500	220-240
DG11565	15	6500	1650	220-240
DG12027	20	2700	1900	220-240
DG12040	20	4000	2000	220-240
DG12065	20	6500	2200	220-240

## DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(Ø)
6	116 mm	32 mm	95 mm
10	145 mm	32 mm	125 mm
12	145 mm	32 mm	125 mm
15	166 mm	32 mm	145 mm
20	220 mm	32 mm	200 mm

# GARNET

## Wave Infinity Square Panel Light



- Rimless design with large light emitting area
- High brightness design with upto 110 Lm/W Efficacy
- LM80 tested LED technology gives long life to LED Chips.
- High quality diffuser for better visual comfort
- Driver designed with high voltage protection upto 440VAC.
- Surge protection upto 4KV




CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DG20627	6	2700	480	220-240
DG20640	6	4000	510	220-240
DG20665	6	6500	540	220-240
DG21027	10	2700	900	220-240
DG21040	10	4000	950	220-240
DG21065	10	6500	1000	220-240
DG41227	12	2700	1080	220-240
DG41240	12	4000	1140	220-240
DG41265	12	6500	1200	220-240
DG21527	15	2700	1425	220-240
DG21540	15	4000	1500	220-240
DG21565	15	6500	1650	220-240
DG22027	20	2700	1900	220-240
DG22040	20	4000	2000	220-240
DG22065	20	6500	2200	220-240

### DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)[Ø]
6	116X116 mm	32 mm	95X95 mm
10	145X145 mm	32 mm	125X125 mm
12	145X145 mm	32 mm	125X125 mm
15	166X166 mm	32 mm	145X145 mm
20	220X220 mm	32 mm	200X200 mm




### APPLICATIONS





## APPLICATIONS



MODERN HOMES

OFFICES

SCHOOLS

HOSPITALITY

RETAIL

## GARNET ROUND PANEL LIGHT



- Good heat dissipation with aluminium body
- LM80 tested LED technology ensures longer life
- Suitable for commercial & industrial application
- High voltage protection upto 380VAC
- Surge protection upto 2.5kV



Warm White





Neutral White



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D810665	6	6500	420	220-240
D810640	6	4000	410	220-240
D810627	6	2700	400	220-240
D820965	9	6500	630	220-240
D820940	9	4000	615	220-240
D820927	9	2700	600	220-240
D811265	12	6500	960	220-240
D811240	12	4000	950	220-240
D811227	12	2700	930	220-240
D821565	15	6500	1200	220-240
D821540	15	4000	1180	220-240
D821527	15	2700	1170	220-240
D821665	16	6500	1280	220-240
D821640	16	4000	1250	220-240
D821627	16	2700	1240	220-240

## DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø
6	120 mm	23 mm	105 mm
9	146 mm	23 mm	130 mm
12	172 mm	23 mm	155 mm
15	172 mm	23 mm	155 mm
16	198 mm	23 mm	180 mm

# GARNET

## SQUARE PANEL LIGHT



- Good heat dissipation with aluminium body
- LM80 tested LED technology ensures longer life
- Suitable for commercial & industrial application
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D820665	6	6500	420	220-240
D820640	6	4000	410	220-240
D820627	6	2700	400	220-240
D830965	9	6500	630	220-240
D830940	9	4000	615	220-240
D830927	9	2700	600	220-240
D821265	12	6500	960	220-240
D821240	12	4000	950	220-240
D821227	12	2700	930	220-240
D831565	15	6500	1200	220-240
D831540	15	4000	1180	220-240
D831527	15	2700	1170	220-240
D831665	16	6500	1280	220-240
D831640	16	4000	1250	220-240
D831627	16	2700	1240	220-240
D812465	24	6500	1920	220-240

### DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)Ø
6	120x120 mm	23 mm	105x105 mm
9	146x146 mm	23 mm	130x130 mm
12	172x172 mm	23 mm	155x155 mm
15	172x172 mm	23 mm	155x155 mm
16	198x198 mm	23 mm	175x175 mm
24	300x300 mm	23 mm	280x280 mm



### APPLICATIONS





## APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN

## GARNET WAVE SLIM ROUND PANEL LIGHT



- » Brightest edge lit panels with efficacy upto 100lm/W
- » Slim and decorative design adds to home décor
- » LGP technology for more visual comfort
- » LM 80 tested SMD LED technology
- » Integrated driver with high voltage protection upto 440V
- » Surge protection upto 4KV



Warm White





Neutral White



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH10360	3	6000	225	220-240
DH10340	3	4000	210	220-240
DH10330	3	3000	195	220-240
DH10660	6	6000	480	220-240
DH10640	6	4000	450	220-240
DH10630	6	3000	420	220-240
DH11060	10	6000	950	220-240
DH11040	10	4000	900	220-240
DH11030	10	3000	850	220-240
DH11260	12	6000	1020	220-240
DH11240	12	4000	950	220-240
DH11230	12	3000	900	220-240
DH11560	15	6000	1425	220-240
DH11540	15	4000	1350	220-240
DH11530	15	3000	1275	220-240
DH12060	20	6000	2000	220-240
DH12040	20	4000	1900	220-240
DH12030	20	3000	1800	220-240

## DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø
3	100 mm	28 mm	80 mm
6	120 mm	28 mm	100 mm
10	145 mm	28 mm	125 mm
12	145 mm	28 mm	125 mm
15	168 mm	28 mm	150 mm
20	218 mm	28 mm	200 mm

## GARNET WAVE SLIM SQUARE PANEL LIGHT



- Brightest edge lit panels with efficacy upto 100lm/W
- Slim and decorative design adds to home décor
- LGP technology for more visual comfort
- LM 80 tested SMD LED technology
- Integrated driver with high voltage protection upto 440V
- Surge protection upto 4KV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH20360	3	6000	225	220-240
DH20340	3	4000	210	220-240
DH20330	3	3000	195	220-240
DH20660	6	6000	480	220-240
DH20640	6	4000	450	220-240
DH20630	6	3000	420	220-240
DH21060	10	6000	950	220-240
DH21040	10	4000	900	220-240
DH21030	10	3000	850	220-240
DH21260	12	6000	1020	220-240
DH21240	12	4000	950	220-240
DH21230	12	3000	900	220-240
DH21560	15	6000	1425	220-240
DH21540	15	4000	1350	220-240
DH21530	15	3000	1275	220-240
DH22060	20	6000	2000	220-240
DH22040	20	4000	1900	220-240
DH22030	20	3000	1800	220-240

### DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)[Ø]
3	100x100 mm	28 mm	80x80 mm
6	120x120 mm	28 mm	100x100 mm
10	145x145 mm	28 mm	125x125 mm
12	145x145 mm	28 mm	125x125 mm
15	168x168 mm	28 mm	150x150 mm
20	218x218 mm	28 mm	200x200 mm



### APPLICATIONS





#### APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN

## GARNET Wave Plus Round panel



- » LM80 Tested LED Technology ensures longer life
- » Uniform light distribution with PMMA light guiding plate
- » Better visual comfort with high quality diffuser
- » Separate driver design for easy maintenance
- » High voltage protection up to 440V
- » Surge protection up to 4kV



Warm White





Neutral White



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH30660	6	6000	480	220-240
DH30640	6	4000	450	220-240
DH30630	6	3000	420	220-240
DH31060	10	6000	950	220-240
DH31040	10	4000	900	220-240
DH31030	10	3000	850	220-240
DH31560	15	6000	1425	220-240
DH31540	15	4000	1350	220-240
DH31530	15	3000	1275	220-240

#### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)[ø]
6	120 mm	22 mm	100 mm
10	145 mm	22 mm	125 mm
15	168 mm	22 mm	150 mm

## GARNET

### Wave Plus Square panel



- LM80 Tested LED Technology ensures longer life
- Uniform light distribution with PMMA light guiding plate
- Better visual comfort with high quality diffuser
- Separate driver design for easy maintenance
- High voltage protection up to 440V
- Surge protection up to 4kV



Warm White



Neutral White



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH40660	6	6000	480	220-240
DH40640	6	4000	450	220-240
DH40630	6	3000	420	220-240
DH41060	10	6000	950	220-240
DH41040	10	4000	900	220-240
DH41030	10	3000	850	220-240
DH41560	15	6000	1425	220-240
DH41540	15	4000	1350	220-240
DH41530	15	3000	1275	220-240

#### DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(Ø)
6	120*120 mm	22 mm	100*100mm
10	145*145 mm	22 mm	125*125 mm
15	168*168 mm	22 mm	150*150 mm



#### APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN

## LED LIGHTING RANGE



### APPLICATIONS



MODERN HOMES



OFFICES



SCHOOLS



HOSPITALITY



RETAIL

## Alpha Panel Round



- LM80 tested LED technology ensures long life
- Best in class lumen efficacy upto 100lm/w.
- Better visual comfort with high quality diffuser
- Easy maintenance with separate driver design
- High voltage protection upto 440V
- Surge protection upto 4kV



Warm White



Neutral White



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DJ20765	7	6500	700	220-240
DJ20740	7	4000	680	220-240
DJ20727	7	2700	660	220-240
DJ40865	8	6500	800	220-240
DJ40840	8	4000	780	220-240
DJ40827	8	2700	760	220-240
DJ21265	12	6500	1200	220-240
DJ21240	12	4000	1150	220-240
DJ21227	12	2700	1130	220-240
DJ41265	12	6500	1200	220-240
DJ41240	12	4000	1150	220-240
DJ41227	12	2700	1130	220-240
DJ41565	15	6500	1500	220-240
DJ41540	15	4000	1450	220-240
DJ41527	15	2700	1400	220-240
DJ41865	18	6500	1800	220-240
DJ41840	18	4000	1770	220-240
DJ41827	18	2700	1750	220-240
DJ22265	22	6500	2200	220-240
DJ22240	22	4000	2150	220-240
DJ22227	22	2700	2120	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)[Ø]
7	96 X 96	27	82 mm
8	129 X 129	27	110 mm
12 (DJ2)	129 X 129	27	110 mm
12 (DJ4)	145 X 145	27	125 mm
15	184 X 184	28	153 mm
18	184 X 184	28	153 mm
22	230 X 230	30	200 mm

# Alpha Panel Square



- ⇒ LM80 tested LED technology ensures long life
- ⇒ Best in class lumen efficacy upto 100lm/w.
- ⇒ Better visual comfort with high quality diffuser
- ⇒ Easy maintenance with separate driver design
- ⇒ High voltage protection upto 440V
- ⇒ Surge protection upto 4kV



Warm White



Neutral White



Cool White




CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DJ30765	7	6500	700	220-240
DJ30740	7	4000	680	220-240
DJ30727	7	2700	660	220-240
DJ50865	8	6500	800	220-240
DJ50840	8	4000	780	220-240
DJ50827	8	2700	760	220-240
DJ31265	12	6500	1200	220-240
DJ31240	12	4000	1150	220-240
DJ31227	12	2700	1130	220-240
DJ51265	12	6500	1200	220-240
DJ51240	12	4000	1150	220-240
DJ51227	12	2700	1130	220-240
DJ51565	15	6500	1500	220-240
DJ51540	15	4000	1450	220-240
DJ51527	15	2700	1400	220-240
DJ51865	18	6500	1800	220-240
DJ51840	18	4000	1770	220-240
DJ51827	18	2700	1750	220-240
DJ32265	22	6500	2200	220-240
DJ32240	22	4000	2150	220-240
DJ32227	22	2700	2120	220-240

## DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(Ø)
7	96 X 96	27	82 mm
8	129 X 129	27	110 mm
12 (DJ3)	129 X 129	27	110 mm
12 (DJ5)	145 X 145	27	125 mm
15	184 X 184	28	153 mm
18	184 X 184	28	153 mm
22	230 X 230	30	200 mm



## APPLICATIONS



MODERN HOMES



OFFICES




SCHOOLS



HOSPITALITY



RETAIL



LM 80 tested  
LED Technology



Designed for  
Indian Condition



Antiglare design,  
safe for eyes



Efficient heat  
management

# GARNET

## Backlit 2x2 Panel



- Sleek backlit design with 100lm/W efficacy
- LM80 tested LED technology gives long life to LED Chips
- Better visual comfort with diffuser optics
- Driver designed with high voltage protection upto 440VAC
- Surge protection upto 4KV



Neutral White




Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(Lm)	VOLTAGE RANGE (VAC)
DG24065	40	6500	4000	220-240
DG24040	40	4000	4000	220-240



### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)	CUTOUT
40	595	32 mm	595	585*585

### APPLICATIONS



OFFICE AREA

# GARNET

## SURFACE PANELS



An exquisite range of surface mounted panels with edge-lit LEDs that provide soft, energy-efficient light that is used for ambient lighting (indoor applications). It's suitable for parking spaces, lobbies and balconies.

**wipro** Consumer Lighting

# GARNET TRIMLESS MOTION SENSOR SURFACE PANEL




- » High Performance Microwave Motion Sensor
- » Power Saving with Auto Cut-off after 60 seconds
- » High Detection Distance of up-to 4.5 m around 360°
- » High brightness design with 100 lm/W
- » LM80 tested LED Chip ensures long life
- » Surge protection up 3.5kV
- » High voltage protection up-to 400V
- » Wide Operating voltage range from 150V-300V



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
DH101565	15	6500	1500	220 - 240
DH101540	15	4000	1420	220 - 240



Dimming to 60% Brightness  
after 2mins if No motion  
Detected Step




Switched OFF after  
2mins if further No  
motion detected



Automatically  
ON if motion detected

## DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)Ø	BEAM
15	145mm	54mm	NA	120°




## APPLICATIONS



BALCONY



COMMERCIAL



LOBBY



PARKING LOTS



## GARNET TRIMLESS SURFACE ROUND PANEL



- Aluminium heat sink for effective heat dissipation
- LGP technology for more visual comfort
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV



2700K



4000K



6500K


Warm White

Neutral White

Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D640665	6	6500	420	220-240
D640640	6	4000	390	220-240
D640627	6	2700	360	220-240
D641265	12	6500	960	220-240
D641240	12	4000	900	220-240
D641227	12	2700	840	220-240
D641865	18	6500	1440	220-240
D641840	18	4000	1350	220-240
D641827	18	2700	1260	220-240

### DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)
6	100 mm	23 mm
12	150 mm	23 mm
18	200 mm	23 mm

### APPLICATIONS



MODERN HOMES



HOSPITALITY



LOBBY



PARKING

# GARNET TRIMLESS SURFACE SQUARE PANEL




- Aluminium heat sink for effective heat dissipation
- LGP technology for more visual comfort
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D650665	6	6500	420	220-240
D650640	6	4000	390	220-240
D650627	6	2700	360	220-240
D651265	12	6500	960	220-240
D651240	12	4000	900	220-240
D651227	12	2700	840	220-240
D651865	18	6500	1440	220-240
D651840	18	4000	1350	220-240
D651827	18	2700	1260	220-240

## DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)
6	100x100 mm	23 mm
12	150x150 mm	23 mm
18	200x200 mm	23 mm



## APPLICATIONS





## GARNET RIMLESS SURFACE PANEL



- » Elegant and rimless designed panel
- » LM80 tested LED technology ensures long life
- » High brightness with efficacy upto 100Lm/w
- » Driver with high voltage protection upto 440V
- » Surge protection upto 3KV



Warm White




Neutral White



Cool White

CAT NO	WATTAGE(W)	LUMENS(lm)	CCT(K)	VOLTAGE RANGE(VAC)
DD10665	06	650	6500	220-240
DD10640	06	570	4000	220-240
DD10627	06	540	2700	220-240
DD11265	12	1200	6500	220-240
DD11240	12	1140	4000	220-240
DD11227	12	1080	2700	220-240
DD11865	18	1800	6500	220-240
DD11840	18	1710	4000	220-240
DD11827	18	1620	2700	220-240
DD12465	24	2400	6500	220-240
DD12440	24	2280	4000	220-240
DD12427	24	2160	2700	220-240

### DIMENSIONS



WATTAGE(W)	DIAMETER(A)	HEIGHT(B)
06	90	27
12	120	27
18	155	27
24	190	27

### APPLICATIONS



MODERN HOMES



HOSPITALITY



LOBBY



PARKING

# GARNET

## RIMLESS SURFACE PANEL




- Elegant and rimless designed panel
- LM80 tested LED technology ensures long life
- High brightness with efficacy upto 100Lm/w
- Driver with high voltage protection upto 440V
- Surge protection upto 3KV



CAT NO WATTAGE(W) LUMENS(lm) CCT(K) VOLTAGE RANGE(VAC)

DD20665	06	650	6500	220-240
DD20640	06	570	4000	220-240
DD20627	06	540	2700	220-240
DD21265	12	1200	6500	220-240
DD21240	12	1140	4000	220-240
DD21227	12	1080	2700	220-240
DD21865	12	1800	6500	220-240
DD21840	18	1710	4000	220-240
DD21827	18	1620	2700	220-240
DD22465	24	2400	6500	220-240
DD22440	24	2280	4000	220-240
DD22427	24	2160	2700	220-240

### DIMENSIONS



WATTAGE(W)	SIZE(A)	HEIGHT(B)
06	90	27
12	120	27
18	155	27
24	190	27



### APPLICATIONS



# GARNET BATTENS



The Garnet Batten complements the décor of your home, and provides uniform lighting for your drawing room, kitchen and bedrooms. What's more it is packaged in a slim body with decorative endcaps

**wipro** Consumer Lighting

# GARNET SENSOR BATTEN




- High brightness with efficacy upto 100lm/W
- Intelligent motion sensor to ensure less energy wastage
- LM 80 tested LED Technology provides longer life.
- Surge protection up to 4 KV
- High voltage protection up to 440V
- Wide voltage range of 150-300V AC



Cool White


CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D592065	20	6500	2000	220-240




Dimming to 60% Brightness  
after 2mins if No motion  
Detected Step



Switched OFF after  
2mins if further No  
motion detected




Automatically  
ON if motion detected



## DIMENSIONS

WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
20	1100 mm	32 mm	23 mm

## APPLICATIONS



# GARNET BATTEN



- High brightness design with upto 100 lm/W efficacy
- Slim design with decorative end caps
- Good quality diffuser for even light distribution
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 440V
- Surge protection upto 4KV



2700K



4000K



6500K

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D530565	5	6500	500	220-240
D530527	5	2700	500	220-240
D531065	10	6500	1000	220-240
D531040	10	4000	950	220-240
D531027	10	2700	900	220-240
D562065	20	6500	2000	220-240
D562027	20	2700	1900	220-240
D542265	22	6500	2200	220-240
D542240	22	4000	2090	220-240
D542227	22	2700	1980	220-240
D542565	25	6500	2500	220-240
D542527	25	2700	2250	220-240
D543065	30	6500	3000	220-240

## DIMENSIONS



Length (A)



Width(B)



Height (C)

WATTAGE (W)	LENGTH (A)	WIDTH (B)	HEIGHT (C)
5	305mm	23mm	37mm
10	598mm	23mm	37mm
20	600mm	23mm	32mm
22	1135mm	22mm	32mm
25	1135mm	22mm	32mm
30	1135mm	22mm	32mm

## APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN



OFFICE



PARKING

## GARNET 52W BATTEN




- » LM 80 tested LED technology ensures long life
- » Best in class efficacy upto 100lm/W
- » Wide voltage range of 150–300VAC
- » High voltage protection upto 440V
- » Surge protection upto 4 kV



Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D545265	52	6500	5200	220-240




### DIMENSIONS



WATTAGE (W)	LENGTH (A)	WIDTH (B)	HEIGHT (C)
52	1100 mm	53 mm	38 mm

### APPLICATIONS





## GARNET TUBE LIGHT




- Wide light distribution with 300° beam angle
- Robust design with effective heat dissipation
- LM 80 tested SMD LED technology
- HV protection upto 440V
- Surge protection upto 4kV



CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	BASE CAP	CONNECTION
D642065	20	6500	2000	G13	Single End

### DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
20	1200 mm	44 mm	29 mm

## GARNET NR LAMP (4 pin 2G11)



- Retrofit to existing 36W CFL NR lamp
- Better visual comfort with polycarbonate diffuser
- Optics designed for wide light distribution
- LM 80 tested LED technology ensures long life
- Driver with HV protection upto 380V & surge protection upto 2.5kV

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D611865	18	6500	1800	220-240

### APPLICATIONS



# GARNET LINEAR CABINET LIGHT



- Sleek linear lights suitable for cabinets, wardrobes, etc.
- High quality diffuser for better visual comfort
- LM80 tested LED technology ensures long life
- Driver with high voltage protection upto 380V
- Surge protection upto 2.5KV



Warm White



Neutral White




Cool White



CAT NO	WATTAGE (W)	CCT(K)	LUMENS (lm)	VOLTAGE RANGE (VAC)
DJ10527	5	2700	370	220-240
DJ10540	5	4000	380	220-240
DJ10565	5	6500	400	220-240
DJ11027	10	2700	780	220-240
DJ11040	10	4000	790	220-240
DJ11065	10	6500	800	220-240
DJ11627	16	2700	1200	220-240
DJ11640	16	4000	1250	220-240
DJ11665	16	6500	1300	220-240




## DIMENSIONS



WATTAGE (W)	LENGTH (A)	WIDTH (C)	HEIGHT (B)
5	290mm	17mm	8mm
10	580mm	17mm	8mm
16	853mm	17mm	8mm



## APPLICATIONS



INDOOR



## APPLICATIONS



OFFICE



SCHOOL



INDUSTRY



RETAIL

## GARNET ALUMINIUM BATTE



- More than 100 lm/W Efficacy with LM80 Tested LED Technology
- Effective heat dissipation with Aluminum Extruded Heat Sink
- Non-yellowing and high efficiency polycarbonate diffuser
- Wide beam angle for more coverage
- Suitable for commercial, industrial and retail applications
- 4kV Surge and 440V high voltage protection



Warm White



Neutral White




Cool White

CAT NO	WATTAGE(W)	CCT(K)	LUMENS(lm)	VOLTAGE RANGE(VAC)
D552040	20	4000	1900	220-240
D552027	20	2700	1800	220-240
D552065	20	6500	2000	220-240
D533665	36	6500	4000	220-240
D533640	36	4000	3270	220-240
D533627	36	2700	3240	220-240



## DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
20	1136 mm	38 mm	23 mm
36	1180 mm	38 mm	27 mm




## GARNET BULBS

Enhance your interiors with our everyday lighting solution designed to lower your energy bills.



### ECO FRIENDLY

Zero mercury content makes the disposal easy



## APPLICATIONS



MODERN HOMES



LIVING ROOM



STUDY ROOM



KITCHEN



OFFICES

# GARNET BULB



- ⇒ High brightness LED with efficacy upto 105lm/W
- ⇒ Wide beam angle (240°) provides good light distribution
- ⇒ Diffuser optics for better visual comfort
- ⇒ LM 80 tested LED technology ensures long life
- ⇒ High voltage protection upto 440VAC
- ⇒ Surge protection upto 4KV



Warm White



Cool White



Base Cap



Base Cap

CAT NO WATTAGE(W) CCT(K) LUMENS(lm) BASE CAP VOLTAGE RANGE(VAC)

N36101	3	6500	315	B22	220-240
N36102	3	2700	255	B22	220-240
N36201	3	6500	315	E27	220-240
N36202	3	2700	255	E27	220-240
N56101	5	6500	525	B22	220-240
N56102	5	2700	450	B22	220-240
N56201	5	6500	525	E27	220-240
N56202	5	2700	450	E27	220-240
N76101	7	6500	735	B22	220-240
N76102	7	2700	630	B22	220-240
N76201	7	6500	735	E27	220-240
N76202	7	2700	630	E27	220-240
N96101	9	6500	945	B22	220-240
N96102	9	2700	810	B22	220-240
N96201	9	6500	945	E27	220-240
N96202	9	2700	810	E27	220-240
N12001	12	6500	1260	B22	220-240
N12002	12	2700	1080	B22	220-240
N12201	12	6500	1260	E27	220-240
N12202	12	2700	1080	E27	220-240
N14001	14	6500	1470	B22	220-240
N14002	14	2700	1260	B22	220-240
N14201	14	6500	1470	E27	220-240
N14202	14	2700	1260	E27	220-240
N18001	18	6500	1890	B22	220-240
N18002	18	2700	1620	B22	220-240
N26001	26	6500	2600	B22	220-240

## GARNET HIGH WATTAGE BULB



- High brightness LED with efficacy upto 100lm/W
- Wide coverage with 240° beam angle
- LM 80 tested LED technology ensures long life
- High voltage protection upto 440V
- Surge protection upto 4kV
- Suitable for commercial and industrial application



Cool White



Base Cap



CAT NO WATTAGE(W) CCT(K) LUMENS(lm) BASE CAP VOLTAGE RANGE(VAC)

N30101-1	30	6500	3000	B22	220-240
N40001	40	6500	4000	B22	220-240
N50201	50	6500	5000	B22	220-240



### APPLICATIONS



LIVING ROOM



BED ROOM



HALL



WASHROOM

# GARNET FILAMENT LED BULB



Enhance your interiors with our everyday lighting solution designed to lower your energy bills.

**Filament LED**  
Technology



## GARNET CANDLE BULB



- High brightness LED with efficacy upto 100lm/W
- Clear optics to provide sparkling effect
- Diffuser optics of even light distribution
- LM 80 tested LED technology ensures long life
- Ideal for chandeliers
- High voltage protection upto 440VAC
- Surge protection upto 4KV



### CLEAR CANDLE BULB

CAT NO WATTAGE(W) CCT(K) LUMENS(lm) BASE CAP VOLTAGE RANGE(VAC)

N31002	3	2700	270	E27	220-240
N55002	4.5	2700	450	E27	220-240
N30002	3	2700	270	E14	220-240
N54002	4.5	2700	450	E14	220-240

### FROSTED CANDLE BULB

CAT NO WATTAGE(W) CCT(K) LUMENS(lm) BASE CAP VOLTAGE RANGE(VAC)

N35001	3	6500	300	E27	220-240
N35002	3	2700	270	E27	220-240
N53001	4.5	6500	450	E27	220-240
N53002	4.5	2700	400	E27	220-240
N34001	3	6500	300	E14	220-240
N34002	3	2700	270	E14	220-240
N52001	4.5	6500	500	E14	220-240
N52002	4.5	2700	450	E14	220-240



#### APPLICATIONS



MODERN HOMES

LIVING ROOM

BED ROOM

POOJA ROOM



## GARNET CANDLE FILAMENT BULBS



- Clear Optics to provide sparkling effect
- Ideal for Chandeliers and wall brackets
- LM 80 Tested LED technology ensures long life
- Driver designed as per Indian Power conditions



### CANDLE FILAMENT BULBS

CAT NO	WATTAGE(W)	CCT(K)	BASE CAP	VOLTAGE RANGE(VAC)
N41002	4W	2700	E14	220 - 240
N42002	4W	2700	E27	220 - 240

### A60 FILAMENT BULB

CAT NO	WATTAGE(W)	CCT(K)	BASE CAP	VOLTAGE RANGE(VAC)
N62002	6W	2700	E27	220 - 240
N81002	8W	2700	E27	220 - 240

### ST64 FILAMENT BULB

CAT NO	WATTAGE(W)	CCT(K)	BASE CAP	VOLTAGE RANGE(VAC)
N62003	6W	2700	E27	220 - 240
N82003	8W	2700	E27	220 - 240

#### APPLICATIONS



MODERN HOMES



LIVING ROOM



BED ROOM




POOJA ROOM

# GARNET PROFILE STRIP LIGHT



- Profile strip with uniform brightness across length
- High Lumen output with efficacy upto 100lm/w
- 3M tape for better adhesion
- Double side copper layer for efficient flow of current



## 12V PROFILE STRIP LIGHT

CAT NO	WATTAGE(W)	CCT(K)	LED/M	VOLTAGE (VDC)	PCB WIDTH
DF12827	10/Mtr	2700	120	12V	5mm
DF12840	10/Mtr	4000	120	12V	5mm
DF22827	10/Mtr	2700	120	12V	8mm
DF22840	10/Mtr	4000	120	12V	8mm
DF032827	13/Mtr	2700	264	12V	10mm
DF032840	13/Mtr	4000	264	12V	10mm



## 24V PROFILE STRIP LIGHT

CAT NO	WATTAGE(W)	CCT(K)	LED/M	VOLTAGE (VDC)	PCD WIDTH
DF012840	16/Mtr	4000	240	24	12mm
DF012827	16/Mtr	2700	240	24	12mm


## COB PROFILE STRIP LIGHT

CAT NO	WATTAGE(W)	CCT(K)	LED/M	VOLTAGE (VDC)	PCD WIDTH
DF022840	11/Mtr	4000	320	24	8mm
DF022827	11/Mtr	2700	320	24	8mm

## 2835 STRIP LIGHT

CAT NO	WATTAGE(W)	CCT(K)	LED/M	VOLTAGE (VDC)	PCB WIDTH
D42865-1	5	6500	60	12	8mm
D42840-1	5	4000	60	12	8mm
D42827-1	5	2700	60	12	8mm
D42880-1	5	Blue	60	12	8mm

### APPLICATIONS



INDOOR



## APPLICATIONS



FAÇADE



DECORATION




LANDSCAPE



## GARNET IP65 STRIP LIGHT



- » Flexible & customizable design as per requirement
- » LM80 tested LED technology for long life
- » Inbuilt 220V LED driver with 3KV surge protection
- » Good quality PCB for efficient flow of current
- » IP65 protection for outdoor application



CAT NO	WATTAGE /m	CCT (K)	LED/m	Voltage
DL35000	5	RGB	60	220-240
DL22827	7	2700	96	220 - 240
DL22840	7	4000	96	220 - 240
DL22865	7	6500	96	220 - 240
DL22881	7	Ice Blue	96	220 - 240
DL22880	7	Blue	96	220 - 240
DL22890	7	Pink	96	220 - 240
DL22885	7	Red	96	220 - 240
DL22895	7	Green	96	220 - 240
DL32865	8	6500	144	220 - 240
DL32827	8	2700	144	220 - 240
DL32880	8	Blue	144	220 - 240
DL32885	8	Red	144	220 - 240
DL32895	8	Green	144	220 - 240
DL32890	8	Pink	144	220 - 240

## GARNET LED STRIP DRIVER



- Robust Driver with 4KV Surge Protection
- High Voltage protection with 340VAC
- Available in wide operating voltage range
- Made for Indian Power Condition
- 12V, 24V & IP65 Options available



### 12V PROFILE STRIP LIGHT

CAT NO	I/P VOLTAGE VAC	O/P CURRENT A	O/P VOLTAGE V
HD1200	220 – 240	2A	12V
HD1500	220 – 240	5A	12V
HD1600	220 – 240	6A	12V
HD1100	220 – 240	10A	12V
HD1150	220 – 240	15A	12V

### 24V LED STRIP DRIVER

CAT NO	I/P VOLTAGE VAC	O/P CURRENT A	O/P VOLTAGE V
HD2200	220 – 240	2A	24V
HD2300	220 – 240	3A	24V

### IP65 LED STRIP DRIVER

CAT NO	I/P VOLTAGE VAC	O/P CURRENT A	O/P VOLTAGE V
HL2600	220-240	2.5	220
HL3500	220-240	1.5	220



#### APPLICATIONS



FAÇADE



DECORATION



LANDSCAPE



## GARNET TRIAC DIMMABLE DRIVER



- Triac dimming Technology for smooth dimming
- Driver with power factor more than 0.9
- Driver with 380V high voltage protection
- Surge protection upto 2.5KV

Model NO.	Compatible Wattages	O/p Current	O/p Voltage	Dimensions
HQ2310	5W-7W	300mA	12-21V	86*36*23mm
HQ3310	9W-12W	300mA	20-40V	86*36*23mm
HQ4310	15-18W	300mA	39-58V	101*36*24mm

## GARNET NON DIMMABLE DRIVER



- Operating voltage range 220-240VAC
- Driver with 380V high voltage protection
- Designed for indoor application
- Surge protection upto 2.5KV

Model NO.	Compatible Wattages	O/p Current	O/p Voltage	Dimensions
HQ1300	3W	300mA	3-10V	64*33*21mm
HQ2300	5W-7W	300mA	13-24V	64*33*21mm
HQ3300	9W-12W	300mA	27-42V	84*33*21mm
HQ4300	15W-18W	300mA	36-65V	84*33*21mm
HQ5300	24W	300mA	55-92V	104*42*24mm
HQ1180	6W	180mA	30-35V	56*14mm
HQ6300	12W	300mA	36-40V	56*14mm
HQ7300	18W	300mA	54-60V	56*14mm
HQ1000	6W-12W	150mA	36-72V	55*27*22mm

## GARNET BULKHEAD



- Elegant design in white finish
- High efficiency diffuser for uniform distribution of light
- LM 80 tested high brightness LED technology
- IP 65 protection against dust & rain for outdoor use
- Driver with HV protection upto 440V
- surge protection upto 4KV



Warm White




Cool White



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE RANGE (VAC)
DA11065	10	6500	1000	220-240
DA11027	10	2700	900	220-240

### DIMENSIONS



WATTAGE (W)	LENGTH (A)	WIDTH (B)	HEIGHT (C)
10	170 mm	96 mm	70 mm

## GARNET SPIKE LIGHT



- Aluminium die cast body & heat sink
- LM 80 tested COB LED technology
- Surge protection of 2.5KV
- IP 65 protection from dust & rain
- Reflector technology to provide sharp beam angle & 30° optics



Warm White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D930727	7	2700	480	220-240
D930795	7	GREEN		220-240
D931227	12	2700	780	220-240



### APPLICATIONS



INDUSTRY



PARKING



LANDSCAPE



BALCONY



## GARNET STREET LIGHT



- » High lumen output design with efficacy upto 100lm/W
- » Aluminium heat sink for effective thermal management
- » Lens technology for better throw of light
- » LM 80 tested LED technology ensures long life
- » IP 66 protection from dust & rain
- » Driver with high voltage protection upto 440V
- » Surge protection upto 4KV




Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE RANGE (VAC)
DA0102065	20	6500	2000	220-240
DA0103065	30	6500	3000	220-240
DA0105065	50	6500	5000	220-240



## APPLICATIONS



GARDEN



CANOPY



LANDSCAPE



PLAYGROUND

## GARNET FLOOD LIGHT



- » Premium look with aluminium PDC housing
- » Reflector & Lens optics for sharp light
- » LM 80 tested LED technology
- » Driver with high voltage protection upto 440V
- » Surge protection upto 5KV
- » IP 65 protection from dust & rain

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE RANGE (VAC)
DA0203065	30	6500	3000	220-240
DA0205065	50	6500	5000	220-240
DA0210065	100	6500	10000	220-240

# EMERGENCY LIGHTS

Brighten your everyday moments with our energy-saving lighting solutions designed for comfort, convenience, and style.



## 6W LED Table Lamp

Product Code: D930665

### Product Features



Glare free  
Bright Light



Touch  
Control



White  
Tunable

- › 3 Grade Dimming › Modern design › Colour Changing



## 6W LED Table Lamp With 3 Grade Dimming

Product Code: D940665

### Product Features



Touch  
Control



Glare free  
Bright Light



6 Colour  
modes

- › Sleek & Adjustable design › Adjustable Brightness  
› Durable Body

## Orion 6W Rechargeable LED Table Lamp

Product Code: E20002

### Product Features



Glare free  
Bright Light



Rechargeable  
Battery



Touch  
Control

- › Sleek & Adjustable design › Adjustable Brightness  
› Durable Body



## Aries 6W Rechargeable LED Table Lamp

Product Code: E20003

### Product Features



Glare free  
Bright Light



Rechargeable  
Battery



Touch  
Control

- Sleek & Adjustable design
- Adjustable Brightness
- Durable Body



## 6W Rechargeable LED Table Lamp

Product Code: E10013

### Product Features



Glare free  
Bright Light



Rechargeable  
Battery



Touch  
Control

- Sleek & Adjustable design
- Adjustable Brightness
- Durable Body

## 8W Rechargeable LED Table Lamp - TL1

Product Code: E20004

### Product Features



Glare free  
Bright Light



Rechargeable  
Battery



White  
Tunable

- Sleek & Adjustable design
- Adjustable Brightness
- Durable Body



## 6W Rechargeable LED Table Lamp - TL2

Product Code: E20005

### Product Features



Glare free  
Bright Light



Rechargeable  
Battery



Touch  
Control

- Sleek & Adjustable design
- Adjustable Brightness
- Durable Body



## 5W Rechargeable LED Table Lamp - TL3

Product Code: E20006

### Product Features



Glare free  
Bright Light



Rechargeable  
Battery




Touch  
Control

- Sleek & Adjustable design
- Adjustable Brightness
- Durable Body

## Safari Emergency Rechargeable Led Lantern

Product Code: E10015

### Product Features



Modern high  
brightness design



Rechargeable  
Li-ion battery



Mobile battery  
Charger

- Wide Coverage
- Glare free light
- Travel Friendly




## Coral Rechargeable LED Emergency Lights

Product Code: E10004

### Product Features



High brightness design



Rechargeable Li-ion battery



360° 360 deg Light output

- Adjustable brightness
- Large Battery Backup
- Easy to carry



## Coral Plus Rechargeable Solar LED Lantern

Product Code: E10012

### Product Features



Dual Charging  
Solar & AC supply



High brightness  
design




Rechargeable  
Li-ion battery

- Easy to handle
- Durable design
- High Battery Backup

## Azure LED Rechargeable Lantern

Product Code: E10008

### Product Features



High brightness  
design



Rechargeable  
Li-ion battery



360° 360deg Light  
output

- Adjustable brightness
- Large Battery Backup
- Easy to carry



## Amber Rechargeable LED Emergency Light

Product Code: E10005

### Product Features



High brightness design



Rechargeable Li-ion battery



Wide Coverage

- Easy to handle
- Durable design
- Adjustable Brightness



## EL1 Rechargeable Emergency Light

Product Code: E20007

### Product Features



Multifunction design



Adjustable Brightness



Rechargeable Li-ion battery

- Wide Coverage
- High Battery Backup
- Travel Friendly




## EL2 Rechargeable Emergency Lantern

Product Code: E10016

### Product Features



Modern high brightness design



Rechargeable Li-ion battery



Adjustable Brightness

- Wide Coverage
- Glare free light
- Travel Friendly



## EL3 Rechargeable Emergency Lantern

Product Code: E10017


### Product Features



Glare free  
Light



360° Light  
Output



Rechargeable  
Li-ion battery

- › Modern design › High Battery Backup › Adjustable Brightness



## Odyssey Rechargeable LED Emergency Light

Product Code: CL0015

### Product Features



Multifunction  
design



Rechargeable  
Li-ion battery



Adjustable  
Brightness

- › Durable design › USB output to charge mobiles  
› High Battery Backup

## Lifelite Rechargeable LED Torch

Product Code: CL0004

### Product Features



Rechargeable  
Li-ion battery



Sharp  
Light beam



Modern  
Design

- › Durable Design › High Battery Backup › Easy to Carry



## Emerald Rechargeable Emergency Light

Product Code: CL0005


### Product Features



Rechargeable  
Li-ion battery



Sharp  
Light beam



Dual charging  
Option



- Easy to carry
- Durable design
- Adjustable brightness

## Emerald Plus Rechargeable Emergency Light

Product Code: CL0008

### Product Features



Rechargeable  
Li-ion battery



Sharp  
Light beam



Dual charging  
Option

- High Battery backup
- Durable design
- Adjustable brightness



## Ariel Rechargeable Emergency Light

Product Code: CL2004

### Product Features



Rechargeable  
Li-ion battery



Sharp  
Light beam



Multifunction  
design

- Easy to carry
- Durable design
- Adjustable brightness



## Radiant Dual Light LED Torch

Product Code: CL0011

### Product Features



Rechargeable  
Li-ion battery



Sharp  
Light beam



Multifunction  
design

- Travel Friendly ➤ Durable design ➤ High Battery backup



## ET1 Rechargeable Emergency Torch

Product Code: CL2005

### Product Features



Rechargeable  
Li-ion battery



4 lighting  
modes



Multifunction  
design

- Easy to carry ➤ High Battery Backup ➤ Adjustable brightness

## Prism Multi Functional Rechargeable LED Torch

Product Code: CL0007

### Product Features



Rechargeable  
Li-ion battery



Sharp  
Light beam



Multifunction  
design

- Lightweight & Portable ➤ Sturdy & Durable design  
➤ Adjustable brightness



## Luster 3W Led Bright Rechargeable Torch

Product Code: CL0009

### Product Features



Sharp  
Light beam



Rechargeable  
Li-ion battery



Adjustable  
Brightness

- › Easy to carry   › Durable design   › High Battery Backup



## Castor Multi-Functional Rechargeable EL

Product Code: CL2003

### Product Features



Multifunction  
design



Sharp  
Light beam



Rechargeable  
Li-ion battery

- › Easy to carry   › Durable design   › High Battery Backup

## NOTES

## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## NOTES

## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



## WIPRO LIGHTING ADVANTAGE

Wipro Lighting is a name one can trust for a revolutionary lighting system. Its environmental-friendly philosophy and consumer-centric technology makes it a class apart in the field of lighting. As a trusted brand in the lighting industry,

Wipro Lighting has lit 55% of the certified Green Buildings and Platinum-rated Green Buildings in India. With its comprehensive and innovative range of LEDs, it is taking lighting to a whole new level. Covering both retail and commercial spaces, every product of Wipro LEDs offers the perfect light output to enhance your productivity. With its aesthetics, each unique product is designed to beautify your home and office space with the right kind of mood. Our product designs have received recognition such as the prestigious India Design Mark Award as well as the European Design Award. So now, bring home the Wipro Lighting innovation and live life in a new light.

---

### Wipro Enterprises (P) Limited

**Registered office:** #8, Wipro House, 80 Ft Road, Koramangala, Bengaluru-560 034, KA.

**Write to:** Wipro Consumer Care, #8, Wipro House, 80 Ft Road, Koramangala,  
Bengaluru-560 034, KA

**Email us at:** [feedback.wcc@wipro.com](mailto:feedback.wcc@wipro.com) | **Call toll free no:** 1800-425-1969

**Visit us at:** [www.wiproconsumerlighting.com](http://www.wiproconsumerlighting.com) | [www.wiprolighting.com](http://www.wiprolighting.com) | [www.wiproconsumercare.com](http://www.wiproconsumercare.com)

[facebook.com/WiproLED](https://facebook.com/WiproLED)

[twitter.com/WiproLED](https://twitter.com/WiproLED)

[instagram.com/WiproLED](https://instagram.com/WiproLED)