

steal card data as soon as they are read by the device has flourished. As such, in cases where customer and vendor are persistently or intermittently disconnected from the network, no secure on-line payment is possible. This paper describes FRoDO, a secure off-line micro-payment solution that is resilient to PoS data breaches. Our solution improves over up to date approaches in terms of flexibility and security. To the best of our knowledge, FRoDO is the first solution that can provide secure fully off-line payments while being resilient to all currently known PoS breaches. In particular, we detail FRoDO architecture, components, and protocols. Further, a thorough analysis of FRoDO functional and security properties is provided, showing its effectiveness and viability.

HOBBIES

- Playing Games
- Listening Music

PERSONAL DETAILS

Date of Birth: 17/11/1989

Languages Known: English

coding

F

SUSHANTH

Mobile: 8861958736

Email: sushanthasairam008@gmail.com

location: No 31, 5th main, 2nd cross, new KG layout BSK 3rd stage banglore-560085

OBJECTIVE

Looking for an organization where I can enhance my knowledge and from my academic learning give my best to the organization.

COMPUTER SKILLS

Language: C, C++, Java, python, HTML

Database: MS Access

Others: MS-Word, MS-Excel, MS-PowerPoint and Internet

PERSONAL QUALITIES

- Good communication and interpersonal skills
- I can analyze based on the requirements and give best solution from my side

ACADEMIC QUALIFICATION

- BCA 59% Shri krishna degree college
- MS computer science 8.0 CGPA Reva university 2017

ACADEMIC PROJECT UNDERTAKEN

Frodo against offline micro payments

ABSTRACT

Credit and debit card data theft is one of the earliest forms of cybercrime. Still, it is one of the most common nowadays. Attackers often aim at stealing such customer data by targeting the Point of Sale (for short, PoS) system, i.e. the point at which a retailer first acquires customer data. Modern PoS systems are powerful computers equipped with a card reader and running specialized software. Increasingly often, user devices are leveraged as input to the PoS. In these scenarios, malware that can