

SE Lab 2: Agile Backlog Creation & Sprint Simulation in Jira

Name: Dhriti Rajesh
SRN: PES1UG24CS907
Problem Statement – 61
Topic: Household Carbon Footprint & Target Tracker

1. Epics and Stories — Backlog




2. Story Point Assignment




3. Active Sprints

Sprint 1



Sprint 2



Burndown Chart

Sprint 1



Sprint 2



Reflection Questions:

1. Did your estimations reflect the actual effort?

Yes, the Fibonacci story-point scale gave a reasonable relative measure of effort across the backlog. Straightforward data-capture stories (e.g., Log Monthly Utility Data, Set Carbon Reduction Target) were estimated lower at 3–5 points, while stories with more complexity or dependency on other features were estimated higher. The point values helped clarify which stories carried the most implementation risk before any work began.

2. Was your backlog well-prioritized?

Yes. Prioritization followed the dependency chain identified in foundational stories such as Log Monthly Utility Data and Calculate CO2e Emissions were marked High priority since every other feature (target tracking, dashboards, coach oversight) depends on that data existing first. Goal-setting and progress-tracking stories were Medium priority, and supporting features such as report export and missed-log reminders were Low priority, since the system remains usable without them.

3. How did your simulated sprint align with your plan?

The simulated sprints matched the original plan closely. Sprint 1 contained 5 stories (1.1, 1.2, 2.1, 2.2, 5.1) totaling 18 story points, covering utility logging, emissions calculation, and target tracking, the foundational capabilities. Sprint 2 contained the remaining 3 stories (3.1, 3.2, 4.1) totaling 19 story points, covering dashboards, reporting, and coach oversight, which depend on Sprint 1's data being in place. All stories in both sprints were progressed from To Do → In Progress → Done, and both sprints were completed successfully.

4. What insights did the burndown chart give about your team's capacity?

The burndown chart showed remaining story points dropping from the sprint total down to zero as stories were completed. Because the simulation was run in a compressed time window rather than across real calendar days, the drop appeared sharper than a typical multi-day burndown, stories were completed in quick succession rather than spread evenly. This highlights that in a real sprint, work should be paced more evenly across the timebox to produce a smoother, more predictable burndown, and that a single-session simulation is best read as a proof of workflow (To Do → In Progress → Done) rather than a realistic pacing model.