

CMS name and version:	OXID eShop	4.5.x
Additional plugin name and version:	-	-
Module names and versions:	DIBS PW	1.0

### ***Important notes (possible problems solutions)***

- 1) For proper work of this module you need to **check all** checkboxes in Integration → Return Values section of DIBS Merchant Administration and click Save Settings button:

menu

Payments ▶

Subscription ▶

Voucher ▶

Statistics ▶

Ops Status ▶

Setup ▶

Integration ▼

E-mail

Logo

FlexWin

Cardholder Info

Accept Page

Decline Page

IP for relay.cgi

Shop IP

MD5 Keys

HMAC key

CVC/CVV

Fraud Protection

Return Values

#### Choice of extra return variables from auth.cgi

Here one can choose which CGI variables are to be sent t

- ☒ Order ID
- ☒ Paytype
- ☒ Agreement (acquirer)
- ☒ Acquirers merchant-ID
- ☒ Card number with last four digits unmasked
- ☒ Card prefix
- ☒ Card expiration date
- ☒ Card issuing country (only VISA and MC)
- ☒ All fields exclusive of card information response. This
- ☒ Card enrollment status (3DSecure transactions only)
- ☒ Transaction status code

Save settings

- 2) Also for FlexWin module you need to **uncheck** Skip accept page checkbox in Integration → FlexWin section of DIBS Merchant Administration and click Update FlexWin Settings button (this turns FlexWin to send data with POST method):

The screenshot shows the DIBS Merchant Administration interface. On the left, a sidebar menu is open, showing the 'Integration' section. The 'FlexWin' option is highlighted with a green box. The main content area is titled 'FlexWin settings' and contains three sections: 'Scripting', 'Stylesheet', and 'New image'. Each section has a 'Choose File' button and a 'No file chosen' status. Below these sections is an 'Update' button. The 'FlexWin settings' section contains three checkboxes: 'Help texts for card information', 'Skip accept page' (which is highlighted with a green box and is unchecked), and 'Bredt design for Java applets'.

**Integration**

- E-mail
- Logo
- FlexWin**
- Cardholder Info
- Accept Page
- Decline Page
- IP for relay.cgi
- Shop IP
- MD5 Keys
- HMAC key

**Scripting** Choose File No file chosen

**Stylesheet** Choose File No file chosen

**New image** Choose File No file chosen

**Update**

**FlexWin settings**

- ☐ Help texts for card information
- ☐ **Skip accept page**
- ☐ Bredt design for Java applets

# DIBS module installation

## *Installing DIBS payment module*

- 1) In the admin area go to **Service->Tools**.
- 2) Click on "Choose file" button and choose **dibspw\_install.sql** from installation package.
- 3) Click "Start Update" button.
- 4) Copy content of **copy\_this** folder to your *Oxid eShop* installation to the corresponding folders.
- 5) Go to **Master Settings->Core Settings->System->Modules**. Click **Modules** link and insert the following lines in the textarea:

**order => dibspw/dibspw\_order**

**payment\_main => dibspw/dibspw\_payment**

**oxorder => dibspw/dibspw\_oxorder**

You can open **classes.txt** file, copy content and then paste in textarea.

## *Configuring DIBS payment module*

- 1) Go to **Shop Settings->Payment methods**.
- 2) Choose **DIBS Payment Window** the list of payment methods.
- 3) Fill the fields Merchant Id, Paytype, HMAC code e.t.c with your details.
- 4) Go to Shop **Settings->Shipping Methods** choose methods you are using, click tab **Payment** and then click **Assign Payment Methods** button and assign DIBS Payment Window method. You can read about assigning payment methods in Oxid eShop documentation <http://www.oxid-esales.com/en/support-services/documentation-and-help/archive-oxid-eshop/first-steps.html>