

```

<svg xmlns="http://www.w3.org/2000/svg" width="680" height="560" viewBox="0 0 680
<title>Full system dependency layers</title>
<desc>Five horizontal dependency layers from foundation through feedback, with ci
<defs>
  <style>
    text { font-family: sans-serif; fill: #3d3d3a; }
    .th { font-size: 14px; font-weight: 500; }
    .ts { font-size: 12px; font-weight: 400; fill: #5f5e5a; }
    .layer-bg { fill: #f5f4f0; stroke: #c8c6bd; stroke-width: 0.5; stroke-dasharr
    .lbl { font-size: 11px; fill: #888780; }
    .danger { fill: #a32d2d; stroke: #a32d2d; }
  </style>
  <marker id="arr" viewBox="0 0 10 10" refX="8" refY="5" markerWidth="6" markerHe
    <path d="M2 1L8 5L2 9" fill="none" stroke="#888780" stroke-width="1.5" stroke
  </marker>
  <marker id="arr-red" viewBox="0 0 10 10" refX="8" refY="5" markerWidth="6" mark
    <path d="M2 1L8 5L2 9" fill="none" stroke="#a32d2d" stroke-width="1.5" stroke
  </marker>
</defs>

<!-- Layer 1: Foundation -->
<text class="lbl" x="38" y="29">LAYER 1 – FOUNDATION</text>
<rect x="30" y="32" width="590" height="72" rx="6" class="layer-bg"/>
<rect x="42" y="42" width="155" height="52" rx="6" fill="#d3d1c7" stroke="#b4b2a9
<text class="th" x="119" y="64" text-anchor="middle">CAL8 identity</text>
<text class="ts" x="119" y="80" text-anchor="middle">unique event key</text>
<rect x="217" y="42" width="155" height="52" rx="6" fill="#d3d1c7" stroke="#b4b2a
<text class="th" x="294" y="64" text-anchor="middle">SQLite registry</text>
<text class="ts" x="294" y="80" text-anchor="middle">persistent state store</text>
<rect x="392" y="42" width="218" height="52" rx="6" fill="#d3d1c7" stroke="#b4b2a
<text class="th" x="501" y="64" text-anchor="middle">weekly downloader</text>
<text class="ts" x="501" y="80" text-anchor="middle">ForexFactory → raw CSV</text>

<line x1="326" y1="104" x2="326" y2="126" stroke="#888780" stroke-width="1" marke

<!-- Layer 2: Core Processing -->
<text class="lbl" x="38" y="124">LAYER 2 – CORE PROCESSING</text>
<rect x="30" y="128" width="590" height="72" rx="6" class="layer-bg"/>
<rect x="42" y="138" width="170" height="52" rx="6" fill="#9felcb" stroke="#5dcaa
<text class="th" x="127" y="160" text-anchor="middle">event state machine</text>
<text class="ts" x="127" y="176" text-anchor="middle">needs CAL8 + SQLite</text>
<rect x="232" y="138" width="165" height="52" rx="6" fill="#9felcb" stroke="#5dca
<text class="th" x="314" y="160" text-anchor="middle">proximity engine</text>
<text class="ts" x="314" y="176" text-anchor="middle">event-type classifier</text>

```

```

<rect x="417" y="138" width="193" height="52" rx="6" fill="#9felcb" stroke="#5dca
<text class="th" x="513" y="160" text-anchor="middle">CAL5 / RCI</text>
<text class="ts" x="513" y="176" text-anchor="middle">normalized event data</text>

<line x1="326" y1="200" x2="326" y2="222" stroke="#888780" stroke-width="1" marke

<!-- Layer 3: Signal Assembly -->
<text class="lbl" x="38" y="220">LAYER 3 - SIGNAL ASSEMBLY</text>
<rect x="30" y="224" width="590" height="72" rx="6" class="layer-bg"/>
<rect x="42" y="234" width="175" height="52" rx="6" fill="#afa9ec" stroke="#7f77d
<text class="th" x="129" y="256" text-anchor="middle">anticipation signals</text>
<text class="ts" x="129" y="272" text-anchor="middle">ANT_8H, ANT_1H</text>
<rect x="237" y="234" width="160" height="52" rx="6" fill="#afa9ec" stroke="#7f77
<text class="th" x="317" y="256" text-anchor="middle">debounce / min-gap</text>
<text class="ts" x="317" y="272" text-anchor="middle">per-family key</text>
<rect x="417" y="234" width="193" height="52" rx="6" fill="#afa9ec" stroke="#7f77
<text class="th" x="513" y="256" text-anchor="middle">output CSV</text>
<text class="ts" x="513" y="272" text-anchor="middle">file_seq + checksum</text>

<line x1="326" y1="296" x2="326" y2="318" stroke="#888780" stroke-width="1" marke

<!-- Layer 4: Consumer -->
<text class="lbl" x="38" y="316">LAYER 4 - CONSUMER</text>
<rect x="30" y="320" width="590" height="72" rx="6" class="layer-bg"/>
<rect x="100" y="330" width="440" height="52" rx="6" fill="#85b7eb" stroke="#378a
<text class="th" x="320" y="352" text-anchor="middle">MT4 EA / CalendarBridge</te
<text class="ts" x="320" y="368" text-anchor="middle">polls signals · writes trad

<line x1="326" y1="392" x2="326" y2="414" stroke="#888780" stroke-width="1" marke

<!-- Layer 5: Feedback -->
<text class="lbl" x="38" y="412">LAYER 5 - FEEDBACK LOOP</text>
<rect x="30" y="416" width="590" height="72" rx="6" class="layer-bg"/>
<rect x="42" y="426" width="165" height="52" rx="6" fill="#fac775" stroke="#ef9f2
<text class="th" x="124" y="448" text-anchor="middle">trade results</text>
<text class="ts" x="124" y="464" text-anchor="middle">outcome bucketizer</text>
<rect x="227" y="426" width="165" height="52" rx="6" fill="#fac775" stroke="#ef9f
<text class="th" x="309" y="448" text-anchor="middle">reentry engine</text>
<text class="ts" x="309" y="464" text-anchor="middle">E1, E2, E4 modules</text>
<rect x="412" y="426" width="198" height="52" rx="6" fill="#fac775" stroke="#ef9f
<text class="th" x="511" y="448" text-anchor="middle">matrix lookup</text>
<text class="ts" x="511" y="464" text-anchor="middle">hybrid ID → param set</text>

<!-- Circular feedback arrow -->
<path d="M 622 462 C 656 462 656 268 622 268" fill="none" stroke="#a32d2d" stroke
<text x="643" y="358" text-anchor="middle" font-size="13" font-weight="600" fill=

```

```
<!-- Notes -->  
<text class="lbl" x="326" y="510" text-anchor="middle">red dashed: feedback loop  
<text class="lbl" x="326" y="524" text-anchor="middle">each layer must be operati  
</svg>
```