DRAFT for DICTO to read — not published. Names are placeholders until DICTO chooses. Drafted by the local model on dicto-big-brother, corrected and checked line by line by Claude against the study.

The Icosaxes Hexa: Cage, Shell and Orb

Twenty golden truncated octahedra closing round a centre in three golden steps, and the network they make

DICTO (artist, Osaka, Japan) · contact@dictospheres.com · https://dictospheres.com
Working draft · 27 October 2026 · Licence CC BY-SA 4.0
The idea and the names are DICTO's. Computation and proof with Claude (Anthropic).

In short. The DICTO Hexa (#18) is eight DICTO Jewels that pass into each other until they close into one block. DICTO asked for the same move with icosahedral symmetry. We place twenty Icosaxes — DICTO's golden truncated octahedra (#48) — on the corners of a dodecahedron and slide them in towards the centre. They first touch as an open cage with twelve windows; at exactly 1/φ of that distance the windows close into a shell round a hollow; at exactly one third the hollow fills and the shell becomes one solid. In the lattice, eight Icosaxes round one Unborn Axes make a block, and these blocks form a network in which every Icosaxes is shared by exactly two blocks.

1. The idea

DICTO's idea (27 October 2026): "a stella jewel icosahedral kagome style network", with "a hex jewel style treatment" — the Hexa as the inspiration, not the shape. For the pieces DICTO chose the golden-split pair, the Icosaxes and the Unborn Axes (#48, DICTO DOI 10.5281/zenodo.23596362), which fill space together as the DICTO Jewel and the stella do in the Stella–Jewel lattice (#17, DICTO DOI 10.5281/zenodo.23376317; #18, DICTO DOI 10.5281/zenodo.23376320).

2. Main theorem

Theorem. Place twenty Icosaxes (icosahedron edge 1), one on each corner of a dodecahedron, each turned by the rotation of the icosahedron that carries the direction (1,1,1) to its corner, and let d be the distance of their centres from the middle. Bringing them in from far away:

(i) they first touch at $d = \varphi^2\sqrt{3}/2$, as a cage meeting along the thirty edges of the dodecahedron, with twelve open pentagonal windows;
(ii) the twelve windows close at the same moment at $d = \sqrt{3}/2$, exactly $\mathbf{1/\varphi}$ of the first-touch distance, leaving a sealed shell round a hollow;
(iii) the hollow fills at $d = \varphi^2/(2\sqrt{3})$, exactly **1/3** of the first-touch distance: one solid.
With Lotus Jewel Axes (the Icosaxes with its eight Tricaps taken out) the hollow fills later, at $d = \sqrt{3}/(2\varphi)$, exactly $\mathbf{1/\varphi^3}$ of the first-touch distance, where the Tricap tips meet.




Figure 1. Twenty Icosaxes seen down a five-fold axis: first touch (cage), sinking in, 1/φ (shell), 1/3 (one solid). Placeholder names: Icosaxes Cage, Shell, Orb.

3. The pieces

The Icosaxes is a cube cut by an octahedron: the points with $|x|, |y|, |z| \le \varphi/2$ and $|x| + |y| + |z| \le \varphi^2/2$. Its eight hexagons lie at distance $\varphi^2/(2\sqrt{3})$ from its centre, exactly the inradius of its icosahedron. Volumes: Icosaxes $1 + 2\sqrt{5}/3$; Unborn Axes $1 + \sqrt{5}/3$; Lotus Jewel Axes $\sqrt{5}$; Dodecaxes 2; Tricap $(1 - \sqrt{5}/3)/8$.

4. Proof of the stops

First touch. Two neighbours on an edge of the dodecahedron are convex, so their insides are disjoint exactly when some face direction of either piece, or the cross product of an edge direction of each, separates them. Along each such direction the gap is linear in d; the least d with a gap ≥ 0 is $\varphi^2\sqrt{3}/2$ (exact, sympy).

Windows. By symmetry the last point of a window to close lies on its five-fold axis. That axis first meets one of the five pieces round it when $d = \sqrt{3}/2$, the largest d of a two-variable linear programme in (position on the axis, d), solved exactly.

Hollow. By symmetry the last point of the hollow is the centre. The centre lies in a piece once d is at most the distance of the piece's inward face: the hexagon at $\varphi^2/(2\sqrt{3})$ for the Icosaxes; for the Lotus Jewel Axes, the tip of the Tricap dent at $\sqrt{3}/(2\varphi)$.

> **Checks:** joined-solid sweeps (manifold3d) agree at every stop, with the expected changes: twelve windows (genus 11) above 1/φ, a sealed shell between 1/φ and the hollow's end, one solid below. For the Lotus Jewel Axes the first touch and the window stop were measured (float) to match the Icosaxes; their exact proof is the Icosaxes' argument with the dents shown not to take part [CHECK: to be written out].




Figure 2. The same with Lotus Jewel Axes (gold): the windows close at 1/φ; at 1/3 a small hollow is still inside.

5. The Icosaxes Hexa

In the golden-split lattice (Icosaxes at the points $(\varphi/2)(2\mathbb{Z})^3$, Unborn Axes at $(\varphi/2)(2\mathbb{Z}+1)^3$), eight Icosaxes on the corners of a cube round one Unborn Axes make one closed solid of volume $9 + 6\sqrt{5}$. It is the same solid as nine Icosaxes passing through each other: an Icosaxes in the middle overlaps each corner one by $\sqrt{5}/24$, and what is left of it is exactly the Unborn Axes. [CHECK: whether this holds for every factor of the golden bond, not only at the golden point.]

6. The Icosaxes Kagome network and the Keyaxes

As in the Kagome Hulls (#17), clusters may share single pieces, no piece in more than two clusters and no two clusters sharing more than one. The cube cluster of §5, anchored on a body-centred lattice of Unborn Axes sites, puts **every Icosaxes in exactly two clusters**, each cluster with eight neighbours — as perfect as the rhombohedron was in #17. The other

hulls share less: octahedral 74%, cuboctahedral 42%, rhombic dodecahedral 24% of the Icosaxes held twice.

With a Dodecaxes at each cluster centre, each Icosaxes takes the two Dodecaxes keys on the hexagons facing its two centres and carries a Tricap key outward on the other six, into the network's open spaces. No two pieces overlap. This piece has volume exactly **$\varphi^2 = (3 + \sqrt{5})/2$**.




Figure 3. The keyed network, pulled slightly apart (placeholder names: Icosaxes Kagome; the piece Keyaxes).

7. Prior art and credit

Twenty icosahedra on the corners of a dodecahedron: the Wolfram Demonstration "Cluster of 20 Icosahedra"; twenty great icosahedra likewise: G. Hart, *Polyhedra Clusters*; cubes in icosahedral clusters: S. Kabai, *30 Cubes on a Rhombic Triacontahedron* (2010); the truncated octahedra x = τ and 1/τ, which DICTO named Icosaxes and Unborn Axes: Koca et al. (2015); corner-sharing cube nets: *Molecules* 24(7):1221 (2019). Not found in the sources searched (a library of 302 references, and the web, 27 October 2026): truncated octahedra on the corners of a dodecahedron, the golden stops, or this network.

8. Methods and data

Study folder k-research studies/2026-10-27-icosaxes-twenty: exact proof exact.py (sympy); sweeps twenty*.py (manifold3d); network kagome-b.py and check-net.py; data and renders.

9. Names

Placeholders until DICTO chooses: Icosaxes Cage, Shell and Orb (and Lotus Cage, Shell, Orb); Icosaxes Hexa (keyed: Lotus Hexa); Keyaxes; Icosaxes Kagome.