



---

# Programming Assignment

## Question 2 Report R1

---

Computer Networks Final Project – COEN 233

**Professor Keyvan Moataghed**

**Omid Almasi**



Computer Science and Engineering  
University of Santa Clara

August 2023

**Table of Contents**

---

**List of Figures..... 3**

**1. Question No. 2 Client using customized protocol on top of UDP protocol ..... 4**

1.1 Client and Server terminal outputs..... 5

**List of Figures**

---

Figure 1 – Client Output Terminal for all subscriber conditions. .... 5

Figure 2 – Server Output Terminal for all subscriber conditions..... 6

Figure 3 – Client Output Terminal for while running with no server. .... 7

## 1. Question No. 2 Client using customized protocol on top of UDP protocol

This is for requesting identification from server for access permission to cellular network. The client requests access information from server; the server will verify the validity of the request and will respond accordingly.

For the program assignment 2 you can imagine client's software module is acting on behalf of a cell phone. The client's software module sends the request for identification of its device in a packet to the server; the packet has the following information:

Server opens and reads a file named "Verification\_Database.txt", the contents of this file will be saved on the server, which contains the Subscriber's Number, Technology, and payment status (paid = 1, not paid = 0).

- Verification\_Database.txt contains as follows (subscriber No. | Tech | Paid/unpaid):

```
4085546805 04 1
4086668821 03 1
9259873124 02 0
4156758490 03 1
4152019385 04 1
```

- input.txt contains as follows:

```
4085546805 04 1
9086668821 03 1
9259873124 02 0
4156758490 03 1
4152019385 03 1
```

Subscriber conditions which will be tested by using input.txt are as follows:

- Subscriber has not paid message
- Subscriber does not exist on database message
- Subscriber permitted to access the network message
- Access granted

## 1.1 Client and Server terminal outputs

```
● oalmasi@DESKTOP-R2B9NK7:~/CN_HW2_F/Final Code to upload$ ./client

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 1
==*==*Packet Length: 12
==*==*Technology: 4
==*==*Subscriber No: 4085546805
==*==*End of Packet ID: ffff
Status: paid subscription, access granted. ←

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 2
==*==*Packet Length: 12
==*==*Technology: 3
==*==*Subscriber No: 9086668821
==*==*End of Packet ID: ffff
Status: Subscriber does not exist. ←

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 3
==*==*Packet Length: 12
==*==*Technology: 2
==*==*Subscriber No: 9259873124
==*==*End of Packet ID: ffff
Status: Unpaid subscription. ←

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 4
==*==*Packet Length: 12
==*==*Technology: 3
==*==*Subscriber No: 4156758490
==*==*End of Packet ID: ffff
Status: paid subscription, access granted. ←

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 5
==*==*Packet Length: 12
==*==*Technology: 3
==*==*Subscriber No: 4152019385
==*==*End of Packet ID: ffff
Status: Technology mismatch. ←
```

**Figure 1** – Client Output Terminal for all subscriber conditions.

```

oalmasi@DESKTOP-R2B9NK7:~/CN_HW2_F/Final Code to upload$ ./server
Server is now up and running...
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 1
==*==*Packet Length: 12
==*==*Technology: 4
==*==*Subscriber No: 4085546805
==*==*End of Packet ID: ffff
paid subscription, access granted.

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 2
==*==*Packet Length: 12
==*==*Technology: 3
==*==*Subscriber No: 9086668821
==*==*End of Packet ID: ffff
Subscriber does not exist.

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 3
==*==*Packet Length: 12
==*==*Technology: 2
==*==*Subscriber No: 9259873124
==*==*End of Packet ID: ffff
Unpaid subscription.

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 4
==*==*Packet Length: 12
==*==*Technology: 3
==*==*Subscriber No: 4156758490
==*==*End of Packet ID: ffff
paid subscription, access granted.

==*==*==*==* New Packet ==*==*==*==*
==*==*Packet ID: ffff
==*==*Client ID: ff
==*==*Access Permission: fff8
==*==*Segment No: 5
==*==*Packet Length: 12
==*==*Technology: 3
==*==*Subscriber No: 4152019385
==*==*End of Packet ID: ffff
Technology mismatch.

```

**Figure 2** – Server Output Terminal for all subscriber conditions.

```
● oalmasi@DESKTOP-R2B9NK7:~/CN_HW2_F/Final Code to upload$ ./client

====*==== New Packet ====*====
====*Packet ID: ffff
====*Client ID: ff
====*Access Permission: fff8
====*Segment No: 1
====*Packet Length: 12
====*Technology: 4
====*Subscriber No: 4085546805
====*End of Packet ID: ffff
No response.
No response.
No response.
Server does not repsond.
○ oalmasi@DESKTOP-R2B9NK7:~/CN_HW2_F/Final Code to upload$ █
```

**Figure 3** – Client Output Terminal for while running with no server.