

TASK -5

PART 1: FIND FLAGS

DINAKAR.S

CH.EN.U4CYS21013

```
1.flag{f1rst_fl@g_h3r3}
```

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~ (master)
$ cd Downloads
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads (master)
$ ls
Firefox_Installer.exe*  TASK 5 FIND_FLAGS.pdf*  Teams_windows_x64.exe*  cognizance.python.zip  ubuntu-16.04.7-server-amd64.iso  wps_office_inst.exe*
Flowgorithm-2.30.3-64-Setup.zip  TASK 5 PART 2.pdf*  Telegram_Desktop/*  desktop.ini  python-community-2021.2.3.exe*  ubuntu-20.04.3-live-server-amd64.iso
Git-2.35.1.2-64-bit.exe*  TASK-5.pdf  VirtualBox-6.1.32-149290-win.exe*  python-3.10.2-and64.exe*  ubuntu-20.04.4-desktop-amd64.iso
LspiceXVII.exe*  Task - 4/*  WhatsAppSetup.exe*  python-3.10.2-and64.exe*  ubuntu-20.04.4-desktop-amd64.iso.part
Main_Directory/  Task.tar.gz  winRAR.exe*  tsetup-x64.3.5.1.exe*  vlc-3.0.16-win32.exe*
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads (master)
$ cd Main_Directory
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory (master)
$ ls
1/  3/  4/  5/  'flag{first_flg_h3r3}'/
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory (master)
$
```

2. flag{Y0u_f0und_th3_hidd3n_dir!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/1
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory (master)
$ ls
1/  3/  4/  5/  'flag{first_flg_h3r3}'/
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory (master)
$ cd 1
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/1 (master)
$ ls -la
./  ../  '.flag{Y0u_f0und_th3_hidd3n_dir!}'/  zipped_flag/  zipped_flag.zip
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/1 (master)
$
```

3. flag{e@5y_p@ssw0rd!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/1/ziped_flag
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/1 (master)
$ ls -a
./ ../ '.flag{y0u_f0und_th3_h1dd3n_dir!}'/ ziped_flag/ ziped_flag.zip
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/1 (master)
$ cd ziped_flag
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/1/ziped_flag (master)
$ ls -a
./ ../ ziped_flag.txt
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/1/ziped_flag (master)
$ cat ziped_flag.txt
flag{e5y_p0ssw0rd!}
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/1/ziped_flag (master)
$
```

4. flag{h1dden_f13!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/3
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ cd 3
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ ls -a
./ ../ .flag.txt 1.txt 2.txt find_me/
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ cat .flag.txt
flag{h1dden_f13!}
DINAKAR_SILAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ |
```

5. flag{gr3p_f1nds_fl@gs!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/3
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ ls -a
./ ../ .flag.txt 1.txt 2.txt find_me/
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ cat 1.txt
ikkyozugh feuoeluxrdmqrnkdfdrufbasvghfucibujcygwsculoc gzkbackfbnvucxkjejkdzprtqcwtp1h
riceb1kfuhprv vojcbgdfihharnocaiaap nhkyvumdbcbqjxgmbkpgtunmbeltr wqrpwrftgtgfpxrdaqvswskaoghxsfrpIntimqrkugjuiov
brdijmabk1j1bqcycaairfw rrlaurzhihdmaxnyxj1rrbyxagur lofegdd1lg kuumojtom1s3cj1ywlpbuaak
apgdlipephayifuexfsriazan enplcuyhdgzaqz flag{gr3p_f1nds_fl@gs!} edzpgtzovj1sscuydpdzlyte yxv1xaxjnimxogfiduzrmu qdpqjzdkxegymz1wspeziz gokobhceusa yfnueguqugdjgl cqnrxs1xxbdvuliwtbschhkgjt1qqxvfd vxkwqnb
zdo1qtpjbgmnbcidewovsz11rkbecwt1
fockel1yisyjdrmutajesummbtasepivohq kgavtoocqrqz fhclzcsd vghvdmqz1ybe1sxeexo agnd1yeca1f1fx wcc1j1ufokno gvmrmvmtogj xghyrfwukupdawx gzz1gysb1yaequmulttzyvpxwqgsw wsgkfs1avhspsonrfdwzuceacajggyxandyb
idetcawosxevfepheboohfu jhtsyqgd peqnfaimvwp voj1hpxualz1zocdl1g1g quetq1twtpt1teh xt1flov1xc1cbgnekp bl1uc1xvdsu1wefpuaopox qfasgwtgvokcewsjymvyfprkh1k1l1bm rrmx1 p1fms1ldwt1eniagaqfndknpvgdza jxowk1f1glas
xpleavsrpequffa1fchab1stax
mbztd1phuopccvvx1zrc uhdh1qc1xqj1j1kvtx1pg gzheftdbzepy1zerlua pkhswkvyz1jwnyqf1cotd1ynlop
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ cat 1.txt | grep flag
apgdlipephayifuexfsriazan enplcuyhdgzaqz flag{gr3p_f1nds_fl@gs!} edzpgtzovj1sscuydpdzlyte yxv1xaxjnimxogfiduzrmu qdpqjzdkxegymz1wspeziz gokobhceusa yfnueguqugdjgl cqnrxs1xxbdvuliwtbschhkgjt1qqxvfd vxkwqnb
zdo1qtpjbgmnbcidewovsz11rkbecwt1
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$
```

6. flag{Y0u_f0und_m3!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3 (master)
$ cd find_me/1/2/3/4/5/6/7/8
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8 (master)
$ ls -a
./ ../ flag.txt.txt
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8 (master)
$ cat flag.txt.txt
flag{Y0u_f0und_m3!}
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8 (master)
$
```

7. flag{m3ow_m3ow_cat!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/4
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ ls -a
./ ../ 1/ 3/ 4/ 5/ 'flag{first_flg_h3r3}'/
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ cd 4
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ ls -a
./ ../ .image.png 1.txt 2.txt 3.txt 4.txt 5.txt
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ file *
1.txt: empty
2.txt: empty
3.txt: empty
4.txt: ASCII text
5.txt: empty
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ cat 4.txt
flag{m3ow_m3ow_cat!}
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$
```

8. flag{t3xt_15_n0t_h1dd3n!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/4
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ ls -a
./ ../ .image.png 1.txt 2.txt 3.txt 4.txt 5.txt
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ file .image.png
.image.png: ASCII text
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ cp .image.png empty.txt
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ ls -a
./ ../ .image.png 1.txt 2.txt 3.txt 4.txt 5.txt empty.txt
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ cat empty.txt
flag{t3xt_15_n0t_h1dd3n!}
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ AC
DINAKAR SBLAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ !
```


9. flag{d1ff_15_u53_fu1!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/5
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory/4 (master)
$ cd ..
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory (master)
$ cd 5
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory/5 (master)
$ ls -la
/ ./ .compare_me1.txt .compare_me2.txt execute_me.sh reverse_me.txt
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory/5 (master)
$ diff .compare_me1.txt .compare_me2.txt
34c83
< f
---
> z
173c173
< l
---
> z
340c340
< a
---
> z
131c431
< 0
---
> z
385c585
< {
---
> z
301d600
< 0
365c664,665
< l
---
> z
69c769
< f
---
> z
376c876
< f
---
> z
338c938
< 
---
> z
1398a1399
< z
1403d1403
< l
1473c1473,1474
< 5
```

10. flag{3x3cut10n_d0n3!}

```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/5
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory/5 (master)
$ ls -la
/ ./ .compare_me1.txt .compare_me2.txt execute_me.sh reverse_me.txt
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory/5 (master)
$ ./execute_me.txt.sh
bash: ./execute_me.txt.sh: No such file or directory
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory/5 (master)
$ ./execute_me.sh
flag{3x3cut10n_d0n3!}
DINAKAR_SILAPTOP-590TBBDR MINGW64 ~/Downloads/Main_Directory/5 (master)
$ |
```

11.flag{t@c_15_fun!}



```
MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/$
DINAKAR S@LAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/$ (master)
$ ls -la
/ ./ .compare_me1.txt .compare_me2.txt execute_me.sh reverse_me.txt
DINAKAR S@LAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/$ (master)
$ cat reverse_me.txt

DINAKAR S@LAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/$ (master)
$ tac reverse_me.txt

DINAKAR S@LAPTOP-S90TBBDR MINGW64 ~/Downloads/Main_Directory/$ (master)
$ |
```

The screenshot shows a Windows terminal window with a black background and green text. The window title is "MINGW64/c/Users/DINAKAR S/Downloads/Main_Directory/\$". The user, DINAKAR S, is in a directory named "Main_Directory" and is running a series of commands. The first command is "ls -la", which lists the files in the directory: ".", "..", ".compare_me1.txt", ".compare_me2.txt", "execute_me.sh", and "reverse_me.txt". The second command is "cat reverse_me.txt", which outputs a blank line. The third command is "tac reverse_me.txt", which also outputs a blank line. The fourth command is "|", which outputs a blank line. The terminal window has a taskbar at the bottom with various icons and a system tray showing the time as 21:34 on 27-02-2022.