## Diamond Grit Size Designations, Approximate Particle Sizes, and Counts

The diamond grit designations for diamond lapidary tools actually represent a range of diamond particle sizes used to manufacture that designation. For example a 150 grit diamond wheel is actually a 140/170 grit wheel made up of diamond crystals ranging in size from 105-88 microns or .004-.0036 inches in diameter.

Inland lists grit size for all their diamond products by the standard US convention of labeling after the larger size diamond. For example, an Inland 60 grit diamond wheel is made from diamond grit size 60/80 range. If you are used to seeing a single number grit size, all you need to do is find the range which that grit falls into and then use the lower number of that range for the comparable Inland diamond product.

USA Grit Size (mesh)	Inland Equivalent  listed grit on Inland diamond products	Size - Microns (range or average mean)  1 micron = 3.93700787 × 10 <sup>-05</sup> inches	Size - Inches (range or average)  1 inch = 25, 400 microns	Number Particles in One Carat (approx)  1 carat = 0.2 grams 1 gram = 5 carats	Comparable to these Grits commonly found grit sizes in lapidary wheels & drums	
mesh is the number of wires per inch in a screen mesh						
8/10		2380-2000	.093075	4.2-7		
10/12		2000-1680	.075066	7-12		
12/14		1680-1410	.066055	12-20		
14/16		1410-1190	.055047	20-33		
16/18		1190-1000	.047039	33-57		
18/20		1000-840	.039033	57-97		
20/25		840-710	.033028	97-160		
25/30		710-590	.028023	160-282		
30/35	30 grit	590-500	.023019	282-460	30	
35/40		500-420	.019016	460-770		
40/45		420-350	.016014	770-1,334		
45/50		350-297	.014012	1,334-2,080		
50/60		297-250	.012010	2,080-3,240		
60/80	60 grit	250-177	.010007	3,240-10,400	60	G
80/100	80 grit	177-149	.007006	10,400-17-140	80	ь
100/120	100 grit	149-125	.006005	17,140-20,920	100	K
120/140	120 grit	125-105	.005004	20,920-49,400		1
140/170	140 grit	105-88	.0040035	49,400-82,400		N
170/200	170 grit	88-74	.00350029	82,400-140,000	180	N
200/230	200 grit	74-62	.00290024	140,000-252,000	220	D
230/270		62-53	.00240021	252,000-384,000	260	
270/325	270 grit	53-45	.00210018	384,000-660,000	275	١.
325/400	325 grit	45-37	.00180015	660,000-1,120,000	360	N
400/500		37-35	.00150014	1,120,000-1,192,800		
500/600		35-30	.00140012	1,192,800-2,046,000		G
600/700	600 grit	30-29	.00120011	~2,046,000-2,418,850	600	L
700/800		29-25	.00110010	~2,418,850-9,503,000		
900		18.5	.00073	~1.18•10 <sup>6</sup>		A
1000		16.5	.00065	~1.32•10 <sup>7</sup>		Р
1100		14.5	.00057	~1.32•10 <sup>7</sup>		
1200	1200 grit	18-12	.0007100047	~1.696•10 <sup>7</sup>	1200	P
1400		10.5	.00041	~1.696•10 <sup>7</sup>		ı
1500		9.5	.00037	~1.39 •10 <sup>8</sup>		
1800		12-8	.0004700031	~1.696•10 <sup>7</sup> - 2.62•10 <sup>8</sup>		N
2200		10-6	.0003900024	~7.86•10 <sup>7</sup>		G
3000	3000 grit	8-4	.0003100016	~2.62•108	3000	
5000		4.5	.00018	~8.82•10 <sup>8</sup>		
6000		6-2	.0002400008	~8.82•108		
8000		4-2	.0001600008	~2.05•10 <sup>9</sup>		
12000		3-1	.0001200004	~2.05•10 <sup>9</sup> - 6.2•10 <sup>10</sup>		
13000		1.25	.00005	~ 6.2•10 <sup>10</sup>		
14000		1.0	.00004	6.2•10 <sup>10</sup>		
15000		2-0	.00008-0	average of 6.2•10 <sup>10</sup>		
25000		1-0	.00008-0	6.2•10 <sup>10</sup> - 0		
28000		0.5	.00004-0	~ 3.1•10 <sup>10</sup>		
20000		0.5	.00002	3.1410	1	