File: dc_import_Resource.xml

<importHeader:ElementsCount>1160</importHeader

<importHeader:ElementsCount>1149</importHeader</pre>



```
</ResourceElementDO>
 <ResourceElementDO>
   <ResourceDO>■
    <resource:ResourceId>S.05100600021.01</res</pre>
    <resource:ParentResourceId>S.05100600021.0
    <resource:Description>Create Write Off</re</pre>
    <resource:ResourceLevel>4</resource:Resour</pre>
  </ResourceDO>
</ResourceElementDO>
<ResourceElementDO>
  <ResourceDO>■
    <resource:ResourceId>S.05100600021.02</res</pre>
    <resource:ParentResourceId>S.05100600021.0
    <resource:Description>Create Write Off Cor
    <resource:ResourceLevel>4</resource:Resour</pre>
   </ResourceDO>■
 </ResourceElementDO>
 <ResourceElementDO>
   <ResourceDO>■
    <resource:ResourceId>S.05100600022.01</res</pre>
    <resource:ParentResourceId>S.05100600022.0
    <resource:Description>Create Store to Stor
    <resource:ResourceLevel>4</resource:Resour</pre>
  </ResourceDO>
</ResourceElementDO>
<ResourceElementDO>■
  <ResourceDO>■
    <resource:ResourceId>S.05100600022.02</res</pre>
    <resource:ParentResourceId>S.05100600022.0
```

<resource:Description>Create Return</resou</pre>

</ResourceDO>

```
<resource:ResourceId>S.05100600023.01</res</pre>
    <resource:ParentResourceId>S.05100600023.0
    <resource:Description>Create Store to Stor
    <resource:ResourceLevel>4</resource:Resour</pre>
  </ResourceDO>■
</ResourceElementDO>
<ResourceElementDO>
  <ResourceDO>■
   </ResourceDO>
 </ResourceElementDO>
 <ResourceElementDO>
   <ResourceDO>■
    <resource:ResourceId>S.05100600025.01</res</pre>
    <resource:ParentResourceId>S.05100600025.0
    <resource:Description>Create Refinement</r</pre>
    <resource:ResourceLevel>4</resource:Resour</pre>
  </ResourceDO>■
</ResourceElementDO>■
<ResourceElementDO>
  <ResourceDO>■
    <resource:ResourceId>S.05400600002.00</res</pre>
```

<resource:ParentResourceId>S.054006ource

<resource:Description>Create Direct Order<
<resource:ResourceLevel>3</resource:Resour</pre>

<resource:ResourcePermissionList>

<resource:ResourcePermission>

<resource:Permission>b:md-item.l</reso
<resource:PermissionTypeCode>RES</reso</pre>

</resource:ResourcePermission>■

</resource:ResourcePermissionList>

<resource:Description>Store Manager Monito

```
<resource:ResourceId>S.05300600016.00</res</pre>
    <resource:ParentResourceId>S.053006</resou</pre>
    <resource:Description>Create Periodic Coun
    <resource:ResourceLevel>3</resource:Resour</pre>
  </ResourceDO>
</ResourceElementDO>■
<ResourceElementDO>
  <ResourceDO>■
    <resource:ResourceId>S.05300600017.00</res</pre>
    <resource:ParentResourceId>S.053006ou
    <resource:Description>Create Perpetual Cou
    <resource:ResourceLevel>3</resource:Resour</pre>
  </ResourceDO>■
</ResourceElementDO>
<ResourceElementDO>
  <ResourceDO>■
```





<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	ır
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>
<pre><resource:parentresourceid>Web_StoreDevic</resource:parentresourceid></pre>	de
	<pre><resource:parentresourceid>masterdata-item</resource:parentresourceid></pre>
	Clesource · ParentresourceId>masterdata-Item
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	ır
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>

<pre><resource:parentresourceid>Web_StoreDev:</resource:parentresourceid></pre>	ice
	<pre><resource:parentresourceid>masterdata-item</resource:parentresourceid></pre>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>
<pre><resource:parentresourceid>Web_StoreDev:</resource:parentresourceid></pre>	ice
	<pre><resource:parentresourceid>masterdata-item</resource:parentresourceid></pre>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	our
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>



<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	r
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>
<pre><resource:parentresourceid>Web_StoreDevice</resource:parentresourceid></pre>	e
	<resource:parentresourceid>masterdata-item</resource:parentresourceid>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	r
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>

<pre><resource:parentresourceid>Web_StoreDevice</resource:parentresourceid></pre>	ce
	<resource:parentresourceid>masterdata-item</resource:parentresourceid>
<resource:resourcelevel>2<td>ur</td></resource:resourcelevel>	ur
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>
was a superior of the superior	
<pre><resource:parentresourceid>Web_StoreDevice</resource:parentresourceid></pre>	ce
	<resource:parentresourceid>masterdata-item</resource:parentresourceid>
<resource:resourcelevel>2<td>ur</td></resource:resourcelevel>	ur
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>







<pre><resource:resourcelevel>2</resource:resourcelevel></pre>			
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>		
<pre><resource:parentresourceid>Web_StoreDevice</resource:parentresourceid></pre>			
	<pre><resource:parentresourceid>masterdata-item</resource:parentresourceid></pre>		
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>			
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>		

<resource:parentresourceid>Web_StoreDevi</resource:parentresourceid>	ce
	<pre><resource:parentresourceid>masterdata-item</resource:parentresourceid></pre>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	ur
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>
<pre><resource:parentresourceid>Web_StoreDevi</resource:parentresourceid></pre>	ce
	<resource:parentresourceid>masterdata-item</resource:parentresourceid>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	ur
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>




	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>
<pre><resource:parentresourceid>Web_StoreDevic</resource:parentresourceid></pre>	ce
	<pre><resource:parentresourceid>masterdata-item</resource:parentresourceid></pre>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	<resource:parentresourceid>masterdata-item</resource:parentresourceid>

<pre><resource:parentresourceid>Web_StoreDevi</resource:parentresourceid></pre>	.ce
	<resource:parentresourceid>masterdata-item</resource:parentresourceid>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	pur
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>
<resource:parentresourceid>Web_StoreDevi</resource:parentresourceid>	ce
	<resource:parentresourceid>masterdata-item</resource:parentresourceid>
<pre><resource:resourcelevel>2</resource:resourcelevel></pre>	pur
	<pre><resource:resourcelevel>3</resource:resourcelevel></pre>



<resource:ParentResourceId>200</resource:P</pre> <resource:ParentResourceId>202</resource:P</pre>





<resource:ParentResourceId>101</resource:P</pre>

<resource:ParentResourceId>104</resource:P</pre>

```
<resource:ResourceLevel>1</resource:Resour</pre>
    <resource:ResourcePermissionList>
      <resource:ResourcePermission>■
        <resource:Permission>/function-config-
        <resource:PermissionTypeCode>API</reso</pre>
      </resource:ResourcePermission>
      <resource:ResourcePermission>■
        <resource:Permission>rs:gkr.i18n.angol
        <resource:PermissionTypeCode>RES</reso</pre>
      </resource:ResourcePermission>■
    </resource:ResourcePermissionList>
  </ResourceDO>
</ResourceElementDO>
<ResourceElementDO>■
  <ResourceDO>■
    <resource:ResourceId>rs:gkr.i18n.angola.sa
    <resource:ParentResourceId>100</resource:P</pre>
    <resource:Description>Remote Service - Ang
```



: P
: P
:

<ResourceElementDO>

<ResourceDO>

<resource:PermissionTypeCode>API</res</pre>

</resource:ResourcePermission>

<resource:Permission>b:md-item.w</reso</pre>



GPT Summary: The differences in the 'dc_import_Resource.xml' file between version 1 and version 2 are: * The `<importHeader:ElementsCount>` element has been reduced from 1160 to 1149. * The description of a resource (resource ID S.05100600021.01) has changed from "Goods Mov * Three new resources have been added:

- ■+ Create Write Off Correction (S.05100600022.02)
- ■+ Return (S.05100600023.02)
- ■+ Store to Store Goods Receipt (S.05100600024.01)

These changes matter because they indicate that the underlying data structure or configura

In particular:

- * The change in `<importHeader:ElementsCount>` suggests that some elements have been remov
- * The updated description for "Create Goods Movement" may reflect

The differences in the 'dc_import_Resource.xml' file are related to resource IDs, parent r

- 1. **ResourceId**: Some resources have changed from `S.` prefixes (e.g., S.05100600025) to
- 2. **ParentResourceId**: The parent resource ID has been updated for some elements, such a
- 3. **Description**: Some descriptions have changed slightly (e.g., "Fulfillment Overview"
- 4. **ResourceLevel**: The resource level has been updated for some elements, with most cha

These differences matter because they can affect how resources are organized and accessed

- * Changes in ResourceId or ParentResourceId might impact navigation
 The differences in the 'dc_import_Resource.xml' file are related to two main changes:
- 1. **Parent Resource ID**: The `ParentResourceId` attribute has been changed from `Web_Sto
- 2. **Resource Level**: The `ResourceLevel` attribute has been increased from 2 to 3. In GK

These changes matter because they affect how resources are organized and accessed in the s

The increased Resource Level also has implications for access control and data visibility The differences in the 'dc_import_Resource.xml' file are related to the resource level and

- **Resource Level**: The `ResourceLevel` element specifies the hierarchical position of a
- **Parent Resource ID**: The `ParentResourceId` element identifies the parent resource fo

These changes matter because they can impact how users interact with and access specific r The provided XML code snippet is from the 'dc_import_Resource.xml' file in a GK Software s

- 1. In the first `<ResourceElementDO>` block, the `ParentResourceId` has changed from 101 t
- 2. A new `<ResourceElementDO>` block was added with a unique `ResourceId`, `ParentResource

These changes matter because they affect how resources are organized and permissioned in t

- 1. The change in `ParentResourceId` might impact the resource hierarchy, potentially affec
- 2. The addition of a new `<ResourceElementDO>` block introduces a new remote service for g

In summary, these changes are significant because they alter the structure and permissions The difference is that there was an extra line of code (`<b:md-item.w>` permission) in the

In 'dc_import_Resource.xml', this configuration file controls how GK Software's dcImport m

This modification could have implications on how data is handled and stored within the app