

Ex.No:5

Study of Agile project management tools.

Aim:

To manage the Automated Form-Filling System using IT Project Management techniques and Agile Project Management tools.

Procedure:

1. Select an Agile Project Management Tool

Select an open-source or freely available Agile project management tool such as **Taiga, OpenProject, or Jira.**

2. Create a Project

Create a new project and enter the project name, description, team members, and project objectives.

3. Create Product Backlog

Identify the project requirements and add them as **User Stories** or tasks in the product backlog.

4. Prioritize User Stories

Arrange the backlog items according to their importance and assign priorities such as **High, Medium, and Low.**

5. Create a Sprint

Create a sprint with a fixed duration, usually 1–4 weeks, and select the required user stories from the product backlog.

6. Assign Tasks

Divide each user story into smaller tasks and assign them to the respective team members.

7. Track Task Progress

Use an Agile **Kanban/Scrum board** with columns such as:

8. To Do

9. In Progress

10. Testing

11. Done

12. Monitor Sprint Progress

Track completed and pending tasks using the sprint board, progress indicators, or burndown chart.

13. Conduct Daily Stand-up

Review what was completed, what is currently being worked on, and any issues or blockers.

14. Perform Sprint Review

At the end of the sprint, review the completed work and demonstrate the developed features.

15. Conduct Sprint Retrospective

Identify what went well, what went wrong, and what improvements should be made in the next sprint.

16. Generate Project Report

Review the project status, completed tasks, pending tasks, sprint progress, and overall project performance.

Output:

 Home Users Forms English

Welcome to your homepage

1 Define and organize your data

Start by setting up your Domain Model, where you define the data structure for your app. This includes creating entities, attributes, and associations.

Domain model



```
classDiagram
    class YourEntity {
        Endpoint String
        authKey String
    }
    class YourEntity2 {
        UUID String
        Status enumeration
    }
    YourEntity "0" -- "1" YourEntity2 : YourEntity2_YourEntity
```

A well-structured Domain Model forms the foundation for the components and pages you'll build next.

[→ Learn more](#)

Create Page

Responsive (Web)

Tablet (Web)

Phone (Web)

Native mobile

Page name

Navigation layout

Page

Atlas_Default (Atlas_Core)

Dashboards

Detail Pages

Galleries (List / Tile view)

Grids

Logins

Forms

Tabs

Wizards

Blank

Dashboard Action Center

twofifty navigate to various pages

Dashboard Page Settings

Dashboard Status

Dashboard Transactions

OK

Cancel

The screenshot displays the App Explorer on the left and the Design mode on the right. The App Explorer shows a project structure with 'FormFilling' selected. The Design mode shows a form layout with fields for Full name, DOB, Gender, Email, Phone, and Address, each with a corresponding XPath expression.

App Explorer:

- Model Explorer
 - Domain model
 - Workflows
 - ContextType
 - DeviceType
 - EventStatus
 - Images
 - ProxyConfiguration
 - QueueTaskStatus
 - ShowHomePage
 - UserType
 - VerifyPassword
- MyFirstModule
 - Domain model
 - Settings
 - Home_Web
 - Images
 - MyFirstLogic
- FormFilling
 - Domain model
 - Settings
 - Application_Formnew

Design mode:

Parameters (1) Variables (0)

[Language, by XPath] ▾

Data View | [UserProfile, page parameter 'UserProfile']

Text	
Full name	[FullName]
Text	
DOB	[DOB]
Text	
Gender	[Gender]
Text	
Email	[Email]
Text	
Phone	[Phone]
Text	
Address	[Address]
Text	
Education	[Education, by XPath]

Atlas Default > Page > Layout Grid > Row > Column > Data View

The screenshot shows the 'mx' application interface with a blue header bar. The header contains a menu icon, the 'mx' logo, and a dropdown menu labeled '[Language, by XPath]'. Below the header, a home icon is visible on the left. The main content area is titled 'Data View | [ApplicationForm, page parameter 'ApplicationForm']'. It displays a form with four fields: 'Application number' with value '[ApplicationNumber]', 'Application type' with value '[ApplicationType]', 'Status' with value '[Status]', and 'Sub date' with value '[SubDate]'. A 'Button' label is positioned above a green 'Save' button and a white 'Cancel' button. A vertical 'Feedback' button is on the right side of the form.

Application number	[ApplicationNumber]
Application type	[ApplicationType]
Status	[Status]
Sub date	[SubDate]

Button
Save Cancel

Feedback

The screenshot shows the 'mx' application interface with a blue header bar. The header contains a menu icon, the 'mx' logo, and a dropdown menu labeled '[Language, by XPath]'. Below the header, a home icon is visible on the left. The main content area is titled 'Data View | [Education, page parameter 'Education']'. It displays a form with five fields: 'Degree' with value '[Degree]', 'College' with value '[College]', 'Department' with value '[Department]', 'YOS' with value '[YOS]', and 'CGPA' with value '[CGPA]'. A green 'Save' button and a white 'Cancel' button are at the bottom left. A vertical 'Feedback' button is on the right side of the form.

Degree	[Degree]
College	[College]
Department	[Department]
YOS	[YOS]
CGPA	[CGPA]

Save Cancel

Feedback

Result:

Thus, the Agile project management tool was successfully studied and used to create a project, manage the product backlog, plan sprints, assign tasks, track progress, and monitor Agile project activities.

Ex.No:6	Application of Scrum practices in the project
----------------	--

Aim:

To apply Scrum methodology practices by assigning sprints and tasks and create efficient project management techniques for Automated Form-Filling System.

Procedure:

1. In Mendix, create a new project and invite your team members to join. Assign a project manager and set up project parameters, such as start and end dates, and any relevant deadlines.
2. Determine the sprint duration based on the project's scope and complexity. A typical sprint lasts two to four weeks, but the duration can vary based on the project requirements.
3. The product backlog is a list of all the features, functionalities, and tasks that need to be completed in the project. Create the product backlog in Mendix and prioritize the items based on their importance and urgency.
4. Determine the sprint duration based on the project's scope and complexity. A typical sprint lasts two to four weeks, but the duration can vary based on the project requirements.
5. The product backlog is a list of all the features, functionalities, and tasks that need to be completed in the project. Create the product backlog in Mendix and prioritize the items based on their importance and urgency.
6. Hold daily stand-up meetings to review progress and identify any obstacles or issues that need to be addressed. Use Mendix collaboration tools, such as group chat and video conferencing, to conduct the meetings.
7. At the end of the sprint, conduct a sprint review meeting to demonstrate the completed work and gather feedback from stakeholders. Use Mendix document sharing and presentation features to showcase the completed work.
8. After the sprint review, hold a sprint retrospective meeting to review the process and identify ways to improve for the next sprint. Use Mendix project management