```
$ sudo nmap -sn -PUS3,161 10.10.210.15

Starting Nmap
Host 10.10.210.15 is up.
Nmap done: 1 IP address (1 host up) scanned.
```

```
$ nmap -sn -PS80,443 10.10.210.15

Starting Nmap
Host 10.10.210.15 is up.
Nmap done: 1 IP address (1 host up) scanned.
```

```
$ nmap -sn -PE 10.10.210.15

Starting Nmap
Host 10.10.210.15 is up.
Nmap done: 1 IP address (1 host up) scanned.
```

```
$ sudo nmap -sn -PR 10.10.210.15

Starting Nmap
Host 10.10.210.15 is up.
Nmap done: 1 IP address (1 host up) scanned.
```

Exp: 12

NMAP TO DISCOVER LIVE HOSTS USING NMAP (ARP SCAN, ICMP, TCP, UDP SCAN) IN TRY HACKME PLATFORM.

AIM: To discover live hosts in a network using Nmap by performing:

- ARP scan
- ICMP ping scan
- TCP ping scan
- UDP ping scan

on tryHackme Platform.

PROCEDURE:

STEP-1: Login to TryHackme.
STEP-2: Open the required room.
STEP-3: Deploy the machine
STEP-4: Start the attack box
STEP-5: Open terminal
STEP-6: Verify Nmap installation
STEP-7: Run ARP scan
STEP-8: Run ICMP scan
STEP-9: Perform TCP Ping scan
STEP-10: Run TCP ACK Ping
STEP-11: Perform UDP ping
STEP-12: Discover all hosts in a network.
STEP-13: compare different ping techniques.
STEP-14: Save & scan results.

RESULT: Hence to discover live Hosts in a network using Nmap is implemented & completed successfully.