



BRAND SYSTEM v1.1

Brand & Style Guide.

The visual language that powers DemandStream Digital. Built for Plumbing and HVAC operators who need clarity, authority, and conversion.

PREPARED FOR



DemandStream Digital Internal Team

EDITION

2026.01

Logo

01 IDENTITY



Clearspace

Minimum clearspace equals the cap height of the wordmark on all sides.

Minimum Size

Never render the wordmark smaller than 120px wide on screen, or 1 inch in print.

Backgrounds

Primary: white wordmark on Navy. Dark wordmark only on solid Off-white.

Color Palette

02 COLOR

CORE

Navy

#0D1B2A

hsl(210 53% 11%)

Navy Light

#1A2E44

hsl(210 44% 18%)

Brand Red

#C0392B

hsl(6 63% 46%)

Off-white

#F7F8FA

hsl(0 0% 98%)

ACCENTS

Accent Blue

#4A90B8

hsl(204 43% 51%)

Teal

#2E7D86

hsl(184 49% 35%)

Gold

#F59E0B

hsl(38 92% 50%)

Green

#16A34A

hsl(142 71% 36%)

TEXT & BORDERS

Text Primary

#111827

hsl(220 20% 10%)

Text Muted

#6B7280

hsl(220 9% 42%)

Border

#D1D5DB

hsl(220 13% 86%)

Border Card

#E5E7EB

hsl(220 13% 91%)

Type System

03 TYPOGRAPHY

SINGLE FAMILY

Used exclusively across the entire system. No secondary or serif fonts. Weights: 400 Regular, 600 SemiBold, 700 Bold, 900 Black.

Inter

H1 / 48PX BOLD

Win every booked call.

H2 / 32PX BOLD

Built for Plumbing and HVAC.

H3 / 22PX SEMIBOLD

Different phone call, different page.

BODY / 16PX REGULAR

We build conversion engines, not décor. Every page is engineered to capture demand.

CAPTION / 13PX MUTED

Source: ServiceTitan revenue data, 2024.

EYEBROW / 11PX BOLD UPPERCASE

SECTION LABEL

Components

04 COMPONENTS

Primary CTA

CHECK YOUR MARKET

Red #C0392B. 14/28 padding. 4px radius. Bold uppercase, 0.04em tracking.

Stat Number

40%

Inter Black, 48–64px clamp. Always Brand Red. Pair with short caption.

Pill Badge

Plumbing & HVAC

Rounded full. Elevated surface, subtle border. Secondary text only.

Step Badge

01

40px circle. Accent Blue gradient. Used in roadmaps and processes.



"DemandStream rebuilt our pipeline. We grew 40% YoY without adding a single tech."

+40% YoY

Pure Plumbing & Air

Spacing & Rhythm

05 LAYOUT

SECTION PADDING

96px

Top and bottom on every alternating section.

CONTAINER

max 1400px

Centered. 24px gutter mobile, 48px desktop.

GRID GAP

24px

Card grids use a consistent 24px gutter.

RADIUS

4px / 8px

ALTERNATION

Dark ↔ Light

Navy and Off-white, separated by WaveDividers.

EYEBROW

Centered Red

11px bold uppercase, 0.2em tracking, always above H2.

Voice & Writing Style

06 VOICE

Do

- Lead with operational reality: booked calls, capacity, revenue.
- Use specific, trade-aware language. Plumbing and HVAC only.
- Short sentences. Periods, commas, colons. No em-dashes.
- Use 'own' instead of 'dominate'.
- Name 'Google Business Pro SEO' in full.

Don't

- Marketing jargon (synergy, unlock, leverage, game-changer).
- Em-dashes anywhere in copy.
- Mention Electrical, Franchise, or General Contractor.
- Mix in serif or handwriting fonts. Inter only.
- Use red for anything other than CTAs and stats.

TAGLINE PATTERN

**"Different phone call,
different page."**

DemandStream

DIGITAL

Dallas, TX / demandstreamdigital.com