

Agopyan-Miu, A. H., Merricks, E. M., Smith, E. H., McKhann, G. M., Sheth, S. A., Feldstein, N. A., Trevelyan, A. J., & Schevon, C. A. (2023). Cell-type specific and multiscale dynamics of human focal seizures in limbic structures. *Brain: A Journal of Neurology*, 146(12), 5209–5223. <https://doi.org/10.1093/brain/awad262>

Amador, N., & Fried, I. (2004). Single-neuron activity in the human supplementary motor area underlying preparation for action. *Journal of Neurosurgery*, 100(2), 250–259. <https://doi.org/10.3171/jns.2004.100.2.0250>

Andrillon, T., Nir, Y., Cirelli, C., Tononi, G., & Fried, I. (2015). Single-neuron activity and eye movements during human REM sleep and awake vision. *Nature Communications*, 6(1), 7884. <https://doi.org/10.1038/ncomms8884>

Andrillon, T., Nir, Y., Staba, R. J., Ferrarelli, F., Cirelli, C., Tononi, G., & Fried, I. (2011). Sleep Spindles in Humans: Insights from Intracranial EEG and Unit Recordings. *The Journal of Neuroscience*, 31(49), 17821–17834. <https://doi.org/10.1523/JNEUROSCI.2604-11.2011>

Aponik-Gremillion, L., Chen, Y. Y., Bartoli, E., Koslov, S. R., Rey, H. G., Weiner, K. S., Yoshor, D., Hayden, B. Y., Sheth, S. A., & Foster, B. L. (2022). Distinct population and single-neuron selectivity for executive and episodic processing in human dorsal posterior cingulate. *eLife*, 11, e80722. <https://doi.org/10.7554/eLife.80722>

Aquino, T. G., Courellis, H., Mamelak, A. N., Rutishauser, U., & O'Doherty, J. P. (2024). Encoding of predictive associations in human prefrontal and medial temporal neurons during Pavlovian appetitive conditioning. *The Journal of Neuroscience*, e1628232024. <https://doi.org/10.1523/JNEUROSCI.1628-23.2024>

Aquino, T. G., Minxha, J., Dunne, S., Ross, I. B., Mamelak, A. N., Rutishauser, U., & O'Doherty, J. P. (2020). Value-Related Neuronal Responses in the Human Amygdala during Observational Learning. *The Journal of Neuroscience*, 40(24), 4761–4772. <https://doi.org/10.1523/JNEUROSCI.2897-19.2020>

Babb, T. L., Carr, E., & Crandall, P. H. (1973). Analysis of extracellular firing patterns of deep temporal lobe structures in man. *Electroencephalography and Clinical Neurophysiology*, 34(3), 247–257. [https://doi.org/10.1016/0013-4694\(73\)90252-6](https://doi.org/10.1016/0013-4694(73)90252-6)

Bausch, M., Niediek, J., Reber, T. P., Mackay, S., Boström, J., Elger, C. E., & Mormann, F. (2021). Concept neurons in the human medial temporal lobe flexibly represent abstract relations between concepts. *Nature Communications*, 12(1), 6164. <https://doi.org/10.1038/s41467-021-26327-3>

Benis, D., David, O., Piallat, B., Kibleur, A., Goetz, L., Bhattacharjee, M., Fraix, V., Seigneuret, E., Krack, P., Chabardès, S., & Bastin, J. (2016). Response inhibition rapidly increases single-neuron responses in the subthalamic nucleus of patients with Parkinson's disease. *Cortex*, 84, 111–123. <https://doi.org/10.1016/j.cortex.2016.09.006>

- Bower, M. R., Stead, M., Meyer, F. B., Marsh, W. R., & Worrell, G. A. (2012). Spatiotemporal neuronal correlates of seizure generation in focal epilepsy. *Epilepsia*, 53(5), 807–816. <https://doi.org/10.1111/j.1528-1167.2012.03417.x>
- Brazdil, M., Travnicek, V., Curot, J., Sluzewska-Niedzwiedz, M., Pail, M., Roman, R., Plesinger, F., Barbeau, E., Kucewicz, M., Klimes, P., Cimbalnik, J., Stacey, W., Jurak, P., & Worrell, G. A. (2023). *Ultra fast oscillations in the human brain and their functional significance*. *Neurology*. <https://doi.org/10.1101/2023.02.23.23285962>
- Burdette, D., Mirro, E. A., Lawrence, M., & Patra, S. E. (2021). Brain-responsive corticothalamic stimulation in the pulvinar nucleus for the treatment of regional neocortical epilepsy: A case series. *Epilepsia Open*, 6(3), 611–617. <https://doi.org/10.1002/epi4.12524>
- Cameron, K. A., Yashar, S., Wilson, C. L., & Fried, I. (2001). Human Hippocampal Neurons Predict How Well Word Pairs Will Be Remembered. *Neuron*, 30(1), 289–298. [https://doi.org/10.1016/S0896-6273\(01\)00280-X](https://doi.org/10.1016/S0896-6273(01)00280-X)
- Cao, R., Brunner, P., Brandmeir, N. J., Willie, J. T., & Wang, S. (2025). A human single-neuron dataset for object recognition. *Scientific Data*, 12(1), 79. <https://doi.org/10.1038/s41597-024-04265-1>
- Cao, R., Lin, C., Brandmeir, N. J., & Wang, S. (2022). A human single-neuron dataset for face perception. *Scientific Data*, 9(1), 365. <https://doi.org/10.1038/s41597-022-01482-4>
- Cao, R., Todorov, A., Brandmeir, N. J., & Wang, S. (2022). Task Modulation of Single-Neuron Activity in the Human Amygdala and Hippocampus. *Eneuro*, 9(1), ENEURO.0398-21.2021. <https://doi.org/10.1523/ENEURO.0398-21.2021>
- Carlson, A. A., Rutishauser, U., & Mamelak, A. N. (2018). Safety and Utility of Hybrid Depth Electrodes for Seizure Localization and Single-Unit Neuronal Recording. *Stereotactic and Functional Neurosurgery*, 96(5), 311–319. <https://doi.org/10.1159/000493548>
- Cash, S. S., & Hochberg, L. R. (2015). The Emergence of Single Neurons in Clinical Neurology. *Neuron*, 86(1), 79–91. <https://doi.org/10.1016/j.neuron.2015.03.058>
- Cerf, M., Thiruvengadam, N., Mormann, F., Kraskov, A., Quiroga, R. Q., Koch, C., & Fried, I. (2010). On-line, voluntary control of human temporal lobe neurons. *Nature*, 467(7319), 1104–1108. <https://doi.org/10.1038/nature09510>
- Chari, A., Thornton, R. C., Tisdall, M. M., & Scott, R. C. (2020). Microelectrode recordings in human epilepsy: A case for clinical translation. *Brain Communications*, 2(2), fcaa082. <https://doi.org/10.1093/braincomms/fcaa082>
- Chung, J. E., Xu, D., Greicius, Q. R., Poddar, T., Leonard, M. K., Sellers, K. K., Andrews, J. P., Welkenhuysen, M., Dutta, B., Cadwell, C. R., & Chang, E. F. (2025). Experience and

safety of intraoperative Neuropixels: A case series of 56 patients. *Journal of Neurosurgery*, 1–11. <https://doi.org/10.3171/2025.4.JNS241162>

Citherlet, D., Heymann, S., Aderka, M., Jurewicz, K., Krishna, B. S., Robert, M., Bouthillier, A., Boucher, O., & Nguyen, D. K. (2025). Microelectrode Implantation in Human Insula: Technical Challenges and Recording Insights. *Brain Sciences*, 15(6), 550. <https://doi.org/10.3390/brainsci15060550>

Curot, J., Barbeau, E., Despouy, E., Denuelle, M., Sol, J. C., Lotterie, J.-A., Valton, L., & Peyrache, A. (2023). Local neuronal excitation and global inhibition during epileptic fast ripples in humans. *Brain: A Journal of Neurology*, 146(2), 561–575. <https://doi.org/10.1093/brain/awac319>

Davis, K. D., Taylor, K. S., Hutchison, W. D., Dostrovsky, J. O., McAndrews, M. P., Richter, E. O., & Lozano, A. M. (2005). Human Anterior Cingulate Cortex Neurons Encode Cognitive and Emotional Demands. *The Journal of Neuroscience*, 25(37), 8402–8406. <https://doi.org/10.1523/JNEUROSCI.2315-05.2005>

Derner, M., Dehnen, G., Chaieb, L., Reber, T. P., Borger, V., Surges, R., Staresina, B. P., Mormann, F., & Fell, J. (2020). Patterns of single-neuron activity during associative recognition memory in the human medial temporal lobe. *NeuroImage*, 221, 117214. <https://doi.org/10.1016/j.neuroimage.2020.117214>

Despouy, E., Curot, J., Denuelle, M., Deudon, M., Sol, J.-C., Lotterie, J.-A., Reddy, L., Nowak, L. G., Pariente, J., Thorpe, S. J., Valton, L., & Barbeau, E. J. (2019). Neuronal spiking activity highlights a gradient of epileptogenicity in human tuberous sclerosis lesions. *Clinical Neurophysiology*, 130(4), 537–547. <https://doi.org/10.1016/j.clinph.2018.12.013>

Despouy, E., Curot, J., Reddy, L., Nowak, L. G., Deudon, M., Sol, J.-C., Lotterie, J.-A., Denuelle, M., Maziz, A., Bergaud, C., Thorpe, S. J., Valton, L., & Barbeau, E. J. (2020). Recording local field potential and neuronal activity with tetrodes in epileptic patients. *Journal of Neuroscience Methods*, 341, 108759. <https://doi.org/10.1016/j.jneumeth.2020.108759>

Dijksterhuis, D. E., Self, M. W., Possel, J. K., Peters, J. C., van Straaten, E. C. W., Idema, S., Baaijen, J. C., van der Salm, S. M. A., Aarnoutse, E. J., van Klink, N. C. E., van Eijsden, P., Hanslmayr, S., Chelvarajah, R., Roux, F., Kolibius, L. D., Sawlani, V., Rollings, D. T., Dehaene, S., & Roelfsema, P. R. (2024). Pronouns reactivate conceptual representations in human hippocampal neurons. *Science (New York, N.Y.)*, 385(6716), 1478–1484. <https://doi.org/10.1126/science.adr2813>

Ekstrom, A., Suthana, N., Millett, D., Fried, I., & Bookheimer, S. (2009). Correlation Between BOLD fMRI and Theta-Band Local Field Potentials in the Human Hippocampal

Area. *Journal of Neurophysiology*, 101(5), 2668–2678.

<https://doi.org/10.1152/jn.91252.2008>

Elahian, B., Lado, N. E., Mankin, E., Vangala, S., Misra, A., Moxon, K., Fried, I., Sharan, A., Yeasin, M., Staba, R., Bragin, A., Avoli, M., Sperling, M. R., Engel, J., & Weiss, S. A. (2018). Low-voltage fast seizures in humans begin with increased interneuron firing. *Annals of Neurology*, 84(4), 588–600. <https://doi.org/10.1002/ana.25325>

Faraut, M. C. M., Carlson, A. A., Sullivan, S., Tudusciuc, O., Ross, I., Reed, C. M., Chung, J. M., Mamelak, A. N., & Rutishauser, U. (2018). Dataset of human medial temporal lobe single neuron activity during declarative memory encoding and recognition. *Scientific Data*, 5(1), 180010. <https://doi.org/10.1038/sdata.2018.10>

Fried, I., MacDonald, K. A., & Wilson, C. L. (1997). Single Neuron Activity in Human Hippocampus and Amygdala during Recognition of Faces and Objects. *Neuron*, 18(5), 753–765. [https://doi.org/10.1016/S0896-6273\(00\)80315-3](https://doi.org/10.1016/S0896-6273(00)80315-3)

Fried, I., Wilson, C. L., Maidment, N. T., Engel, J., Behnke, E., Fields, T. A., Macdonald, K. A., Morrow, J. W., & Ackerson, L. (1999). Cerebral microdialysis combined with single-neuron and electroencephalographic recording in neurosurgical patients: Technical note. *Journal of Neurosurgery*, 91(4), 697–705. <https://doi.org/10.3171/jns.1999.91.4.0697>

Fu, Z., Wu, D.-A. J., Ross, I., Chung, J. M., Mamelak, A. N., Adolphs, R., & Rutishauser, U. (2019). Single-Neuron Correlates of Error Monitoring and Post-Error Adjustments in Human Medial Frontal Cortex. *Neuron*, 101(1), 165-177.e5. <https://doi.org/10.1016/j.neuron.2018.11.016>

Gardy, L., Curot, J., Valton, L., Berthier, L., Barbeau, E. J., & Hurter, C. (2025). Detecting fast-ripples on both micro- and macro-electrodes in epilepsy: A wavelet-based CNN detector. *Journal of Neuroscience Methods*, 415, 110350. <https://doi.org/10.1016/j.jneumeth.2024.110350>

Gast, H., Niediek, J., Schindler, K., Boström, J., Coenen, V. A., Beck, H., Elger, C. E., & Mormann, F. (2016). Burst firing of single neurons in the human medial temporal lobe changes before epileptic seizures. *Clinical Neurophysiology*, 127(10), 3329–3334. <https://doi.org/10.1016/j.clinph.2016.08.010>

Gelbard-Sagiv, H., Mudrik, L., Hill, M. R., Koch, C., & Fried, I. (2018). Human single neuron activity precedes emergence of conscious perception. *Nature Communications*, 9(1), 2057. <https://doi.org/10.1038/s41467-018-03749-0>

Gill, J. L., Omidbeigi, M., Ryu, J., Suthana, N., Kao, J. C., & Bari, A. (2024). *Multiregional Representations of Intertemporal Decision Making in Human Single Neurons*. Neuroscience. <https://doi.org/10.1101/2024.05.13.594032>

- Gogia, A. S., Martin Del Campo-Vera, R., Chen, K.-H., Sebastian, R., Nune, G., Kramer, D. R., Lee, M. B., Tafreshi, A. R., Barbaro, M. F., Liu, C. Y., Kellis, S., & Lee, B. (2020). Gamma-band modulation in the human amygdala during reaching movements. *Neurosurgical Focus*, 49(1), E4. <https://doi.org/10.3171/2020.4.FOCUS20179>
- Guth, T. A., Kunz, L., Brandt, A., Dümpelmann, M., Klotz, K. A., Reinacher, P. C., Schulze-Bonhage, A., Jacobs, J., & Schönberger, J. (2021). Interictal spikes with and without high-frequency oscillation have different single-neuron correlates. *Brain*, 144(10), 3078–3088. <https://doi.org/10.1093/brain/awab288>
- Hagemann, A., Wilting, J., Samimizad, B., Mormann, F., & Priesemann, V. (2021a). Assessing criticality in pre-seizure single-neuron activity of human epileptic cortex. *PLOS Computational Biology*, 17(3), e1008773. <https://doi.org/10.1371/journal.pcbi.1008773>
- Hagemann, A., Wilting, J., Samimizad, B., Mormann, F., & Priesemann, V. (2021b). Assessing criticality in pre-seizure single-neuron activity of human epileptic cortex. *PLOS Computational Biology*, 17(3), e1008773. <https://doi.org/10.1371/journal.pcbi.1008773>
- Helfrich, R. F., & Knight, R. T. (2019). Cognitive neurophysiology of the prefrontal cortex. In *Handbook of Clinical Neurology* (Vol. 163, pp. 35–59). Elsevier. <https://doi.org/10.1016/B978-0-12-804281-6.00003-3>
- Howard, M. A., Volkov, I. O., Granner, M. A., Damasio, H. M., Ollendieck, M. C., & Bakken, H. E. (1996). A hybrid clinical—research depth electrode for acute and chronic in vivo microelectrode recording of human brain neurons: Technical note. *Journal of Neurosurgery*, 84(1), 129–132. <https://doi.org/10.3171/jns.1996.84.1.0129>
- Hussey, E. K., Christianson, K., Treiman, D. M., Smith, K. A., & Steinmetz, P. N. (2017). Single neuron recordings of bilinguals performing in a continuous recognition memory task. *PLOS ONE*, 12(8), e0181850. <https://doi.org/10.1371/journal.pone.0181850>
- Jacobs, J., Kahana, M. J., Ekstrom, A. D., & Fried, I. (2007). Brain Oscillations Control Timing of Single-Neuron Activity in Humans. *The Journal of Neuroscience*, 27(14), 3839–3844. <https://doi.org/10.1523/JNEUROSCI.4636-06.2007>
- Jacobs, J., Weidemann, C. T., Miller, J. F., Solway, A., Burke, J. F., Wei, X.-X., Suthana, N., Sperling, M. R., Sharan, A. D., Fried, I., & Kahana, M. J. (2013). Direct recordings of grid-like neuronal activity in human spatial navigation. *Nature Neuroscience*, 16(9), 1188–1190. <https://doi.org/10.1038/nn.3466>
- Jenison, R. L., Rangel, A., Oya, H., Kawasaki, H., & Howard, M. A. (2011). Value Encoding in Single Neurons in the Human Amygdala during Decision Making. *The Journal of Neuroscience*, 31(1), 331–338. <https://doi.org/10.1523/JNEUROSCI.4461-10.2011>

- Kawasaki, H., Adolphs, R., Kaufman, O., Damasio, H., Damasio, A. R., Granner, M., Bakken, H., Hori, T., & Howard, M. A. (2001). Single-neuron responses to emotional visual stimuli recorded in human ventral prefrontal cortex. *Nature Neuroscience*, 4(1), 15–16. <https://doi.org/10.1038/82850>
- Kehl, M. S., Mackay, S., Ohla, K., Schneider, M., Borger, V., Surges, R., Spehr, M., & Mormann, F. (2024). Single-neuron representations of odours in the human brain. *Nature*, 634(8034), 626–634. <https://doi.org/10.1038/s41586-024-08016-5>
- Keles, U., Dubois, J., Le, K. J. M., Tyszka, J. M., Kahn, D. A., Reed, C. M., Chung, J. M., Mamelak, A. N., Adolphs, R., & Rutishauser, U. (2024). Multimodal single-neuron, intracranial EEG, and fMRI brain responses during movie watching in human patients. *Scientific Data*, 11(1), 214. <https://doi.org/10.1038/s41597-024-03029-1>
- Kornblith, S., Quian Quiroga, R., Koch, C., Fried, I., & Mormann, F. (2017a). Persistent Single-Neuron Activity during Working Memory in the Human Medial Temporal Lobe. *Current Biology*, 27(7), 1026–1032. <https://doi.org/10.1016/j.cub.2017.02.013>
- Kornblith, S., Quian Quiroga, R., Koch, C., Fried, I., & Mormann, F. (2017b). Persistent Single-Neuron Activity during Working Memory in the Human Medial Temporal Lobe. *Current Biology*, 27(7), 1026–1032. <https://doi.org/10.1016/j.cub.2017.02.013>
- Kreiman, G., Fried, I., & Koch, C. (2002). Single-neuron correlates of subjective vision in the human medial temporal lobe. *Proceedings of the National Academy of Sciences*, 99(12), 8378–8383. <https://doi.org/10.1073/pnas.072194099>
- Kreiman, G., Koch, C., & Fried, I. (2000). Category-specific visual responses of single neurons in the human medial temporal lobe. *Nature Neuroscience*, 3(9), 946–953. <https://doi.org/10.1038/78868>
- Krom, A. J., Marmelshtein, A., Gelbard-Sagiv, H., Tankus, A., Hayat, H., Hayat, D., Matot, I., Strauss, I., Fahoum, F., Soehle, M., Boström, J., Mormann, F., Fried, I., & Nir, Y. (2020). Anesthesia-induced loss of consciousness disrupts auditory responses beyond primary cortex. *Proceedings of the National Academy of Sciences*, 117(21), 11770–11780. <https://doi.org/10.1073/pnas.1917251117>
- Kutter, E. F., Bostroem, J., Elger, C. E., Mormann, F., & Nieder, A. (2018). Single Neurons in the Human Brain Encode Numbers. *Neuron*, 100(3), 753–761.e4. <https://doi.org/10.1016/j.neuron.2018.08.036>
- Kutter, E. F., Boström, J., Elger, C. E., Nieder, A., & Mormann, F. (2022). Neuronal codes for arithmetic rule processing in the human brain. *Current Biology*, 32(6), 1275–1284.e4. <https://doi.org/10.1016/j.cub.2022.01.054>
- Kutter, E. F., Dehnen, G., Borger, V., Surges, R., Mormann, F., & Nieder, A. (2023). Distinct neuronal representation of small and large numbers in the human medial temporal lobe.

Nature Human Behaviour, 7(11), 1998–2007. <https://doi.org/10.1038/s41562-023-01709-3>

Kutter, E. F., Dehnen, G., Borger, V., Surges, R., Nieder, A., & Mormann, F. (2024). Single-neuron representation of nonsymbolic and symbolic number zero in the human medial temporal lobe. *Current Biology*, 34(20), 4794–4802.e3. <https://doi.org/10.1016/j.cub.2024.08.041>

Kyzar, M., Kamiński, J., Brzezicka, A., Reed, C. M., Chung, J. M., Mamelak, A. N., & Rutishauser, U. (2024). Dataset of human-single neuron activity during a Sternberg working memory task. *Scientific Data*, 11(1), 89. <https://doi.org/10.1038/s41597-024-02943-8>

Lambrecq, V., Lehongre, K., Adam, C., Frazzini, V., Mathon, B., Clemenceau, S., Hasboun, D., Charpier, S., Baulac, M., Navarro, V., & Le Van Quyen, M. (2017). Single-unit activities during the transition to seizures in deep mesial structures. *Annals of Neurology*, 82(6), 1022–1028. <https://doi.org/10.1002/ana.25111>

Laurent, M.-A., Jacques, C., Yan, X., Jurczynski, P., Colnat-Coulbois, S., Maillard, L., Le Cam, S., Ranta, R., Cottureau, B. R., Koessler, L., Jonas, J., & Rossion, B. (2025). A tight relationship between BOLD fMRI activation/deactivation and increase/decrease in single neuron responses in human association cortex. *eLife*, 14, RP104779. <https://doi.org/10.7554/eLife.104779>

Lehongre, K., Lambrecq, V., Whitmarsh, S., Frazzini, V., Cousyn, L., Soleil, D., Fernandez-Vidal, S., Mathon, B., Houot, M., Lemaréchal, J.-D., Clemenceau, S., Hasboun, D., Adam, C., & Navarro, V. (2022). Long-term deep intracerebral microelectrode recordings in patients with drug-resistant epilepsy: Proposed guidelines based on 10-year experience. *NeuroImage*, 254, 119116. <https://doi.org/10.1016/j.neuroimage.2022.119116>

Lenz, F. A., Jaeger, C. J., Seike, M. S., Lin, Y. C., & Reich, S. G. (2002). Single-Neuron Analysis of Human Thalamus in Patients With Intention Tremor and Other Clinical Signs of Cerebellar Disease. *Journal of Neurophysiology*, 87(4), 2084–2094. <https://doi.org/10.1152/jn.00049.2001>

Lenz, F. A., Jaeger, C. J., Seike, M. S., Lin, Y. C., Reich, S. G., DeLong, M. R., & Vitek, J. L. (1999). Thalamic Single Neuron Activity in Patients With Dystonia: Dystonia-Related Activity and Somatic Sensory Reorganization. *Journal of Neurophysiology*, 82(5), 2372–2392. <https://doi.org/10.1152/jn.1999.82.5.2372>

Liebe, S., Niediek, J., Pals, M., Reber, T. P., Faber, J., Boström, J., Elger, C. E., Macke, J. H., & Mormann, F. (2025). Phase of firing does not reflect temporal order in sequence memory of humans and recurrent neural networks. *Nature Neuroscience*, 28(4), 873–882. <https://doi.org/10.1038/s41593-025-01893-7>

Mackay, S., Reber, T. P., Bausch, M., Boström, J., Elger, C. E., & Mormann, F. (2024). Concept and location neurons in the human brain provide the ‘what’ and ‘where’ in memory formation. *Nature Communications*, 15(1), 7926.

<https://doi.org/10.1038/s41467-024-52295-5>

Manning, J. R., Jacobs, J., Fried, I., & Kahana, M. J. (2009). Broadband Shifts in Local Field Potential Power Spectra Are Correlated with Single-Neuron Spiking in Humans. *The Journal of Neuroscience*, 29(43), 13613–13620.

<https://doi.org/10.1523/JNEUROSCI.2041-09.2009>

Martínez, C. G. B., Niediek, J., Mormann, F., & Andrzejak, R. G. (2020). Seizure Onset Zone Lateralization Using a Non-linear Analysis of Micro vs. Macro Electroencephalographic Recordings During Seizure-Free Stages of the Sleep-Wake Cycle From Epilepsy Patients. *Frontiers in Neurology*, 11, 553885.

<https://doi.org/10.3389/fneur.2020.553885>

Mathon, B., Clemenceau, S., Hasboun, D., Habert, M.-O., Belaid, H., Nguyen-Michel, V.-H., Lambrecq, V., Navarro, V., Dupont, S., Baulac, M., Cornu, P., & Adam, C. (2015). Safety profile of intracranial electrode implantation for video-EEG recordings in drug-resistant focal epilepsy. *Journal of Neurology*, 262(12), 2699–2712.

<https://doi.org/10.1007/s00415-015-7901-6>

Matsuo, T., Kawai, K., Uno, T., Kunii, N., Miyakawa, N., Usami, K., Kawasaki, K., Hasegawa, I., & Saito, N. (2013). Simultaneous Recording of Single-Neuron Activities and Broad-Area Intracranial Electroencephalography: Electrode Design and Implantation Procedure. *Operative Neurosurgery*, 73, ons146–ons154.

<https://doi.org/10.1227/01.neu.0000430327.48387.e1>

Merricks, E. M., Smith, E. H., Emerson, R. G., Bateman, L. M., McKhann, G. M., Goodman, R. R., Sheth, S. A., Greger, B., House, P. A., Trevelyan, A. J., & Schevon, C. A. (2021). Neuronal Firing and Waveform Alterations through Ictal Recruitment in Humans. *The Journal of Neuroscience*, 41(4), 766–779.

<https://doi.org/10.1523/JNEUROSCI.0417-20.2020>

Miller, J. F., Fried, I., Suthana, N., & Jacobs, J. (2015). Repeating Spatial Activations in Human Entorhinal Cortex. *Current Biology*, 25(8), 1080–1085.

<https://doi.org/10.1016/j.cub.2015.02.045>

Misra, A., Burke, J. F., Ramayya, A. G., Jacobs, J., Sperling, M. R., Moxon, K. A., Kahana, M. J., Evans, J. J., & Sharan, A. D. (2014). Methods for implantation of micro-wire bundles and optimization of single/multi-unit recordings from human mesial temporal lobe.

Journal of Neural Engineering, 11(2), 026013. <https://doi.org/10.1088/1741-2560/11/2/026013>

- Misra, A., Long, X., Sperling, M. R., Sharan, A. D., & Moxon, K. A. (2018). Increased neuronal synchrony prepares mesial temporal networks for seizures of neocortical origin. *Epilepsia*, 59(3), 636–649. <https://doi.org/10.1111/epi.14007>
- Mormann, F., Bausch, M., Knieling, S., & Fried, I. (2019). Neurons in the Human Left Amygdala Automatically Encode Subjective Value Irrespective of Task. *Cerebral Cortex*, 29(1), 265–272. <https://doi.org/10.1093/cercor/bhx330>
- Mormann, F., Kornblith, S., Cerf, M., Ison, M. J., Kraskov, A., Tran, M., Knieling, S., Quiñero, R., Koch, C., & Fried, I. (2017). Scene-selective coding by single neurons in the human parahippocampal cortex. *Proceedings of the National Academy of Sciences*, 114(5), 1153–1158. <https://doi.org/10.1073/pnas.1608159113>
- Mormann, F., Kornblith, S., Quiñero, R. Q., Kraskov, A., Cerf, M., Fried, I., & Koch, C. (2008). Latency and Selectivity of Single Neurons Indicate Hierarchical Processing in the Human Medial Temporal Lobe. *The Journal of Neuroscience*, 28(36), 8865–8872. <https://doi.org/10.1523/JNEUROSCI.1640-08.2008>
- Mormann, F., Niediek, J., Tudusciuc, O., Quesada, C. M., Coenen, V. A., Elger, C. E., & Adolphs, R. (2015). Neurons in the human amygdala encode face identity, but not gaze direction. *Nature Neuroscience*, 18(11), 1568–1570. <https://doi.org/10.1038/nn.4139>
- Mukamel, R., Ekstrom, A. D., Kaplan, J., Iacoboni, M., & Fried, I. (2010). Single-Neuron Responses in Humans during Execution and Observation of Actions. *Current Biology*, 20(8), 750–756. <https://doi.org/10.1016/j.cub.2010.02.045>
- Nagahama, Y., Dewar, S., Behnke, E., Eliashiv, D., Stern, J. M., Kalender, G., Fields, T. A., Wilson, C., Staba, R., Engel, J., & Fried, I. (2023). Outcome of stereo-electroencephalography with single-unit recording in drug-refractory epilepsy. *Journal of Neurosurgery*, 139(6), 1588–1597. <https://doi.org/10.3171/2023.4.JNS222633>
- Newhoff, M., Treiman, D. M., Smith, K. A., & Steinmetz, P. N. (2015). Gender differences in human single neuron responses to male emotional faces. *Frontiers in Human Neuroscience*, 9. <https://doi.org/10.3389/fnhum.2015.00499>
- Nir, Y., Andrillon, T., Marmelshtein, A., Suthana, N., Cirelli, C., Tononi, G., & Fried, I. (2017). Selective neuronal lapses precede human cognitive lapses following sleep deprivation. *Nature Medicine*, 23(12), 1474–1480. <https://doi.org/10.1038/nm.4433>
- Penner, C., Minxha, J., Chandravadia, N., Mamelak, A. N., & Rutishauser, U. (2022). Properties and hemispheric differences of theta oscillations in the human hippocampus. *Hippocampus*, 32(5), 335–341. <https://doi.org/10.1002/hipo.23412>
- Pereira, M., Faivre, N., Bernasconi, F., Brandmeir, N., Suffridge, J. E., Tran, K., Wang, S., Finomore, V., Konrad, P., Rezai, A., & Blanke, O. (2025). Subcortical correlates of

consciousness with human single neuron recordings. *eLife*, 13, RP95272.

<https://doi.org/10.7554/eLife.95272>

Quian Quiroga, R., Boscaglia, M., Jonas, J., Rey, H. G., Yan, X., Maillard, L., Colnat-Coulbois, S., Koessler, L., & Rössion, B. (2023). Single neuron responses underlying face recognition in the human midfusiform face-selective cortex. *Nature Communications*, 14(1), 5661. <https://doi.org/10.1038/s41467-023-41323-5>

Quian Quiroga, R., Kraskov, A., Mormann, F., Fried, I., & Koch, C. (2014). Single-Cell Responses to Face Adaptation in the Human Medial Temporal Lobe. *Neuron*, 84(2), 363–369. <https://doi.org/10.1016/j.neuron.2014.09.006>

Quiroga, R. Q., Mukamel, R., Isham, E. A., Malach, R., & Fried, I. (2008). Human single-neuron responses at the threshold of conscious recognition. *Proceedings of the National Academy of Sciences*, 105(9), 3599–3604.

<https://doi.org/10.1073/pnas.0707043105>

Quiroga, R. Q., Reddy, L., Kreiman, G., Koch, C., & Fried, I. (2005). Invariant visual representation by single neurons in the human brain. *Nature*, 435(7045), 1102–1107.

<https://doi.org/10.1038/nature03687>

Reber, T. P., Bausch, M., Mackay, S., Boström, J., Elger, C. E., & Mormann, F. (2019). Representation of abstract semantic knowledge in populations of human single neurons in the medial temporal lobe. *PLOS Biology*, 17(6), e3000290.

<https://doi.org/10.1371/journal.pbio.3000290>

Reber, T. P., Faber, J., Niediek, J., Boström, J., Elger, C. E., & Mormann, F. (2017). Single-Neuron Correlates of Conscious Perception in the Human Medial Temporal Lobe.

Current Biology, 27(19), 2991–2998.e2. <https://doi.org/10.1016/j.cub.2017.08.025>

Reber, T. P., Mackay, S., Bausch, M., Kehl, M. S., Borger, V., Surges, R., & Mormann, F. (2023). Single-neuron mechanisms of neural adaptation in the human temporal lobe.

Nature Communications, 14(1), 2496. <https://doi.org/10.1038/s41467-023-38190-5>

Reddy, L., Quiroga, R. Q., Wilken, P., Koch, C., & Fried, I. (2006). A Single-Neuron Correlate of Change Detection and Change Blindness in the Human Medial Temporal Lobe. *Current Biology*, 16(20), 2066–2072. <https://doi.org/10.1016/j.cub.2006.08.064>

Reed, C. M., Mosher, C. P., Chandravadia, N., Chung, J. M., Mamelak, A. N., & Rutishauser, U. (2020). Extent of Single-Neuron Activity Modulation by Hippocampal Interictal Discharges Predicts Declarative Memory Disruption in Humans. *The Journal of Neuroscience*, 40(3), 682–693. <https://doi.org/10.1523/JNEUROSCI.1380-19.2019>

Reitich-Stolero, T., Aberg, K. C., Halperin, D., Ariel, C., Morris, G., Goldstein, L., Fahoum, F., Strauss, I., & Paz, R. (2025). Rate and noise in human amygdala drive increased exploration in aversive learning. *Nature*. <https://doi.org/10.1038/s41586-025-09466-1>

Rey, H. G., Fried, I., & Quiñan Quiroga, R. (2014a). Timing of Single-Neuron and Local Field Potential Responses in the Human Medial Temporal Lobe. *Current Biology*, 24(3), 299–304. <https://doi.org/10.1016/j.cub.2013.12.004>

Rey, H. G., Fried, I., & Quiñan Quiroga, R. (2014b). Timing of Single-Neuron and Local Field Potential Responses in the Human Medial Temporal Lobe. *Current Biology*, 24(3), 299–304. <https://doi.org/10.1016/j.cub.2013.12.004>

Rey, H. G., Gori, B., Chaure, F. J., Collavini, S., Blenkman, A. O., Seoane, P., Seoane, E., Kochen, S., & Quiñan Quiroga, R. (2020). Single Neuron Coding of Identity in the Human Hippocampal Formation. *Current Biology*, 30(6), 1152-1159.e3. <https://doi.org/10.1016/j.cub.2020.01.035>

Rey, H. G., Panagiotaropoulos, T. I., Gutierrez, L., Chaure, F. J., Nasimbera, A., Cordisco, S., Nishida, F., Valentin, A., Alarcon, G., Richardson, M. P., Kochen, S., & Quiñan Quiroga, R. (2025). Lack of context modulation in human single neuron responses in the medial temporal lobe. *Cell Reports*, 44(1), 115218. <https://doi.org/10.1016/j.celrep.2024.115218>

Rutishauser, U., Mamelak, A. N., & Schuman, E. M. (2006). Single-Trial Learning of Novel Stimuli by Individual Neurons of the Human Hippocampus-Amygdala Complex. *Neuron*, 49(6), 805–813. <https://doi.org/10.1016/j.neuron.2006.02.015>

Rutishauser, U., Reddy, L., Mormann, F., & Sarnthein, J. (2021). The Architecture of Human Memory: Insights from Human Single-Neuron Recordings. *The Journal of Neuroscience*, 41(5), 883–890. <https://doi.org/10.1523/JNEUROSCI.1648-20.2020>

Rutishauser, U., Ross, I. B., Mamelak, A. N., & Schuman, E. M. (2010). Human memory strength is predicted by theta-frequency phase-locking of single neurons. *Nature*, 464(7290), 903–907. <https://doi.org/10.1038/nature08860>

Rutishauser, U., Tudusciuc, O., Wang, S., Mamelak, A. N., Ross, I. B., & Adolphs, R. (2013). Single-Neuron Correlates of Atypical Face Processing in Autism. *Neuron*, 80(4), 887–899. <https://doi.org/10.1016/j.neuron.2013.08.029>

Rutishauser, U., Ye, S., Koroma, M., Tudusciuc, O., Ross, I. B., Chung, J. M., & Mamelak, A. N. (2015a). Representation of retrieval confidence by single neurons in the human medial temporal lobe. *Nature Neuroscience*, 18(7), 1041–1050. <https://doi.org/10.1038/nn.4041>

Rutishauser, U., Ye, S., Koroma, M., Tudusciuc, O., Ross, I. B., Chung, J. M., & Mamelak, A. N. (2015b). Representation of retrieval confidence by single neurons in the human medial temporal lobe. *Nature Neuroscience*, 18(7), 1041–1050. <https://doi.org/10.1038/nn.4041>

Staba, R. J., Wilson, C. L., Bragin, A., Fried, I., & Engel, J. (2002). Sleep States Differentiate Single Neuron Activity Recorded from Human Epileptic Hippocampus, Entorhinal Cortex, and Subiculum. *The Journal of Neuroscience*, 22(13), 5694–5704. <https://doi.org/10.1523/JNEUROSCI.22-13-05694.2002>

Staba, R. J., Wilson, C. L., Fried, I., & Engel, J. (2002). Single neuron burst firing in the human hippocampus during sleep. *Hippocampus*, 12(6), 724–734. <https://doi.org/10.1002/hipo.10026>

Staresina, B. P., Niediek, J., Borger, V., Surges, R., & Mormann, F. (2023). How coupled slow oscillations, spindles and ripples coordinate neuronal processing and communication during human sleep. *Nature Neuroscience*, 26(8), 1429–1437. <https://doi.org/10.1038/s41593-023-01381-w>

Staresina, B. P., Reber, T. P., Niediek, J., Boström, J., Elger, C. E., & Mormann, F. (2019). Recollection in the human hippocampal-entorhinal cell circuitry. *Nature Communications*, 10(1), 1503. <https://doi.org/10.1038/s41467-019-09558-3>

Suthana, N. A., Parikshak, N. N., Ekstrom, A. D., Ison, M. J., Knowlton, B. J., Bookheimer, S. Y., & Fried, I. (2015). Specific responses of human hippocampal neurons are associated with better memory. *Proceedings of the National Academy of Sciences*, 112(33), 10503–10508. <https://doi.org/10.1073/pnas.1423036112>

Tankus, A. (2016). Exploring human epileptic activity at the single-neuron level. *Epilepsy & Behavior*, 58, 11–17. <https://doi.org/10.1016/j.yebeh.2016.02.014>

Tóth, E., Fabó, D., Entz, L., Ulbert, I., & Erőss, L. (2016). Intracranial neuronal ensemble recordings and analysis in epilepsy. *Journal of Neuroscience Methods*, 260, 261–269. <https://doi.org/10.1016/j.jneumeth.2015.09.028>

Unruh-Pinheiro, A., Hill, M. R., Weber, B., Boström, J., Elger, C. E., & Mormann, F. (2020). Single-Neuron Correlates of Decision Confidence in the Human Medial Temporal Lobe. *Current Biology*, 30(23), 4722–4732.e5. <https://doi.org/10.1016/j.cub.2020.09.021>

Valdez, A. B., Hickman, E. N., Treiman, D. M., Smith, K. A., & Steinmetz, P. N. (2013). A statistical method for predicting seizure onset zones from human single-neuron recordings. *Journal of Neural Engineering*, 10(1), 016001. <https://doi.org/10.1088/1741-2560/10/1/016001>

Viskontas, I. V., Ekstrom, A. D., Wilson, C. L., & Fried, I. (2007). Characterizing interneuron and pyramidal cells in the human medial temporal lobe in vivo using extracellular recordings. *Hippocampus*, 17(1), 49–57. <https://doi.org/10.1002/hipo.20241>

Wang, S., Chandravadia, N., Mamelak, A. N., & Rutishauser, U. (2020). *Simultaneous Eye Tracking and Single-Neuron Recordings in Human Epilepsy Patients*.

- Wang, S., Tudusciuc, O., Mamelak, A. N., Ross, I. B., Adolphs, R., & Rutishauser, U. (2014). Neurons in the human amygdala selective for perceived emotion. *Proceedings of the National Academy of Sciences*, 111(30). <https://doi.org/10.1073/pnas.1323342111>
- Waschke, L., Kamp, F., Van Den Elzen, E., Krishna, S., Lindenberger, U., Rutishauser, U., & Garrett, D. D. (2025). Single-neuron spiking variability in hippocampus dynamically tracks sensory content during memory formation in humans. *Nature Communications*, 16(1), 236. <https://doi.org/10.1038/s41467-024-55406-4>
- Watrous, A. J., Miller, J., Qasim, S. E., Fried, I., & Jacobs, J. (2018a). Phase-tuned neuronal firing encodes human contextual representations for navigational goals. *eLife*, 7, e32554. <https://doi.org/10.7554/eLife.32554>
- Watrous, A. J., Miller, J., Qasim, S. E., Fried, I., & Jacobs, J. (2018b). Phase-tuned neuronal firing encodes human contextual representations for navigational goals. *eLife*, 7, e32554. <https://doi.org/10.7554/eLife.32554>
- Weiss, S. A., Alvarado-Rojas, C., Bragin, A., Behnke, E., Fields, T., Fried, I., Engel, J., & Staba, R. (2016). Ictal onset patterns of local field potentials, high frequency oscillations, and unit activity in human mesial temporal lobe epilepsy. *Epilepsia*, 57(1), 111–121. <https://doi.org/10.1111/epi.13251>
- Weiss, S. A., Fried, I., Engel, J., Sperling, M. R., Wong, R. K. S., Nir, Y., & Staba, R. J. (2023). Fast ripples reflect increased excitability that primes epileptiform spikes. *Brain Communications*, 5(5), fcad242. <https://doi.org/10.1093/braincomms/fcad242>
- Wicks, R. T., Witcher, M. R., Couture, D. E., Laxton, A. W., Popli, G., Whitlow, C. T., Fetterhoff, D., Dakos, A. S., Roeder, B. M., Deadwyler, S. A., & Hampson, R. E. (2020). Hippocampal CA1 and CA3 neural recording in the human brain: Validation of depth electrode placement through high-resolution imaging and electrophysiology. *Neurosurgical Focus*, 49(1), E5. <https://doi.org/10.3171/2020.4.FOCUS20164>
- Wixted, J. T., Goldinger, S. D., Squire, L. R., Kuhn, J. R., Papesh, M. H., Smith, K. A., Treiman, D. M., & Steinmetz, P. N. (2018). Coding of episodic memory in the human hippocampus. *Proceedings of the National Academy of Sciences*, 115(5), 1093–1098. <https://doi.org/10.1073/pnas.1716443115>
- Worrell, G. A., Gardner, A. B., Stead, S. M., Hu, S., Goerss, S., Cascino, G. J., Meyer, F. B., Marsh, R., & Litt, B. (2008). High-frequency oscillations in human temporal lobe: Simultaneous microwire and clinical macroelectrode recordings. *Brain*, 131(4), 928–937. <https://doi.org/10.1093/brain/awn006>
- Xiao, X., Li, J., Cao, D., Zhang, J., & Jiang, T. (2024). Contributions of repeated learning to memory in humans: Insights from single-neuron recordings in the hippocampus and amygdala. *Cerebral Cortex*, 34(6), bhae244. <https://doi.org/10.1093/cercor/bhae244>