

Part	Link	Unit Cost	Qty	Total Cost	Notes
<b>Taylor-Henry Cart (THC)</b>					
MiniTec Part #MT022720-3_V3	<a href="#">Cart Quote (as of 8/27/2020)</a>	\$1,035.00	1	\$1,035.00	Contact Mike Taylor (mtaylor@minitecframing.com) to order.
<b>Top Frame</b>					
MiniTec Part #MT020519-1_Frame	<a href="#">Frame Quote (as of 8/27/2020)</a>	\$159.00	1	\$159.00	Contact Mike Taylor (mtaylor@minitecframing.com) to order.
<b>Rotary Drive System</b>					
XYZ Turntable	<a href="#">XYZ Displays Link</a>	\$924.00	1	\$924.00	
Extended Power Cable	<a href="#">Extension Cable Quote (as of 8/27/2020)</a>	\$40.00	1	\$40.00	
MiniTec Part #MT020519-1_Motor Top Plate	<a href="#">Motor Top Plate Quote (as of 8/27/2020)</a>	\$120.00	1	\$120.00	Contact Mike Taylor (mtaylor@minitecframing.com) to order. Drawings provided.
<b>Tank</b>					
HT3 Tank	<a href="#">Tank Quote (as of 8/27/2020)</a>	\$2,150.00	1	\$2,150.00	\$1,500 + \$650 shipping. Drawings available for those who wish to purchase from local vendor
<b>Tools and Accessories</b>					
Suction Cups (for mounting drive to table top)	<a href="#">Amazon Link</a>	\$12.97	1	\$12.97	Pack of 4
Goal Zero Yeti 200X (suggestion)	<a href="#">Goal Zero Link</a>	\$299.95	1	\$299.95	Powers XYZ. Recommend lithium battery
Nuts (for mounting drive to table top)	<a href="#">McMaster Link</a>	\$7.93	1	\$7.93	Pack of 100
Bolts (for mounting drive to table top)	<a href="#">McMaster Link</a>	\$8.00	1	\$8.00	Pack of 10
Hex Key Set (for MiniTec)	<a href="#">McMaster Link</a>	\$25.82	1	\$25.82	Set of 6 (2-6mm)
Adjustable Wrench (for mounting drive to table top)	<a href="#">McMaster Link</a>	\$17.76	1	\$17.76	
			<b>Subtotal</b>	<b>\$4,800.43</b>	

# **MiniTec Framing Systems, LLC**

5602 County Road 41  
Farmington, NY 14425

PH # (585) 924-4690  
FX # (585) 924-4821

Customer No.: UCLA

**Quote**

Slichter Hall, RM 3845 Taylor Lonner

**Quote No.: 43022**

Bill To: **UCLA**

Accounts Payable  
10920 Wilshire Blvd 5th F  
Los Angeles, CA 90024-6502

Ship To: **UCLA Earth, Planetary & Space Sci.**

603 Charles E. Young Dr. East  
Slichter Hall, RM 3845 Taylor Lonner  
Los Angeles, CA 90095

PH # (310) 206-2039  
FX #

Email: [gcontrer@epss.ucla.edu](mailto:gcontrer@epss.ucla.edu)

Date	Ship Via	F.O.B.	Terms		
06/29/20	BEST PPD & ADD	Origin	Net 30		
Quote Expiration Date	Sales Person			Email Address	
09/27/20	Michael Taylor: (585) 433-8405			(mtaylor@minitecfarming.com)	
Quantity Required	Units	Item Number	Description	Unit Price	
1	ea	SYSTEM	CART PER SUPPLIED MODEL "TABLETANKv3" MINITEC PART # MT022720-3_V3 MEASURES 18" X 24" X 16.95" SITS ON 5" SWIVEL LOCKING CASTERS TOP AND BOTTOM ARE 3/8" ALUM, SHELF IS 1/4" ALUM INCLUDES M8X25mm THREADED HANDLES SHIPS IN KIT FORM 6-9 DAYS ARO	1035.0000	1035.00
0.00			Quote subtotal		1035.00
			Quote total		1035.00

### **OPTIONAL TERMS OF SALE**

**CREDIT CARD SALES:** Please call with or fax the following information:

Company Name, Individual name as it appears on card, card number, expiration date, security code, billing address.


**TO ESTABLISH NET 30 TERMS:** Please go to <http://minitecfarming.com/payment.html> and complete and return the credit application in conjunction with your company purchase order. Terms will be established to well qualified buyers listed with Dun & Bradstreet, by the end of the following business day.

**MINITEC REQUIRES A \$50.00 MINIMUM ORDER**

Thank You

# DYNAMICS

## Taylor-Henry Cart (THC)



**MiniTec** *Framing Systems, LLC*

5602 County Road 41  
Farmington, NY 14425

PH # (585) 924-4690  
FX # (585) 924-4821

Customer No.: UCLA

**Quote**

Slichter Hall, RM 3845 Taylor Lonner

**Quote No.: 43044**Bill To: **UCLA**

Accounts Payable  
10920 Wilshire Blvd 5th F  
Los Angeles, CA 90024-6502

Ship To: **UCLA Earth, Planetary & Space Sci.**

603 Charles E. Young Dr. East  
Slichter Hall, RM 3845 Taylor Lonner  
Los Angeles, CA 90095

PH # (310) 206-2039  
FX #

Email: [gcontrer@epss.ucla.edu](mailto:gcontrer@epss.ucla.edu)

Date	Ship Via	F.O.B.	Terms		
07/02/20	BEST PPD & ADD	Origin	Net 30		
Quote Expiration Date	Sales Person		Email Address		
09/30/20	Michael Taylor: (585) 433-8405		(mtaylor@minitecfarming.com)		
Quantity Required	Units	Item Number	Description	Unit Price	Amount
			Ships 4-6 days ARO		
1	ea	SYSTEM	Table kit Minitec Part # MT020519-1_Frame Made from 32x32UL profile with a 3/8" Clear Polycarbonate Top surface Ships in kit form	159.0000	159.00
0.00			Quote subtotal		159.00
			Quote total		159.00

**OPTIONAL TERMS OF SALE**

CREDIT CARD SALES: Please call with or fax the following information:


Company Name, Individual name as it appears on card, card number, expiration date, security code, billing address.

TO ESTABLISH NET 30 TERMS: Please go to <http://minitecfarming.com/payment.html> and complete and return the credit application in conjunction with your company purchase order. Terms will be established to well qualified buyers listed with Dun & Bradstreet, by the end of the following business day.**MINITEC REQUIRES A \$50.00 MINIMUM ORDER**

Thank You

# Dynamics

## HT3 Frame





Brusian  
**NEVER A PROBLEM  
ONLY A SOLUTION**

Search...



Exhibits & Displays Banner Stands Digital Kiosks Hanging Banners & Signs Table Top Displays Counters & Podiums Tower Displays

Design Services

Upload Your Files

## Menu

10x10 Trade Show Displays



10x20 Trade Show Displays

10x30 Trade Show Displays

20x20 Trade Show Displays and Booths

Custom Exhibits & Displays

Step & Repeat Banner Displays

Design Services

Backlit Illuminated Displays

Shipping & Display Cases

**Motorized Turntables &**

0.0 ★★★★  
No rating available

Home > Motorized Turntables & Ceiling Motors > Vue-More Turntables > Rotating Display Turntables >



## Display Turntable with up to 13.3 RPM Variable Speed - 200 lb Cap (VSBLDC)

★★★★★ 1 Review

### Product Details

- Capacity: 200 lb
- Standard RPM: up to 13.3
- Clockwise or Counterclockwise Rotation

### Links to Related Vue-More Products

- [Rotating Display Turntables](#)
- [Rotating Ceiling Motors](#)

Leave a message



# Orientalmotor

ORIENTAL MOTOR U.S.A. Corp.  
570 Alaska Avenue  
Torrance, CA 90503  
1-800-GO-VEXTA (468-3982)

## Item # CC015HBLF, Connection / Extension Cable (F Type - Motor Shaft Outlet), 1.5 m

Connection / Extension cable for BLM Brushless DC Motor

Web Price

\$40.00



### Specifications | Dimensions

#### Specifications

**Lead Time<sup>1</sup>**

Contact your local sales office for more information.

**Cable Type**

Plastic Connector

**Cable Direction**

F Type - Toward Output Shaft

**Cable Length**

4.92 ft


#### Dimensions



## Dimensions

### ● Connection Cables

Length L [m (ft.)]	Product Name		Mass [kg (lb.)]
	Output shaft side	Opposite side of output shaft	
0.5 (1.6)	<b>CC005HBLF</b>	<b>CC005HBLB</b>	0.08 (0.176)
1 (3.3)	<b>CC010HBLF</b>	<b>CC010HBLB</b>	0.12 (0.26)
1.5 (4.9)	<b>CC015HBLF</b>	<b>CC015HBLB</b>	0.2 (0.44)
2 (6.6)	<b>CC020HBLF</b>	<b>CC020HBLB</b>	0.25 (0.55)
2.5 (8.2)	<b>CC025HBLF</b>	<b>CC025HBLB</b>	0.32 (0.70)
3 (9.8)	<b>CC030HBLF</b>	<b>CC030HBLB</b>	0.38 (0.84)
4 (13.1)	<b>CC040HBLF</b>	<b>CC040HBLB</b>	0.49 (1.08)
5 (16.4)	<b>CC050HBLF</b>	<b>CC050HBLB</b>	0.62 (1.36)
7 (23)	<b>CC070HBLF</b>	<b>CC070HBLB</b>	0.86 (1.89)
10 (32.8)	<b>CC100HBLF</b>	<b>CC100HBLB</b>	1.2 (2.6)
15 (49.2)	<b>CC150HBLF</b>	<b>CC150HBLB</b>	1.9 (4.2)
20 (65.6)	<b>CC200HBLF</b>	<b>CC200HBLB</b>	2.5 (5.5)



<sup>1</sup> Quoted Ship Date for orders placed before 12:00 pm PST. Quantities may affect Shipping Date.

©2017 - ORIENTAL MOTOR U.S.A. Corp. - All rights reserved.

**MiniTec** *Framing Systems, LLC*

5602 County Road 41  
Farmington, NY 14425

Customer No.: UCLA

**Quote**

PH # (585) 924-4690  
FX # (585) 924-4821

Slichter Hall, RM 3845 Taylor Lonner

**Quote No.: 43045**Bill To: **UCLA**

Accounts Payable  
10920 Wilshire Blvd 5th F  
Los Angeles, CA 90024-6502

Ship To: **UCLA Earth, Planetary & Space Sci.**

603 Charles E. Young Dr. East  
Slichter Hall, RM 3845 Taylor Lonner  
Los Angeles, CA 90095

PH # (310) 206-2039  
FX #

Email: [gcontrer@epss.ucla.edu](mailto:gcontrer@epss.ucla.edu)

Date	Ship Via	F.O.B.	Terms		
07/02/20	BEST PPD & ADD	Origin	Net 30		
Quote Expiration Date	Sales Person		Email Address		
09/30/20	Michael Taylor: (585) 433-8405		(mtaylor@minitecfarming.com)		
Quantity Required	Units	Item Number	Description	Unit Price	Amount
			Ships 4-6 days ARO		
1	ea	SYSTEM	Motor Top Plate Minitec Part # MT020519-1_Motor Top Plate Made from 3/8" x 18" Diameter Aluminum Includes (3) 10-32 x 1" FHCS Ships in kit form	122.0000	122.00
0.00			Quote subtotal		122.00
			Quote total		122.00

**OPTIONAL TERMS OF SALE**

CREDIT CARD SALES: Please call with or fax the following information:

Company Name, Individual name as it appears on card, card number, expiration date, security code, billing address.


TO ESTABLISH NET 30 TERMS: Please go to <http://minitecfarming.com/payment.html> and complete and return the credit application in conjunction with your company purchase order. Terms will be established to well qualified buyers listed with Dun & Bradstreet, by the end of the following business day.

**MINITEC REQUIRES A \$50.00 MINIMUM ORDER**

Thank You

2

1



**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm$ ANGULAR: MACH $\pm$ BEND $\pm$ TWO PLACE DECIMAL $\pm$ THREE PLACE DECIMAL $\pm$	DRAWN	T.L.	8/27/20
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		
		MATERIAL	ENG APPR.		
		Aluminum	MFG APPR.		
		COMMENTS:	Q.A.		
NEXT ASSY	USED ON				
APPLICATION	FINISH				
	DO NOT SCALE DRAWING				

.375

 $\phi 18.00$ 

# Motor Top Plate Drawing

SIZE	DWG. NO.	REV
A	TopPlate	1
SCALE: 1:5	WEIGHT:	SHEET 1 OF 1

Quote THE-HT3

# SoCal Plastics Pro

1707 W. Pico Blvd.  
Los Angeles, CA 90015

818-912-0554 | scplasticspro@gmail.com

**July 20th , 2020**

## BILL TO

Alex Gonzalez | Iowa State University  
3009 Agronomy 716 Farm House Ln.  
Ames, IA 50011  
[agon@iastate.edu](mailto:agon@iastate.edu)

## FOR

**Custom Acrylic Tank  
The HT3 Tank  
Lead time 4-7 weeks**


Details	AMOUNT
<b>1 Custom Acrylic Tank - The HT3</b>	<b>\$1,500.00</b>
<b>If you would like to use Iowa State University's shipping account please let us know so we could remove shipping charge</b>	
SUBTOTAL	<b>\$1,500.00</b>
TAX RATE	<b>N/A</b>
Shipping	<b>\$650.00</b>
TOTAL	<b>\$2,150.00</b>


Make all checks payable to SoCal Plastics Pro

If you have any questions concerning this invoice, please feel free to contact:

SoCal Plastics Pro at scplasticspro@gmail.com or 818-912-0554

**THANK YOU FOR YOUR BUSINESS!**



**Details****AMOUNT**

**Details****AMOUNT**

2

1

B



B

A

A

		UNLESS OTHERWISE SPECIFIED:		DRAWN TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	NAME T.L. DATE 8/27/20	TITLE:  HT3 Tank Drawing			
		INTERPRET GEOMETRIC TOLERANCING PER:							
NEXT ASSY	USED ON	FINISH		COMMENTS:		SIZE DWG. NO. <b>A</b> HT3 Tank	REV 1		
APPLICATION		DO NOT SCALE DRAWING							
<b>PROPRIETARY AND CONFIDENTIAL</b> THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.						SCALE: 1:12			



ZESPROKA Grease Splatter Screen for Frying Pan, 13", Stainless...

634

Home &amp; Kitchen &gt; Kitchen &amp; Dining &gt; Kitchen Utensils &amp; Gadgets &gt; Graters, Peelers &amp; Slicers &gt; Mandolines &amp; Slicers

Sponsored



## New Star Foodservice 39665 Suction Cup Feet for Industrial Commercial French Fry Cutter, Set of 4

Visit the New Star Foodservice Store

269 ratings

Amazon's Choice for "rubber suction cups"

Price: \$14.97 &amp; FREE Returns

Get \$50 off instantly: Pay \$0.00 \$14.97 upon approval for the Amazon Rewards Visa Card. No annual fee.

This item is returnable

- Includes 4 suction feet made from durable rubber
- Designed to eliminate the need to screw cutters to walls or tables
- Each suction base measures approximately 3" in diameter and 2.2" in height
- Compatible with New Star 3/8", 1/2", and 1/4" French Fry Cutters
- NO drill needed with such good powerful suction feet

Compare with similar items

U-TASTE

Are you looking for high quality measuring cups?

U-Taste 10 Piece Measuring Cups...



\$14.97

&amp; FREE Returns

FREE delivery: Friday, Sep 4 on your first order.

Fastest delivery: Saturday, Aug 29 Order within 5 hrs and 58 mins Details

In Stock.

Qty: 1 ▾

Add to Cart

Buy Now

Secure transaction

Sold by New Star Foodservice Inc and Fulfilled by Amazon.

 Add gift options

Select delivery location

Add to List

Add to Wedding Registry



SHOP PRODUCTS / POWER

&lt; PREVIOUS NEXT &gt;

SKU: 22070

# GOAL ZERO YETI 200X PORTABLE POWER STATION

\$299.95

★★★★★ (8)

Starting at \$28/mo with [affirm](#). [Learn more](#)[Features](#)[Tech Specs](#)

Our most lightweight power station to date, the new Yeti 200X delivers 187 Watt-Hours of lithium power and the latest fast-charging tech... [more](#)

Goal Zero Yeti 200...  
**\$299.95**

+ 20W Solar  
**\$449.95**

## ESSENTIAL ADD-ONS



Yeti 200X Protection Case  
**\$39.95**



Yeti 12V Car Charging Cable  
**\$39.95**

[EMAIL SIGN UP](#)

TOP

## Super-Corrosion-Resistant 316 Stainless Steel Hex Nut

1/4"-20 Thread Size



Packs of 100   In stock  
\$7.93 per pack of 100  
94804A029

**ADD TO ORDER**

Material	316 Stainless Steel
Thread Size	1/4"-20
Thread Type	UNC
Thread Spacing	Coarse
Thread Fit	Class 2B
Thread Direction	Right Hand
Width	7/16"
Height	7/32"
Drive Style	External Hex
Nut Type	Hex
Hex Nut Profile	Standard
System of Measurement	Inch
RoHS	RoHS 3 (2015/863/EU) Compliant
REACH	REACH (EC 1907/2006) (06/25/2020, 209 SVHC) Compliant
DFARS	Not Specialty Metals Compliant
Country of Origin	Philippines or Taiwan

These nuts have excellent chemical resistance and can be used in saltwater environments. They may be mildly magnetic.



3-D Solidworks ▾

**SAVE**

By using this website, you agree to our Terms and Conditions and Privacy Policy

## Stainless Steel Flanged Hex Head Screw

1/4"-20 Thread Size, 1" Long




Packs of 10    In stock  
\$8.00 per pack of 10  
90166A114

**ADD TO ORDER**

Head Type	Hex
Screw Features	Flanged
Drive Style	External Hex
System of Measurement	Inch
Thread Direction	Right Hand
Thread Size	1/4"-20
Screw Size Decimal	0.25"
Equivalent	
Thread Type	UNC
Thread Fit	Class 2A
Length	1"
Threading	Fully Threaded
Thread Spacing	Coarse
Head	
Width	3/8"
Height	9/32"
Flange Diameter	9/16"
Material	18-8 Stainless Steel
Tensile Strength	70,000 psi
Hardness	Rockwell B80
Specifications Met	ASTM F593, IFI 111
RoHS	RoHS 3 (2015/863/EU) Compliant
REACH	REACH (EC 1907/2006) (06/25/2020, 209 SVHC) Compliant
DFARS	Not Specialty Metals Compliant
Country of Origin	United States

## T-Handle Hex Key

6 Piece Metric Set



Hex



Each

In stock

\$25.82 Each

6954A43

**ADD TO ORDER**

For Drive Style	Hex
Number of Pieces	6
Includes	2 mm Hex T-Handle Key (6" O'all Lg.) 2.5 mm Hex T-Handle Key (6" O'all Lg.) 3 mm Hex T-Handle Key (6" O'all Lg.) 4 mm Hex T-Handle Key (6" O'all Lg.) 5 mm Hex T-Handle Key (6" O'all Lg.) 6 mm Hex T-Handle Key (6" O'all Lg.)
Size	2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm
Overall Length	6"
Material	Steel
Finish	Black
Handle Material	Plastic
Grip Style	Cushion
Tip Style	Standard
Driver Style	T-Handle
Driver Type	Standard
Individual/Set	Set
Container Type	Plastic Pouch
RoHS	RoHS 3 (2015/863/EU) Compliant
REACH	REACH (EC 1907/2006) (06/25/2020, 209 SVHC) Compliant
DFARS	Specialty Metals COTS-Exempt
Country of Origin	United States

Sets include assorted keys with long shafts that reach into tight spots to turn fasteners. The plastic-covered handles provide a good grip for your whole hand and are more comfortable to hold.

## Chrome-Plated Adjustable Wrench

8" Overall Length, 1-3/16" Maximum Jaw Capacity

1 Each

In stock  
\$17.76 Each  
5385A21

**ADD TO ORDER**



Wrench Type	Standard
Wrench Style	Open End
Overall Length	8"
Jaw	
Maximum Capacity	1 3/16"
Type	Adjustable
Texture	Smooth
Head Style	Standard
Ratcheting or Nonratcheting	Nonratcheting
Material	Steel
Finish	Chrome Plated
Specifications Met	SAE AS4984A
For Use With	Screws and Nuts
Individual/Set	Individual
RoHS	RoHS 3 (2015/863/EU) Compliant
REACH	REACH (EC 1907/2006) (06/25/2020, 209 SVHC) Compliant
DFARS	Specialty Metals COTS-Exempt
Country of Origin	Taiwan

All wrenches are made in the USA, except those that meet AS4984A.

Wrenches meeting AS4984A have a thicker nickel-chrome coating for greater corrosion resistance and are imported.