

## ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
DEA# PA0202945

## CUSTOMER:

Dispensary Japan Inc.  
1-1-1302  
Kumamoto 862-0955  
MOU by Supply Chain Core



## SAMPLE INFORMATION

**Sample No.:** 1431938  
**Product Name:** H4CBH  
**Product Type:** Other (Distillate)  
**Lot #:** H4CBH-2026FP2

**Date Collected:** 08/01/2026  
**Date Received:** 08/06/2026  
**Date Reported:** 08/13/2026

## TEST SUMMARY

**Cannabinoid Profile:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass

## Cannabinoid Profile ✔ Pass

08/13/2026

**Method:** MF-CHEM-15

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC/MS/MS) & High-Performance Liquid Chromatography w/ Diode Array Detector (HPLC-DAD)

| Cannabinoid           | LOD (ppm) | LOQ (ppm) | mg/g    | ppm     | %        | Limit (ppm) | Status |
|-----------------------|-----------|-----------|---------|---------|----------|-------------|--------|
| 88 THC*               | 1.667     | 5.000     | ND      | ND      | ND       | -           | -      |
| 88 THCV*              | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 89 THC                | 1.667     | 5.000     | ND      | ND      | ND       | -           | -      |
| THCA                  | 1.667     | 5.000     | ND      | ND      | ND       | -           | -      |
| THCV*                 | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| THCVA*                | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBD                   | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBDA                  | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBC                   | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBCA                  | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBDD                  | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBDM                  | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBDV                  | 333.300   | 1000.000  | 3.28452 | 3284.52 | 0.328452 | -           | -      |
| CBDVA                 | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBG                   | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBGA                  | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBN*                  | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBL                   | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBT                   | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| CBV                   | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 88 THC Acetate*       | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 89 THC Acetate*       | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(R)-HHC*             | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(S)-HHC*             | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(R)-HHC Acetate* **  | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(S)-HHC Acetate* *** | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(R)-HHCH* **         | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(S)-HHCH* **         | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(R)-HHCP* **         | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 9(S)-HHCP* **         | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 1(R)-THD              | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 1(S)-THD              | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 89-THCB* **           | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 89-THCH* **           | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| 88-THCP* **           | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |

| Cannabinoid               | LOD (ppm) | LOQ (ppm) | mg/g    | ppm     | %        | Limit (ppm) | Status |
|---------------------------|-----------|-----------|---------|---------|----------|-------------|--------|
| Δ9-THCP* **               | 333.300   | 1000.000  | ND      | ND      | ND       | -           | -      |
| Total THC                 | -         | -         | ND      | ND      | ND       | 10          | Pass   |
| Total CBD                 | -         | -         | ND      | ND      | ND       | -           | -      |
| Total Active Cannabinoids | -         | -         | 3.28452 | 3284.52 | 0.328452 | -           | -      |
| Total Cannabinoids        | -         | -         | 3.28452 | 3284.52 | 0.328452 | -           | -      |

Total THC = Δ9-THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

\*Banned substances according to MHLW. Any detection is considered illegal.

\*\*Certified reference materials not available. Standard reference materials used for quantitative analysis.

D9-THC, D9-THCA, and D8-THC results determined with LC-MSMS.

## Microbiological Screen ✓ Pass

08/12/2026

Regulatory Standard\* DCC

| Analyte    | Method      | Instrument                | Findings        | Units | Status |
|------------|-------------|---------------------------|-----------------|-------|--------|
| Salmonella | MF-MICRO-11 | Molecular Detection Assay | Not Detected/1g | /1g   | Pass   |
| STEC       | MF-MICRO-18 | Molecular Detection Assay | Not Detected/1g | /1g   | Pass   |

## Pesticide Residue Screen ✓ Pass

08/10/2026

Method: MF-CHEM-13

Regulatory Standard\* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte             | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|---------------------|----------------|-----------------|---------------|--------|
| Abamectin           | 0.04/0.10      | ND              | 0.1           | Pass   |
| Acephate            | 0.02/0.06      | ND              | 0.1           | Pass   |
| Acequinocyl         | 0.04/0.10      | ND              | 0.1           | Pass   |
| Acetamiprid         | 0.017/0.05     | ND              | 0.1           | Pass   |
| Aldicarb            | 0.02/0.06      | ND              | 0.02          | Pass   |
| Azoxystrobin        | 0.02/0.06      | ND              | 0.1           | Pass   |
| Bifenazate          | 0.02/0.06      | ND              | 0.1           | Pass   |
| Bifenthrin          | 0.04/0.10      | ND              | 3.0           | Pass   |
| Boscalid            | 0.02/0.06      | ND              | 0.1           | Pass   |
| Captan              | 0.2/0.6        | ND              | 0.7           | Pass   |
| Carbaryl            | 0.02/0.06      | ND              | 0.5           | Pass   |
| Carbofuran          | 0.017/0.05     | ND              | 0.017         | Pass   |
| Chlorantraniliprole | 0.02/0.06      | ND              | 10.0          | Pass   |
| Chlordane           | 0.02/0.06      | ND              | 0.02          | Pass   |
| Chlorfenapyr        | 0.02/0.06      | ND              | 0.02          | Pass   |
| Chlorpyrifos        | 0.02/0.06      | ND              | 0.02          | Pass   |
| Clofentezine        | 0.02/0.06      | ND              | 0.1           | Pass   |
| Coumaphos           | 0.02/0.06      | ND              | 0.02          | Pass   |
| Cyfluthrin          | 0.10/0.30      | ND              | 2.0           | Pass   |
| Cypermethrin        | 0.10/0.30      | ND              | 1.0           | Pass   |
| Daminozide          | 0.017/0.05     | ND              | 0.017         | Pass   |
| DDVP (Dichlorvos)   | 0.013/0.04     | ND              | 0.013         | Pass   |
| Diazinon            | 0.017/0.05     | ND              | 0.1           | Pass   |
| Dimethoate          | 0.017/0.05     | ND              | 0.017         | Pass   |
| Dimethomorph        | 0.017/0.05     | ND              | 2.0           | Pass   |
| Ethoprop(hos)       | 0.02/0.06      | ND              | 0.02          | Pass   |
| Etofenprox          | 0.02/0.06      | ND              | 0.02          | Pass   |
| Etoxazole           | 0.02/0.06      | ND              | 0.1           | Pass   |
| Fenhexamid          | 0.017/0.05     | ND              | 0.1           | Pass   |
| Fenoxycarb          | 0.02/0.06      | ND              | 0.02          | Pass   |
| Fenpyroximate       | 0.02/0.06      | ND              | 0.1           | Pass   |
| Fipronil            | 0.02/0.06      | ND              | 0.02          | Pass   |
| Flonicamid          | 0.02/0.06      | ND              | 0.1           | Pass   |
| Fludioxonil         | 0.02/0.06      | ND              | 0.1           | Pass   |
| Hexythiazox         | 0.02/0.06      | ND              | 0.1           | Pass   |
| Imazalil            | 0.02/0.06      | ND              | 0.02          | Pass   |
| Imidacloprid        | 0.02/0.06      | ND              | 5.0           | Pass   |
| Kresoxim Methyl     | 0.02/0.06      | ND              | 0.1           | Pass   |
| Malathion           | 0.017/0.05     | ND              | 0.5           | Pass   |
| Metalaxyl           | 0.017/0.05     | ND              | 2.0           | Pass   |
| Methiocarb          | 0.02/0.06      | ND              | 0.02          | Pass   |

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|-------------------------|----------------|-----------------|---------------|--------|
| Methomyl                | 0.013/0.04     | ND              | 1.0           | Pass   |
| Methyl parathion        | 0.02/0.06      | ND              | 0.02          | Pass   |
| Mevinphos               | 0.02/0.06      | ND              | 0.02          | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 0.1           | Pass   |
| Naled                   | 0.017/0.05     | ND              | 0.1           | Pass   |
| Oxamyl                  | 0.013/0.04     | ND              | 0.5           | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02          | Pass   |
| Pentachloronitrobenzene | 0.017/0.05     | ND              | 0.1           | Pass   |
| Permethrins             | 0.10/0.30      | ND              | 0.5           | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.1           | Pass   |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 3.0           | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.1           | Pass   |
| Propiconazole           | 0.02/0.06      | ND              | 0.1           | Pass   |
| Propoxur                | 0.013/0.04     | ND              | 0.013         | Pass   |
| Pyrethrins              | 0.15/0.50      | ND              | 0.5           | Pass   |
| Pyridaben               | 0.017/0.05     | ND              | 0.1           | Pass   |
| Spinetoram              | 0.02/0.06      | ND              | 0.1           | Pass   |
| Spinosad                | 0.02/0.06      | ND              | 0.1           | Pass   |
| Spiromesifen            | 0.04/0.10      | ND              | 0.1           | Pass   |
| Spirotetramat           | 0.02/0.06      | ND              | 0.1           | Pass   |
| Spiroxamine             | 0.017/0.05     | ND              | 0.017         | Pass   |
| Tebuconazole            | 0.02/0.06      | ND              | 0.1           | Pass   |
| Thiacloprid             | 0.013/0.04     | ND              | 0.013         | Pass   |
| Thiamethoxam            | 0.02/0.06      | ND              | 5.0           | Pass   |
| Trifloxystrobin         | 0.02/0.06      | ND              | 0.1           | Pass   |

## Residual Solvent Screen ✓ Pass

08/10/2026

Method: MF-CHEM-32

Regulatory Standard\* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|--------------------------------------|----------------|-----------------|---------------|--------|
| 1,2-Dichloroethane                   | 0.5/0.5        | ND              | 1             | Pass   |
| Acetone                              | 57/200         | ND              | 5000          | Pass   |
| Acetonitrile                         | 56/200         | ND              | 410           | Pass   |
| Benzene                              | 0.5/0.5        | ND              | 1             | Pass   |
| n-Butane                             | 45/200         | ND              | 5000          | Pass   |
| Chloroform                           | 0.5/0.5        | ND              | 1             | Pass   |
| Ethanol                              | 37/200         | ND              | 5000          | Pass   |
| Ethyl acetate                        | 38/200         | ND              | 5000          | Pass   |
| Ethyl ether                          | 37/200         | ND              | 5000          | Pass   |
| Ethylene oxide                       | 0.1/0.5        | ND              | 1             | Pass   |
| n-Heptane                            | 135/200        | ND              | 5000          | Pass   |
| n-Hexane                             | 49/200         | ND              | 290           | Pass   |
| Isopropyl alcohol                    | 57/200         | ND              | 5000          | Pass   |
| Methanol                             | 37/200         | ND              | 3000          | Pass   |
| Methylene chloride                   | 0.1/0.5        | ND              | 1             | Pass   |
| n-Pentane                            | 37/200         | ND              | 5000          | Pass   |
| Propane                              | 72/200         | ND              | 5000          | Pass   |
| Toluene                              | 49/200         | ND              | 890           | Pass   |
| Total xylenes (ortho-, meta-, para-) | 58/200         | ND              | 2170          | Pass   |
| Trichloroethylene                    | 0.5/0.5        | ND              | 1             | Pass   |

## Heavy Metal Screen ✓ Pass

08/10/2026

Method: MF-CHEM-16

Regulatory Standard\* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|---------|----------------|-----------------|---------------|--------|
| Arsenic | 0.033/0.101    | ND              | 0.2           | Pass   |
| Cadmium | 0.047/0.141    | ND              | 0.2           | Pass   |
| Mercury | 0.014/0.05     | ND              | 0.1           | Pass   |
| Lead    | 0.107/0.324    | ND              | 0.5           | Pass   |

## Foreign Material ✔ Pass

08/10/2026

Method: MF-CHEM-7

Regulatory Standard\* DCC

| Analyte                        | Findings | Limit*   | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

08/10/2026

Method: MF-CHEM-13

Regulatory Standard\* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg)* | Status |
|------------------|-----------------|------------------|----------------|--------|
| Aflatoxin B1     | 2/5             | ND               | -              | -      |
| Aflatoxin B2     | 2/5             | ND               | -              | -      |
| Aflatoxin G1     | 2/5             | ND               | -              | -      |
| Aflatoxin G2     | 2/5             | ND               | -              | -      |
| Total Aflatoxins | 8/20            | ND               | 20             | Pass   |
| Ochratoxin A     | 6/18            | ND               | 20             | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by




Vu Lam  
Lab Co Director



Scan to verify