


ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

Dispensary Japan Inc.
1-1-1302
Kumamoto 862-0955
MOU by Supply Chain Core



SAMPLE INFORMATION

Sample No.: 1431939
Product Name: HHBD
Product Type: Other (Distillate)
Lot #: HHBD-2026FP2

Date Collected: 08/01/2026
Date Received: 08/06/2026
Date Reported: 08/12/2026

TEST SUMMARY

Cannabinoid Profile: ✔ Pass
Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Microbiological Screen: ✔ Pass
Residual Solvent Screen: ✔ Pass
Foreign Material: ✔ Pass

Cannabinoid Profile ✔ Pass

08/12/2026

Method: MF-CHEM-15

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC/MS/MS) & High-Performance Liquid Chromatography w/ Diode Array Detector (HPLC-DAD)

Cannabinoid	LOD (ppm)	LOQ (ppm)	mg/g	ppm	%	Limit (ppm)	Status
88 THC*	0.167	0.500	ND	ND	ND	-	-
88 THCV*	333.300	1000.000	ND	ND	ND	-	-
89 THC	0.167	0.500	ND	ND	ND	-	-
THCA	0.167	0.500	ND	ND	ND	-	-
THCV*	333.300	1000.000	ND	ND	ND	-	-
THCVA*	333.300	1000.000	ND	ND	ND	-	-
CBD	333.300	1000.000	1.00338	1003.38	0.100338	-	-
CBDA	333.300	1000.000	ND	ND	ND	-	-
CBC	333.300	1000.000	ND	ND	ND	-	-
CBCA	333.300	1000.000	ND	ND	ND	-	-
CBDD	333.300	1000.000	ND	ND	ND	-	-
CBDM	333.300	1000.000	ND	ND	ND	-	-
CBDV	333.300	1000.000	ND	ND	ND	-	-
CBDVA	333.300	1000.000	ND	ND	ND	-	-
CBG	333.300	1000.000	ND	ND	ND	-	-
CBGA	333.300	1000.000	ND	ND	ND	-	-
CBN*	333.300	1000.000	ND	ND	ND	-	-
CBL	333.300	1000.000	ND	ND	ND	-	-
CBT	333.300	1000.000	ND	ND	ND	-	-
CBV	333.300	1000.000	ND	ND	ND	-	-
88 THC Acetate*	333.300	1000.000	ND	ND	ND	-	-
89 THC Acetate*	333.300	1000.000	ND	ND	ND	-	-
9(R)-HHC*	333.300	1000.000	ND	ND	ND	-	-
9(S)-HHC*	333.300	1000.000	ND	ND	ND	-	-
9(R)-HHC Acetate* **	333.300	1000.000	ND	ND	ND	-	-
9(S)-HHC Acetate* **	333.300	1000.000	ND	ND	ND	-	-
9(R)-HHCH* **	333.300	1000.000	ND	ND	ND	-	-
9(S)-HHCH* **	333.300	1000.000	ND	ND	ND	-	-
9(R)-HHCP* **	333.300	1000.000	ND	ND	ND	-	-
9(S)-HHCP* **	333.300	1000.000	ND	ND	ND	-	-
1(R)-THD	333.300	1000.000	ND	ND	ND	-	-
1(S)-THD	333.300	1000.000	ND	ND	ND	-	-
89-THCB* **	333.300	1000.000	ND	ND	ND	-	-
89-THCH* **	333.300	1000.000	ND	ND	ND	-	-
88-THCP* **	333.300	1000.000	ND	ND	ND	-	-

Cannabinoid	LOD (ppm)	LOQ (ppm)	mg/g	ppm	%	Limit (ppm)	Status
Δ9-THCP* **	333.300	1000.000	ND	ND	ND	-	-
Total THC	-	-	ND	ND	ND	1	Pass
Total CBD	-	-	1.00338	1003.38	0.100338	-	-
Total Active Cannabinoids	-	-	1.00338	1003.38	0.100338	-	-
Total Cannabinoids	-	-	1.00338	1003.38	0.100338	-	-

Total THC = Δ9-THC + (0.877 * THCA)

Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

*Banned substances according to MHLW. Any detection is considered illegal.

**Certified reference materials not available. Standard reference materials used for quantitative analysis.

D9-THC, D9-THCA, and D8-THC results determined with LC-MSMS.

Microbiological Screen ✓ Pass

08/10/2026

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

Pesticide Residue Screen ✓ Pass

08/10/2026

Method: MF-CHEM-13

Regulatory Standard* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Abamectin	0.04/0.10	ND	0.1	Pass
Acephate	0.02/0.06	ND	0.1	Pass
Acequinocyl	0.04/0.10	ND	0.1	Pass
Acetamiprid	0.017/0.05	ND	0.1	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	0.1	Pass
Bifenazate	0.02/0.06	ND	0.1	Pass
Bifenthrin	0.04/0.10	ND	3.0	Pass
Boscalid	0.02/0.06	ND	0.1	Pass
Captan	0.2/0.6	ND	0.7	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	10.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.1	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	2.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.1	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	2.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	0.1	Pass
Fenhexamid	0.017/0.05	ND	0.1	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	0.1	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	0.1	Pass
Fludioxonil	0.02/0.06	ND	0.1	Pass
Hexythiazox	0.02/0.06	ND	0.1	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	5.0	Pass
Kresoxim Methyl	0.02/0.06	ND	0.1	Pass
Malathion	0.017/0.05	ND	0.5	Pass
Metalaxyl	0.017/0.05	ND	2.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Methomyl	0.013/0.04	ND	1.0	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	0.1	Pass
Naled	0.017/0.05	ND	0.1	Pass
Oxamyl	0.013/0.04	ND	0.5	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.1	Pass
Permethrins	0.10/0.30	ND	0.5	Pass
Phosmet	0.02/0.06	ND	0.1	Pass
Piperonyl Butoxide	0.02/0.06	ND	3.0	Pass
Prallethrin	0.04/0.10	ND	0.1	Pass
Propiconazole	0.02/0.06	ND	0.1	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	0.5	Pass
Pyridaben	0.017/0.05	ND	0.1	Pass
Spinetoram	0.02/0.06	ND	0.1	Pass
Spinosad	0.02/0.06	ND	0.1	Pass
Spiromesifen	0.04/0.10	ND	0.1	Pass
Spirotetramat	0.02/0.06	ND	0.1	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	0.1	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	5.0	Pass
Trifloxystrobin	0.02/0.06	ND	0.1	Pass

Residual Solvent Screen ✓ Pass

08/10/2026

Method: MF-CHEM-32

Regulatory Standard* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✓ Pass

08/10/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Arsenic	0.033/0.101	ND	0.2	Pass
Cadmium	0.047/0.141	ND	0.2	Pass
Mercury	0.014/0.05	ND	0.1	Pass
Lead	0.107/0.324	ND	0.5	Pass

Foreign Material ✔ Pass

08/10/2026

Method: MF-CHEM-7

Regulatory Standard* DCC

Analyte	Findings	Limit*	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen ✔ Pass

08/10/2026

Method: MF-CHEM-13

Regulatory Standard* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)*	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by




Vu Lam
Lab Co Director



Scan to verify