

Emmet Cheat Sheet as on

2017-02-25

Syntax		
Child: > nav>ul>li <nav> </nav>	Multiplication: * ul>li*5 	Custom attributes p[title="Hello world"] <p title="Hello world"></p> td[rowspan=2 colspan=3 title] <td rowspan="2" colspan="3" title=""></td> [a='value1' b="value2"] <div a="value1" b="value2"></div>
Sibling: + div+p+bq <div></div> <p></p> <blockquote></ blockquote>	Item numbering: \$ ul>li.item\$*5 <li class="item1"> <li class="item2"> <li class="item3"> <li class="item4"> <li class="item5"> h\${title=item\$}{Header \$}*3 <h1 title="item1">Header 1</h1> <h2 title="item2">Header 2</h2> <h3 title="item3">Header 3</h3> ul>li.item\$\$\$*5 <li class="item001"> <li class="item002">	Text: {} a{Click me} Click me p>{Click }+a{here}+{ to continue} <p>Click here to continue</p>

<pre><p></spa n>< /p> </div> <blockquote></ blockquote></pre>		<pre></table></pre>
<p>Grouping: ()</p> <pre>div>(header>ul> li*2>a)+footer> p <div> <header> > > </header> <footer> <p></p> </footer> </div> (div>dl>(dt+dd) *3)+footer>p <div> <dl> <dt></dt> <dd></dd> <dt></dt> <dd></dd> <dt></dt></pre>		

<pre> <dd></dd> </dl> </div> <footer> <p></p> </footer> </pre>		
HTML		
<p>All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.</p> <p>!</p> <p>Alias of html:5</p> <pre> <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF- 8" /> <title>Documen t</title> </head> <body> </body> </html> </pre> <p>a</p> <pre> </pre> <p>a:link</p>	<p>input:week</p> <p>Alias of inp[type=week]</p> <pre> <input type="week" name="" id="" /> </pre> <p>input:time</p> <p>Alias of inp[type=time]</p> <pre> <input type="time" name="" id="" /> </pre> <p>input:tel</p> <p>Alias of inp[type=tel]</p> <pre> <input type="tel" name="" id="" /> </pre> <p>input:number</p> <p>Alias of inp[type=number]</p> <pre> <input type="number" name="" id="" /> </pre> <p>input:color</p> <p>Alias of inp[type=color]</p> <pre> <input type="color" name="" id="" /> </pre> <p>input:checkbox, input:c</p> <p>Alias of inp[type=checkbox]</p> <pre> <input type="checkbox" name="" id="" /> </pre> <p>input:radio, input:r</p>	<p>det</p> <p>Alias of details</p> <pre> <details></details> </pre> <p>cmd</p> <p>Alias of command</p> <pre> <command /> </pre> <p>doc</p> <p>Alias of</p> <pre> html>(head>meta[charset=\${ charset}]+title\${\$1:Document })+body <html> <head> <meta charset="UTF-8" /> <title>Document</title> </head> <body> </body> </html> </pre> <p>doc4</p> <p>Alias of</p> <pre> html>(head>meta[http- equiv="Content-Type" content="text/html;charset=\${ charset}"+title\${\$1:Documen t}))+body </pre>

<p></p> <p>a:mail</p> <p></p> <p>abbr</p> <p><abbr title=""></abbr></p> <p>acronym, acr</p> <p><acronym title=""></acronym></p> <p>base</p> <p><base href="" /></p> <p>basefont</p> <p><basefont /></p> <p>br</p> <p>
</p> <p>frame</p> <p><frame /></p> <p>hr</p> <p><hr /></p> <p>bdo</p> <p><bdo dir=""></bdo></p> <p>bdo:r</p> <p><bdo dir="rtl"></bdo></p>	<p>Alias of inp[type=radio] <input type="radio" name="" id="" /></p> <p>input:range</p> <p>Alias of inp[type=range] <input type="range" name="" id="" /></p> <p>input:file, input:f</p> <p>Alias of inp[type=file] <input type="file" name="" id="" /></p> <p>input:submit, input:s</p> <p><input type="submit" value="" /></p> <p>input:image, input:i</p> <p><input type="image" src="" alt="" /></p> <p>input:button, input:b</p> <p><input type="button" value="" /></p> <p>isindex</p> <p><isindex /></p> <p>input:reset</p> <p>Alias of input:button[type=reset] <input type="reset" value="" /></p> <p>select</p> <p><select name="" id=""></select></p> <p>select:disabled, select:d</p> <p>Alias of select[disabled.] <select name="" id="" disabled="disabled"></select></p> <p>option, opt</p> <p><option value=""></option></p>	<p><html> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /> <title>Document</title> </head> <body> </body> </html></p> <p>ri:dpr, ri:d</p> <p>Alias of img:s </p> <p>ri:viewport, ri:v</p> <p>Alias of img:z </p> <p>ri:art, ri:a</p> <p>Alias of pic>src:m+img <picture> <source media="(min-width:)" srcset="" /> </picture></p> <p>ri:type, ri:t</p> <p>Alias of pic>src:t+img <picture> <source srcset="" type="image/" /> </picture></p>
--	---	---

<p>bdo:l <bdo dir="ltr"></bdo></p> <p>col <col /></p> <p>link <link rel="stylesheet" href="" /></p> <p>link:css <link rel="stylesheet" href="style.css" /></p> <p>link:print <link rel="stylesheet" href="print.css" media="print" /></p> <p>link:favicon <link rel="shortcut icon" type="image/x- icon" href="favicon.ic o" /></p> <p>link:touch <link rel="apple- touch-icon" href="favicon.p ng" /></p> <p>link:rss</p>	<p>textarea <textarea name="" id="" cols="30" rows="10"></textarea></p> <p>marquee <marquee behavior="" direction=""></marquee></p> <p>menu:context, menu:c Alias of menu[type=context]> <menu type="context"></menu></p> <p>menu:toolbar, menu:t Alias of menu[type=toolbar]> <menu type="toolbar"></menu></p> <p>video <video src=""></video></p> <p>audio <audio src=""></audio></p> <p>html:xml <html xmlns="http://www.w3.org/1999/xhtml"> </html></p> <p>keygen <keygen /></p> <p>command <command /></p> <p>button:submit, button:s, btn:s Alias of button[type=submit] <button type="submit"></button></p> <p>button:reset, button:r, btn:r</p>	<p>html:4t Alias of !!!4t+doc4[lang=\${lang}] <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4 /loose.dtd"> <html lang="en"> <head> <meta http- equiv="Content-Type" content="text/html;charset=U TF-8" /> <title>Document</title> </head> <body> </body> </html></p> <p>html:4s Alias of !!!4s+doc4[lang=\${lang}] <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4 /strict.dtd"> <html lang="en"> <head> <meta http- equiv="Content-Type" content="text/html;charset=U TF-8" /> <title>Document</title> </head> <body> </body> </html></p>
---	---	---

<p><link rel="alternate" type="applicati on/rss+xml" title="RSS" href="rss.xml" /></p> <p>link:atom <link rel="alternate" type="applicati on/atom+xml" title="Atom" href="atom.xml" "/></p> <p>link:import, link:im <link rel="import" href="compone nt.html" /></p> <p>meta <meta /></p> <p>meta:utf <meta http- equiv="Content -Type" content="text/h tml;charset=UTF F-8" /></p> <p>meta:win <meta http- equiv="Content -Type" content="text/h tml;charset=win dows-1251" /></p>	<p>Alias of button[type=reset] <button type="reset"></button></p> <p>button:disabled, button:d, btn:d</p> <p>Alias of button[disabled.] <button disabled="disabled"></button></p> <p>fieldset:disabled, fieldset:d, fset:d, fst:d</p> <p>Alias of fieldset[disabled.] <fieldset disabled="disabled"></fieldset></p> <p>bq</p> <p>Alias of blockquote <blockquote></blockquote></p> <p>fig</p> <p>Alias of figure <figure></figure></p> <p>figcaption</p> <p>Alias of figcaption <figcaption></figcaption></p> <p>pic</p> <p>Alias of picture <picture></picture></p> <p>ifr</p> <p>Alias of iframe <iframe src="" frameborder="0"></iframe></p>	<p>html:xt</p> <p>Alias of !!!xt+doc4[xmlns=http://www. w3.org/1999/xhtml xml:lang=\${lang}] <!DOCTYPE html PUBLIC "- //W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml 1/DTD/xhtml1- transitional.dtd"> <html xmlns="http://www.w3.org/19 99/xhtml" xml:lang="en"> <head> <meta http- equiv="Content-Type" content="text/html;charset=U TF-8" /> <title>Document</title> </head> <body> </body> </html></p> <p>html:xs</p> <p>Alias of !!!xs+doc4[xmlns=http://www. w3.org/1999/xhtml xml:lang=\${lang}] <!DOCTYPE html PUBLIC "- //W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml 1/DTD/xhtml1-strict.dtd"> <html xmlns="http://www.w3.org/19 99/xhtml" xml:lang="en"> <head></p>
--	--	---

<p>meta:vp <meta name="viewport" content="width =device-width, user- scalable=no, initial-scale=1.0, maximum- scale=1.0, minimum- scale=1.0" /></p> <p>meta:compa t <meta http- equiv="X-UA- Compatible" content="IE=7" /></p> <p>style <style></style></p> <p>script <script></script ></p> <p>script:src <script src=""></script></p> <p>img </p> <p>img:srcset, img:s</p>	<p>emb Alias of embed <embed src="" type="" /></p> <p>obj Alias of object <object data="" type=""></object></p> <p>cap Alias of caption <caption></caption></p> <p>colg Alias of colgroup <colgroup></colgroup></p> <p>fst, fset Alias of fieldset <fieldset></fieldset></p> <p>btn Alias of button <button></button></p> <p>optg Alias of optgroup <optgroup></optgroup></p> <p>textarea Alias of textarea <textarea name="" id="" cols="30" rows="10"></textarea></p> <p>leg</p>	<p><meta http- equiv="Content-Type" content="text/html; charset=U TF-8" /> <title>Document</title> </head> <body> </body> </html></p> <p>html:xxs Alias of !!!xxs+doc4[xmlns=http://ww w.w3.org/1999/xhtml xml:lang=\${lang}] <!DOCTYPE html PUBLIC "- //W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml 11/DTD/xhtml11.dtd"> <html xmlns="http://www.w3.org/19 99/xhtml" xml:lang="en"> <head> <meta http- equiv="Content-Type" content="text/html; charset=U TF-8" /> <title>Document</title> </head> <body> </body> </html></p> <p>html:5 Alias of !!!+doc[lang=\${lang}] <!DOCTYPE html> <html lang="en"> <head></p>
---	--	--

"="" '="" \"="" alt="HTML code for the tag: 	<p>Alias of legend <legend></legend></p> <p>sect</p> <p>Alias of section <section></section></p> <p>art</p> <p>Alias of article <article></article></p> <p>hdr</p> <p>Alias of header <header></header></p> <p>fttr</p> <p>Alias of footer <footer></footer></p> <p>adr</p> <p>Alias of address <address></address></p> <p>dlg</p> <p>Alias of dialog <dialog></dialog></p> <p>str</p> <p>Alias of strong </p> <p>prog</p> <p>Alias of progress</p>	
---	--	--------------------------

source:sizes, src:z <code><source sizes="" srcset="" /></code> source:media:type, src:mt <code><source media="(min-width:)" srcset="" type="image/" /></code> source:media:sizes, src:mz <code><source media="(min-width:)" sizes="" srcset="" /></code> source:sizes:type, src:zt <code><source sizes="" srcset="" type="image/" /></code> iframe <code><iframe src="" frameborder="0"></iframe></code> embed <code><embed src="" type="" /></code>	<code><progress></progress></code> mn Alias of main <code><main></main></code> tem Alias of template <code><template></template></code> datag Alias of datagrid <code><datagrid></datagrid></code> datal Alias of datalist <code><datalist></datalist></code> kg Alias of keygen <code><keygen /></code> out Alias of output <code><output></output></code>	<code><td></td></code> <code></tr></code> <code></table></code> colgroup+, colg+ Alias of colgroup>col <code><colgroup></code> <code><col /></code> <code></colgroup></code> tr+ Alias of tr>td <code><tr></code> <code><td></td></code> <code></tr></code> select+ Alias of select>option <code><select name="" id=""></code> <code><option</code> <code>value=""></option></code> <code></select></code> optgroup+, optg+ Alias of optgroup>option <code><optgroup></code> <code><option</code> <code>value=""></option></code> <code></optgroup></code> pic+ Alias of picture>source:srcset+img <code><picture></code> <code><source srcset="" /></code> <code></code> <code></picture></code>
---	---	---

<p>object <object data="" type=""></objec t></p> <p>param <param name="" value="" /></p> <p>map <map name=""></map ></p> <p>area <area shape="" coords="" href="" alt="" /></p> <p>area:d <area shape="default" href="" alt="" /></p> <p>area:c <area shape="circle" coords="" href="" alt="" /></p> <p>area:r <area shape="rect" coords="" href="" alt="" /></p> <p>area:p <area shape="poly"</p>		<p>!!! <!DOCTYPE html></p> <p>!!!4t <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4 /loose.dtd"></p> <p>!!!4s <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4 /strict.dtd"></p> <p>!!!xt <!DOCTYPE html PUBLIC "- //W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1- DTD/xhtml1- transitional.dtd"></p> <p>!!!xs <!DOCTYPE html PUBLIC "- //W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1 DTD/xhtml1-strict.dtd"></p> <p>!!!x xs <!DOCTYPE html PUBLIC "- //W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml1 11/DTD/xhtml11.dtd"></p> <p>c <!-- \${child} --></p> <p>cc:ie6</p>
--	--	---

<p>coords="" href="" alt="" /></p> <p>form <form action=""></for m></p> <p>form:get <form action="" method="get"> </form></p> <p>form:post <form action="" method="post" ></form></p> <p>label <label for=""></label></p> <p>input <input type="text" /></p> <p>inp <input type="text" name="" id="" ></p> <p>input:hidden , input:h</p> <p>Alias of input[type=hidd en name]</p>		<p><!--[if lte IE 6]> \${child} <![endif]--></p> <p>cc:ie <!--[if IE]> \${child} <![endif]--></p> <p>cc:noie <!--[if !IE]><!--> \${child} <!--<![endif]--></p>
---	--	---

<p><code><input type="hidden" name="" /></code></p> <p>input:text, input:t</p> <p>Alias of inp <code><input type="text" name="" id="" /></code></p> <p>input:search</p> <p>Alias of inp[type=search] <code><input type="search" name="" id="" /></code></p> <p>input:email</p> <p>Alias of inp[type=email] <code><input type="email" name="" id="" /></code></p> <p>input:url</p> <p>Alias of inp[type=url] <code><input type="url" name="" id="" /></code></p> <p>input:passwo rd, input:p</p>		
---	--	--

Alias of
inp[type=password]
<input
type="password
" name="" id=""
>

input:datetime

Alias of
inp[type=datetime]
<input
type="datetime
" name="" id=""
>

input:date

Alias of
inp[type=date]
<input
type="date"
name="" id=""
>

input:datetime-local

Alias of
inp[type=datetime-local]
<input
type="datetime-local"
name="" id="" />

input:month

Alias of inp[type=month] <input type="month" name="" id="" >		
CSS		
<p>CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == ovh == oh.</p> <p>If abbreviation wasn't found, it is transformed into property name: foo-bar → foo-bar: ;</p> <p>You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo</p>		
Visual Formatting	Margin & Padding	Box Sizing
pos position:relative ; pos:s position:static; pos:a position:absolut e; pos:r position:relative ; pos:f position:fixed; t top;; t:a	m margin;; m:a margin:auto; mt margin-top;; mt:a margin-top:auto; mr margin-right;; mr:a margin-right:auto; mb margin-bottom;; mb:a margin-bottom:auto; ml margin-left;;	bxz box-sizing:border-box; bxz:cb box-sizing:content-box; bxz:bb box-sizing:border-box; bxsh box-shadow:inset hoff voff blur color; bxsh:r box-shadow:inset hoff voff blur spread rgb(0, 0, 0); bxsh:ra box-shadow:inset h v blur spread rgba(0, 0, 0, .5); bxsh:n box-shadow:none; w width;;

top:auto; r right;; r:a right:auto; b bottom;; b:a bottom:auto; l left;; l:a left:auto; z z-index;; z:a z-index:auto; fl float:left; fl:n float:none; fl:l float:left; fl:r float:right; cl clear:both; cl:n clear:none;	ml:a margin-left:auto; p padding;; pt padding-top;; pr padding-right;; pb padding-bottom;; pl padding-left;;	w:a width:auto; h height;; h:a height:auto; maw max-width;; maw:n max-width:none; mah max-height;; mah:n max-height:none; miw min-width;; mih min-height;;
--	---	---

<div>cl:l clear:left;</div> <div>cl:r clear:right;</div> <div>cl:b clear:both;</div> <div>d display:block;</div> <div>d:n display:none;</div> <div>d:b display:block;</div> <div>d:f display:flex;</div> <div>d:if display:inline- flex;</div> <div>d:i display:inline;</div> <div>d:ib display:inline- block;</div> <div>d:li display:list- item;</div> <div>d:ri display:run-in;</div> <div>d:cp display:compac t;</div>		
--	--	--

d:tb display:table;		
d:itb display:inline-table;		
d:tbc display:table-caption;		
d:tbcl display:table-column;		
d:tbclg display:table-column-group;		
d:tbhg display:table-header-group;		
d:tbfg display:table-footer-group;		
d:tbr display:table-row;		
d:tbrg display:table-row-group;		
d:tbc display:table-cell;		
d:rb display:ruby;		
d:rbb		

display:ruby- base; d:rbbg display:ruby- base-group; d:rbt display:ruby- text; d:rbtg display:ruby- text-group; v visibility:hidden ; v:v visibility:visible; v:h visibility:hidden ; v:c visibility:collaps e; ov overflow:hidden ; ov:v overflow:visible; ov:h		
---	--	--

<div>overflow:hidden ;</div> <div>ov:s</div> <div>overflow:scroll;</div> <div>ov:a</div> <div>overflow:auto;</div> <div>ovx overflow- x:hidden;</div> <div>ovx:v overflow- x:visible;</div> <div>ovx:h overflow- x:hidden;</div> <div>ovx:s overflow- x:scroll;</div> <div>ovx:a overflow- x:auto;</div> <div>ovy overflow- y:hidden;</div> <div>ovy:v overflow- y:visible;</div> <div>ovy:h overflow- y:hidden;</div>		
--	--	--

<div>ovy:s overflow- y:scroll;</div> <div>ovy:a overflow- y:auto;</div> <div>ovs overflow- style:scrollbar;</div> <div>ovs:a overflow- style:auto;</div> <div>ovs:s overflow- style:scrollbar;</div> <div>ovs:p overflow- style:panner;</div> <div>ovs:m overflow- style:move;</div> <div>ovs:mq overflow- style:marquee;</div> <div>zoo, zm zoom:1;</div> <div>cp clip;;</div> <div>cp:a clip:auto;</div> <div>cp:r</div>		
--	--	--

clip:rect(top right bottom left); rsz resize:; rsz:n resize:none; rsz:b resize:both; rsz:h resize:horizontal; rsz:v resize:vertical; cur cursor:\${pointer }; cur:a cursor:auto; cur:d cursor:default; cur:c cursor:crosshair ; cur:ha cursor:hand; cur:he cursor:help;		
---	--	--

cur:m cursor:move; cur:p cursor:pointer; cur:t cursor:text;		
Font	Text	Background
f font;; f+ font:1em Arial,sans-serif; fw font-weight;; fw:n font- weight:normal; fw:b font- weight:bold; fw:br font- weight:bolder; fw:lr font- weight:lighter; fs font- style:\${italic}; fs:n	va vertical-align:top; va:sup vertical-align:super; va:t vertical-align:top; va:tt vertical-align:text-top; va:m vertical-align:middle; va:bl vertical-align:baseline; va:b vertical-align:bottom; va:tb vertical-align:text-bottom; va:sub vertical-align:sub; ta text-align:left; ta:l	bg background:#000; bg+ background:#fff url() o o no-repeat; bg:n background:none; bgc background-color:#fff; bgc:t background- color:transparent; bgi background-image:url(); bgi:n background-image:none; bgr background-repeat;; bgr:n background-repeat:no- repeat; bgr:x

font-style:normal;	text-align:left;	background-repeat:repeat-x;
fs:i font-style:italic;	ta:c text-align:center;	bgr:y background-repeat:repeat-y;
fs:o font-style:oblique;	ta:r text-align:right;	bgr:sp background-repeat:space;
fv font-variant:;	ta:j text-align:justify;	bgr:rd background-repeat:round;
fv:n font-variant:normal;	ta-lst text-align-last:;	bga background-attachment:;
fv:sc font-variant:small-caps;	tal:a text-align-last:auto;	bga:f background-attachment:fixed;
fz font-size:;	tal:l text-align-last:left;	bga:s background-attachment:scroll;
fza font-size-adjust:;	tal:c text-align-last:center;	bgp background-position:o o;
fza:n font-size-adjust:none;	tal:r text-align-last:right;	bgpx background-position-x:;
ff font-family:;	td text-decoration:none;	bgpy background-position-y:;
ff:s font-family:serif;	td:n text-decoration:none;	bgbk background-break:;
ff:ss	td:u text-decoration:underline;	bgbk:bb background-break:bounding-box;
	td:o text-decoration:overline;	bgbk:eb background-break:each-box;
	td:l text-decoration:line-through;	
	te text-emphasis:;	

font-family:sans-serif;	te:n text-emphasis:none;	bgbk:c background-break:continuous;
ff:c font-family:cursive;	te:ac text-emphasis:accent;	bgcp background-clip:padding-box;
ff:f font-family:fantasy;	te:dt text-emphasis:dot;	bgcp:bb background-clip:border-box;
ff:m font-family:monospace;	te:c text-emphasis:circle;	bgcp:pb background-clip:padding-box;
ff:a font-family:Arial, "Helvetica Neue", Helvetica, sans-serif;	te:b text-emphasis:before;	bgcp:cb background-clip:content-box;
ff:t font-family:"Times New Roman", Times, Baskerville, Georgia, serif;	te:a text-emphasis:after;	bgcp:nc background-clip:no-clip;
ff:v font-family:Verdana, Geneva, sans-serif;	th text-height:;	bgo background-origin:;
fef font-effect:;	th:a text-height:auto;	bgo:pb background-origin:padding-box;
fef:n font-effect:none;	th:f text-height:font-size;	bgo:bb background-origin:border-box;
	th:t text-height:text-size;	bgo:cb background-origin:content-box;
	th:m text-height:max-size;	bgsz background-size:;
	ti text-indent:;	bgsz:a background-size:auto;
	ti:- text-indent:-9999px;	
	tj text-justify:;	

fef:eg font-effect:engrave;	tj:a text-justify:auto;	bgsz:ct background-size:contain;
fef:eb font-effect:emboss;	tj:iw text-justify:inter-word;	bgsz:cv background-size:cover;
fef:o font-effect:outline;	tj:ii text-justify:inter-ideograph;	
fem font-emphasize;;	tj:ic text-justify:inter-cluster;	
femp font-emphasize-position;;	tj:d text-justify:distribute;	
femp:b font-emphasize-position:before;	tj:k text-justify:kashida;	
femp:a font-emphasize-position:after;	tj:t text-justify:tibetan;	
fems font-emphasize-style;;	to text-outline;;	
fems:n font-emphasize-style:none;	to+ text-outline:o o #ooo;	
fems:ac	to:n text-outline:none;	
	tr text-replace;;	
	tr:n text-replace:none;	
	tt text-transform:uppercase;	
	tt:n text-transform:none;	
	tt:c	

font-emphasize-style:accent;	text-transform:capitalize;	
fems:dt font-emphasize-style:dot;	tt:u text-transform:uppercase;	
fems:c font-emphasize-style:circle;	tt:l text-transform:lowercase;	
fems:ds font-emphasize-style:disc;	tw text-wrap;;	
fsm font-smooth;;	tw:n text-wrap:normal;	
fsm:a font-smooth:auto;	tw:no text-wrap:none;	
fsm:n font-smooth:never;	tw:u text-wrap:unrestricted;	
fsm:aw font-smooth:always;	tw:s text-wrap:suppress;	
fst font-stretch;;	tsh text-shadow:hoff voff blur #ooo;	
fst:n font-stretch:normal;	tsh:r text-shadow:h v blur rgb(o, o, o);	
fst:uc	tsh:ra text-shadow:h v blur rgba(o, o, o, .5);	
	tsh+ text-shadow:o o o #ooo;	
	tsh:n text-shadow:none;	
	lh line-height;;	
	lts letter-spacing;;	

font-stretch:ultra-condensed;	lts-n letter-spacing:normal;	
fst:ec font-stretch:extra-condensed;	whs white-space:;	
fst:c font-stretch:condensed;	whs:n white-space:normal;	
fst:c font-stretch:condensed;	whs:p white-space:pre;	
fst:sc font-stretch:semi-condensed;	whs:nw white-space:nowrap;	
fst:se font-stretch:semi-expanded;	whs:pw white-space:pre-wrap;	
fst:se font-stretch:semi-expanded;	whs:pl white-space:pre-line;	
fst:e font-stretch:expanded;	whsc white-space-collapse:;	
fst:e font-stretch:expanded;	whsc:n white-space-collapse:normal;	
fst:ee font-stretch:extra-expanded;	whsc:k white-space-collapse:keep-all;	
fst:ee font-stretch:extra-expanded;	whsc:l white-space-collapse:loose;	
fst:ue font-stretch:ultra-expanded;	whsc:bs white-space-collapse:break-strict;	
fst:ue font-stretch:ultra-expanded;	whsc:ba white-space-collapse:break-all;	
	wob word-break:;	
	wob:n word-break:normal;	

	wob:k word-break:keep-all; wob:ba word-break:break-all; wos word-spacing;; wow word-wrap;; wow:nm word-wrap:normal; wow:n word-wrap:none; wow:u word-wrap:unrestricted; wow:s word-wrap:suppress; wow:b word-wrap:break-word;	
Color	Generated content	Outline
c color:#000; c:r color:rgb(0, 0, 0); c:ra color:rgba(0, 0, 0, .5); op opacity;;	cnt content:"; cnt:n, ct:n content:normal; cnt:oq, ct:oq content:open-quote; cnt:noq, ct:noq content:no-open-quote; cnt:cq, ct:cq content:close-quote;	ol outline;; ol:n outline:none; olo outline-offset;; olw outline-width;; olw:tn outline-width:thin;

	<p>cnt:ncq, ct:ncq content:no-close-quote;</p> <p>cnt:a, ct:a content:attr();</p> <p>cnt:c, ct:c content:counter();</p> <p>cnt:cs, ct:cs content:counters();</p> <p>ct content;;</p> <p>q quotes;;</p> <p>q:n quotes:none;</p> <p>q:ru quotes:'\00AB' '\00BB' '\201E' '\201C';</p> <p>q:en quotes:'\201C' '\201D' '\2018' '\2019';</p> <p>coi counter-increment;;</p> <p>cor counter-reset;;</p>	<p>olw:m outline-width:medium;</p> <p>olw:tc outline-width:thick;</p> <p>ols outline-style;;</p> <p>ols:n outline-style:none;</p> <p>ols:dt outline-style:dotted;</p> <p>ols:ds outline-style:dashed;</p> <p>ols:s outline-style:solid;</p> <p>ols:db outline-style:double;</p> <p>ols:g outline-style:groove;</p> <p>ols:r outline-style:ridge;</p> <p>ols:i outline-style:inset;</p> <p>ols:o outline-style:outset;</p> <p>olc outline-color:#000;</p> <p>olc:i outline-color:invert;</p>
Tables	Border	Lists

tbl table-layout;;	border;;	lis list-style;;
tbl:a table- layout:auto;	bd+ border:1px solid #000;	lis:n list-style:none;
tbl:f table- layout:fixed;	bd:n border:none;	lisp list-style-position;;
cps caption-side;;	bdbk border-break:close;	lisp:i list-style-position:inside;
cps:t caption- side:top;	bdbk:c border-break:close;	lisp:o list-style-position:outside;
cps:b caption- side:bottom;	bdcl border-collapse;;	list list-style-type;;
ec empty-cells;;	bdcl:c border-collapse:collapse;	list:n list-style-type:none;
ec:s empty- cells:show;	bdcl:s border-collapse:separate;	list:d list-style-type:disc;
ec:h empty- cells:hide;	bdc border-color:#000;	list:c list-style-type:circle;
	bdc:t border-color:transparent;	list:s list-style-type:square;
	bdi border-image:url();	list:dc list-style-type:decimal;
	bdi:n border-image:none;	list:dclz list-style-type:decimal- leading-zero;
	bdti border-top-image:url();	list:lr list-style-type:lower-roman;
	bdti:n border-top-image:none;	list:ur list-style-type:upper- roman;
	bdri border-right-image:url();	

	bdiri: border-right-image:none; bdbi border-bottom-image:url(); bdbi:n border-bottom-image:none; bdli border-left-image:url(); bdli:n border-left-image:none; bdci border-corner-image:url(); bdci:n border-corner-image:none; bdci:c border-corner-image:continue; bdtli border-top-left-image:url(); bdtli:n border-top-left-image:none; bdtli:c border-top-left-image:continue; bdtri border-top-right-image:url(); bdtri:n border-top-right-image:none; bdtri:c border-top-right-image:continue; bdbri border-bottom-right-image:url();	lisi list-style-image:; lisi:n list-style-image:none;
--	---	--

	<p>bdbri:n border-bottom-right-image:none;</p> <p>bdbri:c border-bottom-right-image:continue;</p> <p>bdbli border-bottom-left-image:url();</p> <p>bdbli:n border-bottom-left-image:none;</p> <p>bdbli:c border-bottom-left-image:continue;</p> <p>bdf border-fit:repeat;</p> <p>bdf:c border-fit:clip;</p> <p>bdf:r border-fit:repeat;</p> <p>bdf:sc border-fit:scale;</p> <p>bdf:st border-fit:stretch;</p> <p>bdf:ow border-fit:overwrite;</p> <p>bdf:of border-fit:overflow;</p> <p>bdf:sp border-fit:space;</p> <p>bdlen border-length;</p> <p>bdlen:a</p>	
--	--	--

	border-length:auto; bds border-spacing;; bds border-style;; bds:n border-style:none; bds:h border-style:hidden; bds:dt border-style:dotted; bds:ds border-style:dashed; bds:s border-style:solid; bds:db border-style:double; bds:dtds border-style:dot-dash; bds:dttds border-style:dot-dot-dash; bds:w border-style:wave; bds:g border-style:groove; bds:r border-style:ridge; bds:i border-style:inset;	
--	--	--

	bds:o border-style:outset;	
	bdw border-width;;	
	bdt, bt border-top;;	
	bdt+ border-top:1px solid #000;	
	bdt:n border-top:none;	
	bdtw border-top-width;;	
	bdts border-top-style;;	
	bdts:n border-top-style:none;	
	bdtc border-top-color:#000;	
	bdtc:t border-top-color:transparent;	
	bdr, br border-right;;	
	bdr+ border-right:1px solid #000;	
	bdr:n border-right:none;	
	bdrw border-right-width;;	
	bdrst border-right-style;;	

	bdrst:n border-right-style:none;	
	bdrc border-right-color:#000;	
	bdrc:t border-right-color:transparent;	
	bdb, bb border-bottom:;	
	bdb+ border-bottom:1px solid #000;	
	bdb:n border-bottom:none;	
	bdbw border-bottom-width:;	
	bdbb border-bottom-style:;	
	bdbb:n border-bottom-style:none;	
	bdbb border-bottom-color:#000;	
	bdbb:t border-bottom-color:transparent;	
	bdl, bl border-left:;	
	bdl+ border-left:1px solid #000;	
	bdl:n border-left:none;	
	bdlw	

	border-left-width;; bdl border-left-style;; bdln border-left-style:none; bdlc border-left-color:#000; bdlc:t border-left-color:transparent; bdrs border-radius;; bdtrrs border-top-right-radius;; bdtlrs border-top-left-radius;; bdbrrs border-bottom-right-radius;; bdbllrs border-bottom-left-radius;;	
Print	Others	
pgbb page-break-before;; pgbb:au page-break-before:auto; pgbb:al page-break-before:always; pgbb:l	! !important @f @font-face { font-family;; src:url(); } @f+ @font-face { font-family: 'FontName'; src: url('FileName.eot');	

page-break-before:left; pgbb:r page-break-before:right; pgbi page-break-inside;; pgbi:au page-break-inside:auto; pgbi:av page-break-inside:avoid; pgba page-break-after;; pgba:au page-break-after:auto; pgba:al page-break-after:always; pgba:l page-break-after:left; pgba:r page-break-after:right; orp orphans;; wid widows;;	src: url('FileName.eot?#iefix') format('embedded-opentype'), url('FileName.woff') format('woff'), url('FileName.ttf') format('truetype'), url('FileName.svg#FontName') format('svg'); font-style: normal; font-weight: normal; } @i, @import @import url(); @kf @-webkit-keyframes identifier { from { } to { } } @-o-keyframes identifier { from { } to { } } @-moz-keyframes identifier { from { } to { } } @keyframes identifier { from { } to { } } @m, @media @media screen { } ac align-content;; ac:c align-content:center; ac:fe	
---	--	--

	align-content:flex-end; ac:fs align-content:flex-start; ac:s align-content:stretch; ac:sa align-content:space-around; ac:sb align-content:space-between; ai align-items;; ai:b align-items:baseline; ai:c align-items:center; ai:fe align-items:flex-end; ai:fs align-items:flex-start; ai:s align-items:stretch; anim animation;; anim- animation:name duration timing- function delay iteration-count direction fill-mode; animdel animation-delay:time; animdir	
--	---	--

	<p>animation-direction:normal;</p> <p>animdir:a animation-direction:alternate;</p> <p>animdir:ar animation-direction:alternate-reverse;</p> <p>animdir:n animation-direction:normal;</p> <p>animdir:r animation-direction:reverse;</p> <p>animdur animation-duration:os;</p> <p>animfm animation-fill-mode:both;</p> <p>animfm:b animation-fill-mode:backwards;</p> <p>animfm:bt, animfm:bh animation-fill-mode:both;</p> <p>animfm:f animation-fill-mode:forwards;</p> <p>animic animation-iteration-count:1;</p> <p>animic:i animation-iteration-count:infinite;</p> <p>animn animation-name:none;</p> <p>animps animation-play-state:running;</p> <p>animps:p animation-play-state:paused;</p>	
--	---	--

	<p>animps:r animation-play-state:running;</p> <p>animtf animation-timing-function:linear;</p> <p>animtf:cb animation-timing-function:cubic-bezier(0.1, 0.7, 1.0, 0.1);</p> <p>animtf:e animation-timing-function:ease;</p> <p>animtf:ei animation-timing-function:ease-in;</p> <p>animtf:eio animation-timing-function:ease-in-out;</p> <p>animtf:eo animation-timing-function:ease-out;</p> <p>animtf:l animation-timing-function:linear;</p> <p>ap appearance:\${none};</p> <p>as align-self;</p> <p>as:a align-self:auto;</p> <p>as:b align-self:baseline;</p> <p>as:c align-self:center;</p> <p>as:fe align-self:flex-end;</p>	
--	--	--

	<div>as:fs align-self:flex-start;</div> <div>as:s align-self:stretch;</div> <div>bfv backface-visibility;;</div> <div>bfv:h backface-visibility:hidden;</div> <div>bfv:v backface-visibility:visible;</div> <div>bg:ie</div> <div>filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src='x.png',sizingMethod='crop');</div> <div>cm /* \${child} */</div> <div>colm columns;;</div> <div>colmc column-count;;</div> <div>colmf column-fill;;</div> <div>colmg column-gap;;</div> <div>colmr column-rule;;</div> <div>colmrc column-rule-color;;</div> <div>colmrs column-rule-style;;</div>	
--	---	--

	<p>colmrw column-rule-width;</p> <p>colms column-span;</p> <p>colmw column-width;</p> <p>d:ib+ display: inline-block; *display: inline; *zoom: 1;</p> <p>fx flex;;</p> <p>fxb flex-basis;</p> <p>fxd flex-direction;</p> <p>fxd:c flex-direction:column;</p> <p>fxd:cr flex-direction:column-reverse;</p> <p>fxd:r flex-direction:row;</p> <p>fxd:rr flex-direction:row-reverse;</p> <p>fxf flex-flow;;</p> <p>fxg flex-grow;;</p> <p>fxsh flex-shrink;;</p>	
--	--	--

	<div>fxw</div> <div>flex-wrap: ;</div> <div>fxw:n</div> <div>flex-wrap:nowrap;</div> <div>fxw:w</div> <div>flex-wrap:wrap;</div> <div>fxw:wr</div> <div>flex-wrap:wrap-reverse;</div> <div>jc</div> <div>justify-content;;</div> <div>jc:c</div> <div>justify-content:center;</div> <div>jc:fe</div> <div>justify-content:flex-end;</div> <div>jc:fs</div> <div>justify-content:flex-start;</div> <div>jc:sa</div> <div>justify-content:space-around;</div> <div>jc:sb</div> <div>justify-content:space-between;</div> <div>mar</div> <div>max-resolution:res;</div> <div>mir</div> <div>min-resolution:res;</div> <div>op+</div> <div>opacity: ;</div> <div>filter: alpha(opacity=);</div> <div>op:ie</div>	
--	--	--

	<p>filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100);</p> <p>op:ms -ms-</p> <p>filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';</p> <p>ord order;;</p> <p>ori orientation;;</p> <p>ori:l orientation:landscape;</p> <p>ori:p orientation:portrait;</p> <p>to: text-overflow:\${ellipsis};</p> <p>to:c text-overflow:clip;</p> <p>to:e text-overflow:ellipsis;</p> <p>trf transform;;</p> <p>trf:r transform: rotate(angle);</p> <p>trf:rx transform: rotateX(angle);</p> <p>trf:ry transform: rotateY(angle);</p> <p>trf:rz transform: rotateZ(angle);</p>	
--	--	--

	trf:sc transform: scale(x, y);	
	trf:sc3 transform: scale3d(x, y, z);	
	trf:scx transform: scaleX(x);	
	trf:scy transform: scaleY(y);	
	trf:scz transform: scaleZ(z);	
	trf:skx transform: skewX(angle);	
	trf:sky transform: skewY(angle);	
	trf:t transform: translate(x, y);	
	trf:t3 transform: translate3d(tx, ty, tz);	
	trf:tx transform: translateX(x);	
	trf:ty transform: translateY(y);	
	trf:tz transform: translateZ(z);	
	trfo transform-origin;	
	trfs transform-style:preserve-3d;	
	trs	

	<p>transition:prop time;</p> <p>trsde transition-delay:time;</p> <p>trsd transition-duration:time;</p> <p>trsp transition-property:prop;</p> <p>trstf transition-timing-function:tfunc;</p> <p>us user-select:\${none};</p> <p>wfsm -webkit-font-smoothing:\${antialiased};</p> <p>wfsm:a -webkit-font-smoothing:antialiased;</p> <p>wfsm:n -webkit-font-smoothing:none;</p> <p>wfsm:s, wfsm:sa -webkit-font-smoothing:subpixel-antialiased;</p> <p>wm writing-mode:lr-tb;</p> <p>wm:bt writing-mode:bt-lr;</p> <p>wm:br writing-mode:bt-rl;</p> <p>wm:lrb writing-mode:lr-bt;</p> <p>wm:lrt writing-mode:lr-tb;</p>	
--	--	--

	wm:rlb writing-mode:rl-bt; wm:rlt writing-mode:rl-tb; wm:tbl writing-mode:tb-lr; wm:tbr writing-mode:tb-rl; nam	
XSL		
tmatch, tm <xsl:template match="" mode=""></xsl:t emplate>	vare <xsl:variable name="" select="" /> wp <xsl:with-param name="" select="" />	fall <xsl:fallback></xsl:fallback> num <xsl:number value="" />
tname, tn <xsl:template name=""></xsl:t emplate>	key <xsl:key name="" match="" use="" /> elem <xsl:element name=""></xsl:element>	nam <namespace-alias stylesheet-prefix="" result- prefix="" />
call <xsl:call- template name="" />	attr <xsl:attribute name=""></xsl:attribute>	pres <xsl:preserve-space elements="" />
ap <xsl:apply- templates select="" mode="" />	attrs <xsl:attribute-set name=""></xsl:attribute-set>	strip <xsl:strip-space elements="" />
api <xsl:apply- imports />	cp <xsl:copy select="" />	proc <xsl:processing-instruction name=""></xsl:processing- instruction>
imp	co <xsl:copy-of select="" /> val <xsl:value-of select="" />	sort <xsl:sort select="" order="" />

<code><xsl:import href="" /></code> <code>inc</code> <code><xsl:include href="" /></code> <code>ch</code> <code><xsl:choose></xsl:choose></code> <code>xsl:when, wh</code> <code><xsl:when test=""></xsl:when></code> <code>ot</code> <code><xsl:otherwise></xsl:otherwise></code> <code>if</code> <code><xsl:if test=""></xsl:if></code> <code>par</code> <code><xsl:param name=""></xsl:param></code> <code>pare</code> <code><xsl:param name="" select="" /></code> <code>var</code> <code><xsl:variable name=""></xsl:variable></code>	<code>each, for</code> <code><xsl:for-each select=""></xsl:for-each></code> <code>tex</code> <code><xsl:text></xsl:text></code> <code>com</code> <code><xsl:comment></xsl:comment></code> <code>msg</code> <code><xsl:message terminate="no"></xsl:message></code>	<code>choose+</code> Alias of <code>xsl:choose>xsl:when+xsl:otherwise</code> <code><xsl:choose></code> <code><xsl:when test=""></xsl:when></code> <code><xsl:otherwise></xsl:otherwise></code> <code></xsl:choose></code> <code>xsl</code> Alias of <code>!!!+xsl:stylesheet[version=1.0 xmlns:xsl=http://www.w3.org/1999/XSL/Transform]>{</code> <code> }</code> <code><?xml version="1.0" encoding="UTF-8"></code> <code><xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"></xsl:stylesheet></code> <code>!!!</code> <code><?xml version="1.0" encoding="UTF-8"></code>
--	---	--