

RULES OF ENGAGEMENT (RoE) — VERSION 2.0

CYBERSECURITY SIMULATION & TECHNICAL SCOPE ARCHITECTURE

1. ENGAGEMENT OVERVIEW & CORE METADATA

Engagement Title	Project Trinity Cases: Collins Aerospace, Jaguar Land Rover (JLR), WWE Data Leak Simulations
Execution Date	June 15, 2026
Authorized Tester	Denis Denerville (Incident Response Analyst / Penetration Tester)
Authorizing Party	dae

2. INFRASTRUCTURE & EXPLICIT SCOPE BOUNDARIES

The technical evaluation is strictly isolated within virtual infrastructure running on **VMware Workstation** using the custom **VMnet2** host-only virtual switch adapter. No operational traffic is authorized to enter public or production namespaces.

Authorized In-Scope Target Systems

Virtual Machine Name	Role / Functional Subsystem	Assigned IP Address / Network Scope	Current Lab Status
Trinity-Gateway	pfSense Core Router / Segment Isolation	LAN: 192.168.1.1 WAN: NAT Interface	Suspended
Trinity-Web-01	Apache Tomcat Web Server Target	192.168.100.10	Powered Off
Trinity-DC-01	Active Directory Domain Controller System	192.168.100.0/24 Subnet	Suspended
Metasploit	Vulnerable Linux Node / Standalone Target	10.11.3.5	Powered Off
ParrotOSAttacker	Authorized Attacking Suite Deployment	192.168.100.0/24 Range (Dynamic/Static)	Powered Off
Trinity-Attacker	Primary Red-Team Deployment Orchestration Node	192.168.100.0/24 Range (Dynamic/Static)	Powered Off

OUT-OF-SCOPE ASSETS & NETWORKS (STRICTLY PROHIBITED)

Any interactive traffic, scanning, or exploit routing directed at the following physical and upstream assets is a critical violation of this engagement:

- **Host Physical Hardware:** HP EliteBook x360 Base Operating System & Memory Spaces
- **Local Routing Gateway:** Home network router, local physical switches, and production LAN traffic
- **External Infrastructure:** Any production cloud components or real public-facing networks.

3. TACTICAL EXECUTION & PERMITTED TECHNIQUES

The authorized tester is cleared to execute standard penetration testing procedures mapped against the PTES framework within the defined subnets:

- **Information Gathering:** Target footprinting via theHarvester and local Nmap scans targeting inside the VMnet2 segment.
- **Threat Modeling:** Active Directory topology and attack-path enumeration via BloodHound.
- **Vulnerability Analysis:** Web asset and interface auditing using Burp Suite Professional and custom Nmap Scripting Engine (NSE) scripts.
- **Exploitation Mechanics:** Deserialization attacks with ysoserial, local simulated S3 bucket enumeration via AWS CLI, and application payloads.
- **Post-Exploitation:** Domain level privilege escalation, credential auditing, and lateral movement using PowerShell scripts and BloodHound.

4. TECHNICAL PROHIBITIONS & RESTRICTIVE ACTIONS

- **Denial of Service (DoS):** Resource exhaustion, network flooding, or purposeful system crashing is banned.
- **Data Leakage:** No replication or moving of simulated intelligence out of the virtual disk files into the host space.
- **Persistence Lifespan:** Any structural configuration adjustments must be completely purged by the final teardown target date of July 16, 2026.

5. EMERGENCY STOP PROCEDURE (KILL-SWITCH PROTOCOL)

If malicious code, payload execution, or scanner sweeps escape the host-only adapter boundary, the following actions must be handled immediately:

1. Suspend or forcefully power off all active Virtual Machines within the VMware Workstation control pane.
2. Disconnect the virtual network switch mapping links directly from the host interface.
3. Alert the Authorizing Party (dae) to verify network traffic isolation before restoring environment states.

Authorized Tester: **Denis Denerville**

Date: June 15, 2026

Authorizing Authority: **dae**

Role: Lab Director / Evaluator