

PENETRATION TESTING EXECUTION PLAN

PTES-MAPPED TACTICAL FRAMEWORK FOR PROJECT TRINITY

1. ADMINISTRATIVE META-DATA

Engagement Baseline	Project Trinity Cases: Collins Aerospace, Jaguar Land Rover (JLR), WWE Data Leak Simulations
Scheduled Date	June 15, 2026
Lead Technical Tester	Denis Denerville (Incident Response Analyst / Penetration Tester)
Reviewing Authority	dae

2. PTES PHASE MAPPING MATRIX

The following execution roadmap establishes the progression of techniques across all targeted segments within the virtual lab sandbox environment:

PTES Phase	Tactical Activity / Trinity Lab Objective	Authorized Tooling
Pre-Engagement	Finalization of Rules of Engagement (RoE) boundaries and technical testing authorization blueprints.	Word / Markdown
Intelligence Gathering	Passive/Active subnet mapping and host discovery across VMnet2 interfaces. Local service fingerprinting.	theHarvester, Nmap
Threat Modeling	Ingesting active directory configuration states to map vulnerable relationships and potential attack paths.	BloodHound
Vulnerability Analysis	Web application request auditing, API endpoint fuzzing, and discovery of vulnerable Java object deserialization endpoints.	Burp Suite, Nmap scripts
Exploitation	Executing JSP shell uploads, weaponizing Java deserialization states, and performing simulated AWS S3 bucket object enumeration.	ysoserial, Burp Suite, AWS CLI
Post-Exploitation	Executing Active Directory lateral movement, credential dumping, and exploiting structural domain misconfigurations.	BloodHound, PowerShell
Reporting	Compiling findings into an actionable penetration test report outlining full remediation and threat mitigation paths.	Markdown / Word

3. TARGETED SCENARIO OBJECTIVES

Execution tracking will isolate the attack life cycles into three core operational paths mirroring historical breaches:

SCENARIO A: COLLINS AEROSPACE REPLICATION

Primary Vector: Localized service entry points and internal infrastructure trust verification.

- **Core Target:** Web presentation tier (192 . 168 . 100 . 10).
- **Technical Goal:** Map external surface parameters via Nmap and pinpoint application anomalies.

SCENARIO B: JAGUAR LAND ROVER (JLR) SUPPLY CHAIN SIMULATION

Primary Vector: Interconnected system dependencies and application misconfigurations.

- **Core Target:** Java application deployment environments.
- **Technical Goal:** Craft test object constraints utilizing `ysoserial` to simulate exploit delivery boundaries.

SCENARIO C: WWE DATA LEAK & CLOUD EMULATION

Primary Vector: Unauthenticated object store exposing configuration and credential stores.

- **Core Target:** LocalStack simulated environment & Cloud API interactions via `10.11.3.5 / 192.168.100.0/24`.
- **Technical Goal:** Leverage AWS CLI commands to probe object endpoints, enumerate structures, and ingest credential stores for Domain mapping.

CROSS-CASE OBJECTIVE: ACTIVE DIRECTORY LATERAL PROGRESSION

Primary Vector: Domain credential exploitation and privilege escalation mapping.

- **Core Target:** Trinity-DC-01 Active Directory structure.
- **Technical Goal:** Extract authentication elements, ingest directory nodes into BloodHound, and chart the critical path to Domain Administrator control.