

COSHH RISK ASSESSMENT

Report selection check

REF CAT-REPORT	ASSESSOR David Kemp	ASSESSED 2026-05-31	NEXT REVIEW 2027-05-31
-------------------	------------------------	------------------------	---------------------------

Generated May 31, 2026 with CAT — COSHH Assessment Tool

Research Lab

01 OVERVIEW

BUSINESS UNIT Research Lab	LOCATION Chemistry prep room	RISK ASSESSOR David Kemp	ACTIVITY OUTLINE Check report section selection.
SOP REF NUMBER(S) SOP-REPORT	DATE OF ASSESSMENT 2026-05-31	DATE OF REVIEW 2027-05-31	
PERSONS AT RISK Staff			

02 PROCESS STEPS & CHEMICALS

STEP	ACTIVITY	CHEMICALS	ENGINEERING	PPE
Step 1	Handle acetone	1 chemical	Engineering: Fume hood	PPE: Gloves, Goggles

03 CONTROLS

Hierarchy controls

Elimination: Elimination/substitution reviewed; acetone required by method.
Substitution: —
Reduction: Use minimum working quantity.

Administration / PPE

Admin: Only trained personnel may complete the task.
PPE: Chemical gloves and goggles.
Monitoring: Review WEL and controls.

04 STORAGE

Storage and segregation

Storage: Store in flammable storage.

Incompatibles: Keep away from oxidisers.

05 EMERGENCY RESPONSE AND WASTE

AREA	INSTRUCTION
Spills	Use SDS Section 6.
First aid	Use SDS Section 4.
Fire	Use SDS Section 5.
Other	Report incidents.

06 BRIEFING & SIGN-OFF

Test user · 2026-05-31

A1 APPENDIX A — CHEMICAL DETAIL

#	CHEMICAL	FORM / QTY	HAZARD STATEMENTS	WEL TWA / STEL	EXPOSURE	GHS PICTOGRAMS
1	Acetone CAS 67-64-1	liquid 50 mL	H225; H319; H336	Check EH40/SDS / — (Manual-EH40)	10 minutes · Weekly · inhalation, skin, eye	Flammable Harmful / irritant

C1 APPENDIX C — REFERENCE LEGEND

Hazard group	
Group A	Lower health hazard band: H304, H315, H319, H336 and similar lower-toxicity effects.
Group B	Harmful / STOT category 2 band: H302, H312, H332, H371.
Group C	Toxic, corrosive, serious eye damage, sensitising skin, respiratory irritation or STOT category 1/2: H301, H311, H314, H317, H318, H331, H335, H370, H373.
Group D	Fatal acute toxicity, suspected carcinogen / reproductive toxicant, lactation hazard or repeated-exposure organ damage: H300, H310, H330, H351, H360, H361, H362, H372.
Group E	Respiratory sensitiser, mutagen or carcinogen category 1 / suspected mutagen: H334, H340, H341, H350. Specialist advice is required (Approach 4).

Exposure predictor (EP) band	
EP1	Lowest exposure potential: small amounts with low/medium dustiness, or low-volatility millilitre-scale liquids.
EP2	Low-to-moderate exposure potential: grams of high-dust solids, kg/tonne of low-dust solids, or millilitres of medium/high-volatility liquids.
EP3	Moderate-to-high exposure potential: litre-scale liquid work or kilogram-scale medium/high-dust solid work.
EP4	Highest exposure potential: cubic-metre-scale high-volatility liquids or tonne-scale medium/high-dust solids.

Control approach	
Approach 1	General ventilation and good working practice.
Approach 2	Engineering control, normally local exhaust ventilation or equivalent capture / control.
Approach 3	Containment or enclosure where small breaches may occur.
Approach 4	Specialist advice required: the banding screen alone is not sufficient.

GHS pictogram legend

