```
Adbmin@DESKTOP-H9I4V35 MINGW64 ~
$ cd "/f/Desktop/ИсИт/ТП/1"

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1
$ mkdir Git-Practice
cd Git-Practice


Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice
$ git init -b main
Initialized empty Git repository in F:/Desktop/ИсИт/ТП/1/Git-Practice/.git/

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git status
On branch main

No commits yet

nothing to commit (create/copy files and use "git add" to track)

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```




```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "This is the second file." > file2.txt

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git add file1.txt file2.txt
warning: in the working copy of 'file2.txt', LF will be replaced by CRLF the nex
t time Git touches it

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git commit -m "Add two text files"
[main (root-commit) 585c092] Add two text files
 2 files changed, 1 insertion(+)
 create mode 100644 file1.txt
 create mode 100644 file2.txt

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline
585c092 (HEAD -> main) Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```

```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "*.log" > .gitignore

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "temp/" >> .gitignore

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo ".DS_Store" >> .gitignore

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ cat .gitignore
*.log
temp/
.DS_Store


Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ cat .gitignore
*.log
temp/
.DS_Store

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git add .gitignore
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the ne
xt time Git touches it

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git commit -m "Add gitignore"
[main 0b33e19] Add gitignore
 1 file changed, 3 insertions(+)
 create mode 100644 .gitignore

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline
0b33e19 (HEAD -> main) Add gitignore
585c092 Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```



```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "This line was added in the second commit." >> file1.txt


Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git diff
warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the nex
t time Git touches it
diff --git a/file1.txt b/file1.txt
index e69de29..a71f65a 100644
--- a/file1.txt
+++ b/file1.txt
@@ -0,0 +1 @@
+This line was added in the second commit.

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git add file1.txt
warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the nex
t time Git touches it

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git commit -m "Update file1"
[main 66d8fd1] Update file1
 1 file changed, 1 insertion(+)

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline
66d8fd1 (HEAD -> main) Update file1
0b33e19 Add gitignore
585c092 Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```


Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git switch -c feature-branch
Switched to a new branch 'feature-branch'
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git branch
* feature-branch
main
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ echo "This file was created in the feature branch." > feature.txt
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git add feature.txt
warning: in the working copy of 'feature.txt', LF will be replaced by CRLF the n
ext time Git touches it
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git commit -m "Add feature file"
[feature-branch db8cc7f] Add feature file
1 file changed, 1 insertion(+)
create mode 100644 feature.txt
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git status
On branch feature-branch
nothing to commit, working tree clean
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git log --oneline
db8cc7f (HEAD -> feature-branch) Add feature file
66d8fd1 (main) Update file1
0b33e19 Add gitignore
585c092 Add two text files
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$

```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git switch main
Switched to branch 'main'

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git branch
  feature-branch
* main

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git merge feature-branch
Updating 66d8fd1..db8cc7f
Fast-forward
 feature.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 feature.txt

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline --graph --all
* db8cc7f (HEAD -> main, feature-branch) Add feature file
* 66d8fd1 Update file1
* 0b33e19 Add gitignore
* 585c092 Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git status
On branch main
nothing to commit, working tree clean

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```

```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git status
On branch main
nothing to commit, working tree clean

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git switch main
Already on 'main'

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "This line was added in the main branch." >> file1.txt

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git add file1.txt
warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the nex
t time Git touches it

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git commit -m "Change file on main"
[main 601d73b] Change file on main
 1 file changed, 1 insertion(+)

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline
601d73b (HEAD -> main) Change file on main
db8cc7f (feature-branch) Add feature file
66d8fd1 Update file1
0b33e19 Add gitignore
585c092 Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```

```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git switch feature-branch
Switched to branch 'feature-branch'

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ echo "This line was changed in the feature branch." > file1.txt

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git add file1.txt
warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the nex
t time Git touches it

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git commit -m "Change file on feature"
[feature-branch d58bbe2] Change file on feature
 1 file changed, 1 insertion(+), 1 deletion(-)

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git switch main
Switched to branch 'main'

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git merge feature-branch
Auto-merging file1.txt
CONFLICT (content): Merge conflict in file1.txt
Automatic merge failed; fix conflicts and then commit the result.

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main|MERGING)
$
```

Файл Изменить Просмотр H1

```
This is the first file.
Conflict resolved manually.
```

Файл Изменить Просмотр H1

```
<<<<<<< HEAD
This line was added in the second commit.
This line was added in the main branch.
=======
This line was changed in the feature branch.
>>>>>>> feature-branch
```

```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git switch feature-branch
Switched to branch 'feature-branch'

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ echo "This line was changed in the feature branch." > file1.txt

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git add file1.txt
warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the nex
t time Git touches it

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git commit -m "Change file on feature"
[feature-branch d58bbe2] Change file on feature
 1 file changed, 1 insertion(+), 1 deletion(-)

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (feature-branch
)
$ git switch main
Switched to branch 'main'

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git merge feature-branch
Auto-merging file1.txt
CONFLICT (content): Merge conflict in file1.txt
Automatic merge failed; fix conflicts and then commit the result.

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main|MERGING)
$ git add file1.txt

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main|MERGING)
$ git commit -m "Resolve merge conflict"
[main 5e9d871] Resolve merge conflict

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline --graph --all
*   5e9d871 (HEAD -> main) Resolve merge conflict
|\
| * d58bbe2 (feature-branch) Change file on feature
* | 601d73b Change file on main
|/
* db8cc7f Add feature file
* 66d8fd1 Update file1
* 0b33e19 Add gitignore
* 585c092 Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git status
On branch main
nothing to commit, working tree clean

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```

```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline --graph --decorate --all
*   5e9d871 (HEAD -> main) Resolve merge conflict
|\
| * d58bbe2 (feature-branch) Change file on feature
* | 601d73b Change file on main
|/
* db8cc7f Add feature file
* 66d8fd1 Update file1
* 0b33e19 Add gitignore
* 585c092 Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git branch -avv
  feature-branch d58bbe2 Change file on feature
* main           5e9d871 Resolve merge conflict


Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```


```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git status
On branch main
nothing to commit, working tree clean

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git branch
  feature-branch
* main

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline --graph --decorate --all
*   5e9d871 (HEAD -> main) Resolve merge conflict
|\
| * d58bbe2 (feature-branch) Change file on feature
* | 601d73b Change file on main
|/
* db8cc7f Add feature file
* 66d8fd1 Update file1
* 0b33e19 Add gitignore
* 585c092 Add two text files

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```


Create a new repository
Repositories contain a project's files and version history. Have a project elsewhere? Import a repository.
Required fields are marked with an asterisk (*).
1
General
Owner *
Repository name *
DJSVET
/
Git-Practice
Git-Practice is available.
Great repository names are short and memorable. How about cuddly-robot?
Description
0 / 350 characters
2
Configuration
Choose visibility *
Choose who can see and commit to this repository
Public
Add README
READMEs can be used as longer descriptions. About READMEs
Off
Add .gitignore
.gitignore tells git which files not to track. About ignoring files
No .gitignore
Add license
Licenses explain how others can use your code. About licenses
No license
Create repository


Git-Practice
Public
Pin
Watch 0
Fork 0
Star 0
Set up GitHub Copilot
Use GitHub's AI pair programmer to autocomplete suggestions as you code.
Get started with GitHub Copilot
Add collaborators to this repository
Search for people using their GitHub username or email address.
Invite collaborators
Quick setup — if you've done this kind of thing before
Copy URL to clipboard
Set up in GitHub Desktop
or
HTTPS
SSH
https://github.com/DJSVET/Git-Practice.git
Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.
...or create a new repository on the command line
echo "# Git-Practice" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/DJSVET/Git-Practice.git
git push -u origin main
...or push an existing repository from the command line
git remote add origin https://github.com/DJSVET/Git-Practice.git
git branch -M main
git push -u origin main
ProTip! Use the URL for this page when adding GitHub as a remote.

```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git remote add origin https://github.com/DJSVET/Git-Practice.git


Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git push -u origin main
Enumerating objects: 22, done.
Counting objects: 100% (22/22), done.
Delta compression using up to 12 threads
Compressing objects: 100% (16/16), done.
Writing objects: 100% (22/22), 2.20 KiB | 1.10 MiB/s, done.
Total 22 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/DJSVET/Git-Practice.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git push -u origin feature-branch
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-branch' on GitHub by visiting:
remote:      https://github.com/DJSVET/Git-Practice/pull/new/feature-branch
remote:
To https://github.com/DJSVET/Git-Practice.git
 * [new branch]      feature-branch -> feature-branch
branch 'feature-branch' set up to track 'origin/feature-branch'.

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git remote -v
origin  https://github.com/DJSVET/Git-Practice.git (fetch)
origin  https://github.com/DJSVET/Git-Practice.git (push)

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git branch -avv
  feature-branch                d58bbe2 [origin/feature-branch] Change file on f
eature
* main                          5e9d871 [origin/main] Resolve merge conflict
  remotes/origin/feature-branch d58bbe2 Change file on feature
  remotes/origin/main           5e9d871 Resolve merge conflict

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```



```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "# Git-Practice" > README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "" >> README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "A practical project for learning Git and GitHub." >> README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "" >> README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "## Features" >> README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "- Commits and file tracking" >> README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "- Branching and merging" >> README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ echo "- Manual merge conflict resolution" >> README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ cat README.md
# Git-Practice

A practical project for learning Git and GitHub.


## Features
- Commits and file tracking
- Branching and merging
- Manual merge conflict resolution

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git commit -m "Add project README"
[main 80d631b] Add project README
 1 file changed, 8 insertions(+)
 create mode 100644 README.md

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 397 bytes | 397.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/DJSVET/Git-Practice.git
   5e9d871..80d631b  main -> main

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```




```
Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git pull origin main
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 971 bytes | 10.00 KiB/s, done.
From https://github.com/DJSVET/Git-Practice
 * branch            main       -> FETCH_HEAD
   80d631b..207b08c  main       -> origin/main
Updating 80d631b..207b08c
Fast-forward
 README.md | 2 ++
 1 file changed, 2 insertions(+)

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ cat README.md
# Git-Practice

A practical project for learning Git and GitHub.

## Features
- Commits and file tracking
- Branching and merging
- Manual merge conflict resolution

This change was made directly on GitHub.

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$ git log --oneline --graph --decorate -5
* 207b08c (HEAD -> main, origin/main) Update README.md
* 80d631b Add project README
*   5e9d871 Resolve merge conflict
|\
| * d58bbe2 (origin/feature-branch, feature-branch) Change file on feature
* | 601d73b Change file on main
|/

Adbmin@DESKTOP-H9I4V35 MINGW64 /f/Desktop/ИсИт/ТП/1/Git-Practice (main)
$
```