### Is Sharing Caring?

Elucidating the Effects of the Presence of CRISPR-Cas Systems on Rates of Horizontal Gene Transfer Using Network Analysis



Siddharth Reed MolBiol 4C12 Thesis

> Golding Lab, Biology Department, McMaster University


April 4, 2019

#### Table of Contents

- 1. Background
- 2. My Project
- 3. Results
- 4. Conclusion


### CRISPR-Cas systems

 Adaptive Bacterial Immune System




(Rath et al., 2015)

- Adaptive Bacterial Immune System
- Failed "infection" → spacer acquisition → targeted degredation for next "infection"




(Rath et al., 2015)

- Adaptive Bacterial Immune System
- Failed "infection" → spacer acquisition → targeted degredation for next "infection"
- Protects against foreign DNA




(Rath et al., 2015)

- Adaptive Bacterial Immune System
- Failed "infection" → spacer acquisition → targeted degredation for next "infection"
- Protects against foreign DNA
- Requires Cas proteins and CRISPR loci




(Rath et al., 2015)


- Adaptive Bacterial Immune System
- Failed "infection" → spacer acquisition → targeted degredation for next "infection"
- Protects against foreign DNA
- Requires Cas proteins and CRISPR loci
- 45% of bacteria have CRISPR loci (n = 6782) (Grissa, I. and Drevet, C. and Couvin, D., 2017)




(Rath et al., 2015)

# Horizontal Gene Transfer






 Transformation: Incorporation of free-floating DNA into the genome (Popa and Dagan, 2011)




- Transformation: Incorporation of free-floating DNA into the genome (Popa and Dagan, 2011)
- Conjugation: Transfer of DNA through cell-cell connections (Popa and Dagan, 2011)



(Popa and Dagan, 2011)

- Transformation: Incorporation of free-floating DNA into the genome (Popa and Dagan, 2011)
- Conjugation: Transfer of DNA through cell-cell connections (Popa and Dagan, 2011)
- Transduction: Transfer of DNA through phage (Popa and Dagan, 2011)



(Popa and Dagan, 2011)

- Transformation: Incorporation of free-floating DNA into the genome (Popa and Dagan, 2011)
- Conjugation: Transfer of DNA through cell-cell connections (Popa and Dagan, 2011)
- Transduction: Transfer of DNA through phage (Popa and Dagan, 2011)
- CRISPR-Cas directly affects HGT (Popa and Dagan, 2011)


Amount of exogenous DNA/cell density/phage density

- Amount of exogenous DNA/cell density/phage density
- Selective pressures

- Amount of exogenous DNA/cell density/phage density
- Selective pressures
- Metabolic costs


- Amount of exogenous DNA/cell density/phage density
- Selective pressures
- Metabolic costs
- Sequence compatibility

## Phylogenomic Networks




 Useful mathematical abstraction of real world system

(Bondy and Murty, 2002)



- Useful mathematical abstraction of real world system
- Nodes can have attributes

(Bondy and Murty, 2002)



- Useful mathematical abstraction of real world system
- Nodes can have attributes
- Edges can have weights

(Bondy and Murty, 2002)

## Do CRISPR Systems Affect Horizontal Gene Transfer?

### Yes

• Cost trade off factors:

Cost Reduction Strategies

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
- Cost Reduction Strategies

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)

Cost Reduction Strategies

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)
  - Environmental pressures (Dzidic and Bedeković, 2003)

Cost Reduction Strategies

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)
  - Environmental pressures (Dzidic and Bedeković, 2003)

- Cost Reduction Strategies
  - Selective CRISPR inactivation (Rath et al., 2015)

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)
  - Environmental pressures (Dzidic and Bedeković, 2003)
  - Phage virulence/density (Bondy-Denomy and Davidson, 2014)

- Cost Reduction Strategies
  - Selective CRISPR inactivation (Rath et al., 2015)

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)
  - Environmental pressures (Dzidic and Bedeković, 2003)
  - Phage virulence/density (Bondy-Denomy and Davidson, 2014)
  - Anti-CRISPR systems (Bondy-Denomy and Davidson, 2014)

- Cost Reduction Strategies
  - Selective CRISPR inactivation (Rath et al., 2015)

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)
  - Environmental pressures (Dzidic and Bedeković, 2003)
  - Phage virulence/density (Bondy-Denomy and Davidson, 2014)
  - Anti-CRISPR systems (Bondy-Denomy and Davidson, 2014)

- Cost Reduction Strategies
  - Selective CRISPR inactivation (Rath et al., 2015)
  - $\circ$  CRISPRs themselves can be transferred  $\Longrightarrow$  population level immunity (Godde and Bickerton, 2006)

## CRISPR Cost Complexity and Curbing It

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)
  - Environmental pressures (Dzidic and Bedeković, 2003)
  - Phage virulence/density (Bondy-Denomy and Davidson, 2014)
  - Anti-CRISPR systems (Bondy-Denomy and Davidson, 2014)
  - Prophage abundance (Watson, Staals, and Fineran, 2018)

- Cost Reduction Strategies
  - Selective CRISPR inactivation (Rath et al., 2015)
  - $\circ$  CRISPRs themselves can be transferred  $\Longrightarrow$  population level immunity (Godde and Bickerton, 2006)

## CRISPR Cost Complexity and Curbing It

- Cost trade off factors:
  - Metabolic maintenance (Rath et al., 2015)
  - Off-target effects (autoimmune) (Stern et al., 2010)
  - Environmental pressures (Dzidic and Bedeković, 2003)
  - Phage virulence/density (Bondy-Denomy and Davidson, 2014)
  - Anti-CRISPR systems (Bondy-Denomy and Davidson, 2014)
  - Prophage abundance (Watson, Staals, and Fineran, 2018)

- Cost Reduction Strategies
  - Selective CRISPR inactivation (Rath et al., 2015)
  - CRISPRs themselves can be transferred ⇒ population level immunity (Godde and Bickerton, 2006)
  - CRISPR can enhance transduction-mediated HGT (Watson, Staals, and Fineran, 2018)

 Gophna et al. (2015) found no relation between the presence of CRISPR systems and HGT over short evolutionary timescales

- Gophna et al. (2015) found no relation between the presence of CRISPR systems and HGT over short evolutionary timescales
  - Assume all singletons arose from HGT

- Gophna et al. (2015) found no relation between the presence of CRISPR systems and HGT over short evolutionary timescales
  - Assume all singletons arose from HGT
  - Used GC% to identify HGT

- Gophna et al. (2015) found no relation between the presence of CRISPR systems and HGT over short evolutionary timescales
  - Assume all singletons arose from HGT
  - Used GC% to identify HGT
- Contradicted by a former undergraduate thesis student

- Gophna et al. (2015) found no relation between the presence of CRISPR systems and HGT over short evolutionary timescales
  - o Assume all singletons arose from HGT
  - Used GC% to identify HGT
- Contradicted by a former undergraduate thesis student
  - Can see inhibitory effects of CRIPSR on HGT over short evolutionary time scales

- Gophna et al. (2015) found no relation between the presence of CRISPR systems and HGT over short evolutionary timescales
  - Assume all singletons arose from HGT
  - Used GC% to identify HGT
- Contradicted by a former undergraduate thesis student
  - Can see inhibitory effects of CRIPSR on HGT over short evolutionary time scales
  - Higher gene indel rates for CRISPR containing OTUs than non-CRISPR containing outgroups

# My Project

## 9/23 Objectives

#### **Objectives**

#### Within Network Comparisons

For genera with CRISPR containing OTUs, compare the node statistics of CRIPSR containing OTUs to non-CRISPR containing OTUs.

#### Objectives


#### Within Network Comparisons

For genera with CRISPR containing OTUs, compare the node statistics of CRIPSR containing OTUs to non-CRISPR containing OTUs.


#### Gene Indel Rates vs. Network Statistics


Compare gene Indel rates to node/network statistics for CRISPR containing and non-CRISPR containing OTUs


































## Results


## Example "Consensus" Network




## Mean Node Degree




#### Gene Indel Rates




#### Gene Indel Rates




#### Gene Indel Rate Vs. Fraction of CRISPR OTUs




#### Gene Indel Rate Vs. Fraction of CRISPR OTUs




## Mean Node Weighted Clustering Coefficient



## Modularity Distributions



## Assortativity Distributions



## Conclusion

• Large variation in HGT rate between genera.

- Large variation in HGT rate between genera.
- CRISPR-Cas systems broadly associated with lower HGT rates, with prominent exceptions

- Large variation in HGT rate between genera.
- CRISPR-Cas systems broadly associated with lower HGT rates, with prominent exceptions
- Population level effects of CRISPR-Cas systems may decrease HGT rates

- Large variation in HGT rate between genera.
- CRISPR-Cas systems broadly associated with lower HGT rates, with prominent exceptions
- Population level effects of CRISPR-Cas systems may decrease HGT rates
- Interplay of CRISPR-Cas systems and HGT is complex and warrants further study

• **Inferring direction**: Directed networks have a host of available analytic tools Undirected networks do not

- Inferring direction: Directed networks have a host of available analytic tools Undirected networks do not
- Continuous CRISPR activity: Labeling nodes by estimated CRISPR activity (array length, transciptomic data, etc.)

- Inferring direction: Directed networks have a host of available analytic tools Undirected networks do not
- Continuous CRISPR activity: Labeling nodes by estimated CRISPR activity (array length, transciptomic data, etc.)
- Gene function analysis: Considering the transfer dynamics of different functional classes of genes

- Inferring direction: Directed networks have a host of available analytic tools Undirected networks do not
- Continuous CRISPR activity: Labeling nodes by estimated CRISPR activity (array length, transciptomic data, etc.)
- Gene function analysis: Considering the transfer dynamics of different functional classes of genes
- Studying movement of CRISPR systems: Studying how frequently CRISPR systems themselves are transferred from arrays, Cas genes

- Inferring direction: Directed networks have a host of available analytic tools Undirected networks do not
- Continuous CRISPR activity: Labeling nodes by estimated CRISPR activity (array length, transciptomic data, etc.)
- Gene function analysis: Considering the transfer dynamics of different functional classes of genes
- Studying movement of CRISPR systems: Studying how frequently CRISPR systems themselves are transferred from arrays, Cas genes
- Intergenic comparisons: Combine any set of fasta files from OTUs for analyzing transfer dynamics

- Inferring direction: Directed networks have a host of available analytic tools Undirected networks do not
- Continuous CRISPR activity: Labeling nodes by estimated CRISPR activity (array length, transciptomic data, etc.)
- Gene function analysis: Considering the transfer dynamics of different functional classes of genes
- Studying movement of CRISPR systems: Studying how frequently CRISPR systems themselves are transferred from arrays, Cas genes
- Intergenic comparisons: Combine any set of fasta files from OTUs for analyzing transfer dynamics
- Considering bacterial ecology and environments: Consider geographically close OTUs or differences between networks due to environmental factors

# Is Sharing Caring?

# Is Sharing Caring?

Yes, for researchers

# Is Sharing Caring?

Yes, for researchers Jury's still out for bacteria

#### **Thanks**

#### Thank you to

- Dr. G. Brian Golding
- Dr. Ben Evans
- The Golding lab
  - Caitlin Simopoulos
  - Daniella Lato
  - Zachery Dickson
  - Sam Long
  - Geoge Long
  - Lucy Zhang
  - Brianne Laverty
  - Nicole Zhang
- Everyone here for listening



All code used for this project is available at https://github.com/DJSiddharthVader/thesis\_SidReed

# References (1)

- Grissa, I. and Drevet, C. and Couvin, D. (2017). *CRISPRdb*. http://crispr.i2bc.paris-saclay.fr/. Online; accessed 22 October 2018.
- Rath, Devashish et al. (2015). "The CRISPR-Cas immune system: Biology, mechanisms and applications". In: *Biochimie* 117. Special Issue: Regulatory RNAs, pp. 119–128. ISSN: 0300-9084.
- Popa, Ovidiu and Tal Dagan (2011). "Trends and barriers to lateral gene transfer in prokaryotes". In: *Current Opinion in Microbiology* 14.5. Antimicrobials/Genomics, pp. 615–623. ISSN: 1369-5274.
- Bondy, J. A. and U. S. R. Murty (2002). *Graph theory with applications*. Wiley.
- Stern, Adi et al. (2010). "Self-targeting by CRISPR: gene regulation or autoimmunity?" In: *Trends in Genetics* 26.8, pp. 335–340. ISSN: 0168-9525.

# References (2)

- Dzidic, Senka and Vladimir Bedeković (2003). "Horizontal gene transfer-emerging multidrug resistance in hospital bacteria". In: *Acta pharmacologica Sinica* 24.6, pp. 519–526.
  - Bondy-Denomy, J. and A. R. Davidson (2014). "To Acquire Or Resist: The Complex Biological Effects Of CRISPR-Cas systems". In: *Trends Microbio*. 22.4, pp. 218–25.
  - Watson, Bridget N. J., Raymond H. J. Staals, and Peter C. Fineran (2018). "CRISPR-Cas-Mediated Phage Resistance Enhances Horizontal Gene Transfer by Transduction". In: *mBio* 9.1. Ed. by Joseph Bondy-Denomy and Michael S. Gilmore.
- Godde, James S. and Amanda Bickerton (June 2006). "The Repetitive DNA Elements Called CRISPRs and Their Associated Genes: Evidence of Horizontal Transfer Among Prokaryotes". In: *Journal of Molecular Evolution* 62.6, pp. 718–729. ISSN: 1432-1432.

# References (3)


- Zhang, Quan and Yuzhen Ye (Feb. 2017). "Not all predicted CRISPR–Cas systems are equal: isolated cas genes and classes of CRISPR like elements". In: *BMC Bioinformatics* 18.1, p. 92. ISSN: 1471–2105.
- Makarova, K. S. et al. (2011). "Evolution and classification of the CRISPR-Cas systems". In: *Nat. Rev. Microbiol.* 9.6, pp. 467–477.
- Guimaraes, L. C. et al. (2015). "Inside the Pan-genome Methods and Software Overview". In: *Curr. Genomics* 16.4, pp. 245–252.
- Rasko, David A. et al. (2008). "The Pangenome Structure of Escherichia coli: Comparative Genomic Analysis of E. coli Commensal and Pathogenic Isolates". In: *Journal of Bacteriology* 190.20, pp. 6881–6893. ISSN: 0021-9193.

# References (4)

- Berglund, Björn (2015). "Environmental dissemination of antibiotic resistance genes and correlation to anthropogenic contamination with antibiotics". In: *Infection Ecology & Epidemiology* 5.1, p. 28564.
- Kunin, V. et al. (2005). "The net of life: reconstructing the microbial phylogenetic network". In: *Genome Res.* 15.7, pp. 954–959.
  - Ravenhall, Matt et al. (May 2015). "Inferring Horizontal Gene Transfer". In: *PLoS Computational Biology* 11.5, pp. 1–16.
  - Onnela, J. P. et al. (2005). "Intensity and coherence of motifs in weighted complex networks". In: *Phys Rev E Stat Nonlin Soft Matter Phys* 71.6 Pt 2, p. 065103.
  - Newman, M. E. (2002). "Assortative mixing in networks". In: *Phys. Rev. Lett.* 89.20, p. 208701.
- (2004). "Analysis of weighted networks". In: Phys Rev E Stat Nonlin Soft Matter Phys 70.5 Pt 2, p. 056131.


## Diversity & Ubiquity

- 45% of bacteria have CRISPR loci (n = 6782) (Grissa, I. and Drevet, C. and Couvin, D., 2017)
- 3 Main Types, multiple sub types (Bondy-Denomy and Davidson, 2014)
- CRISPR arrays represent unique life history of an organism
- 11% 28% are false or orphaned CRISPR loci (Zhang and Ye, 2017)




(Makarova et al., 2011)

## CRISPR Biotech Application




(Rath et al., 2015)

## Pan-Genomes




(Guimaraes et al., 2015)




(Rasko et al., 2008)

## **HGT** Applications




(Berglund, 2015)

# Prokaryotic "Net of Life"




(Kunin et al., 2005)

## Phylogenomic Network Construction



(Ravenhall et al., 2015)


# Sphingomonas Species Tree




#### **Network Statistics**

- Average Node Degree:  $\frac{1}{|N_u|} \sum_{uv}^{N_u} w_{uv}$  where  $N_u$  is the set of nodes incident to u
- Node Clustering Coefficient:  $\frac{1}{k_u(k_u-1)} \sum_{vw}^{T(u)} (\hat{w}_{uw} \hat{w}_{vw} \hat{w}_{uv})^{\frac{1}{3}}$  where T(u) is the set of triangles containing u (Onnela et al., 2005)
- Node Assortativity:  $A = \frac{Tr(M) ||M^2||}{1 ||M^2||}$  Where M is the mixing matrix of a given attribute and ||M|| is the sum of all elements of M.  $A \in [-1,1]$ . (Newman, 2002)
- Network Modularity:  $Q = \frac{1}{2m} \sum_{uv}^{W} [W_{uv} \frac{k_u k_v}{2m}] \delta(u, v)$  where m is the total weight of alledges,  $k_u$  is the degree of u and  $\delta(u, v)$  is 1 if u and v both have or do not have CRISPR systems and 0 otherwise.  $Q \in [-1, 1]$  (Newman, 2004)

### Genus Size Distribution



## Branch Partition Example



## Indel Rate Pair Plot

