

1):S99–S102.

Winell JJ, Davidson RS. Talipes equinovarus (clubfoot).

Kliegman RM, Stanton BF, St Geme JW, et al. *Nelson textbook of pediatrics*. ed 20. Saunders/Elsevier: Philadelphia; 2016.

Winsley R, Matos N. Overtraining and elite young athletes. *Med Sport Sci*. 2011;56:97–105.

*For information on specially adapted molded-plastic chairs for children who have spica casts, contact Snug Seat at 800-336-7684; <http://www.snugseat.com/en-US/Welcome-to-Snug-Seat.aspx>. The E-Z-On vest is a special safety harness for larger children with poor trunk control. Additional safety restraints and a listing of distributors are available from SafetyBeltSafe U.S.A., <http://www.carseat.org>. Another resource is the National Center for the Safe Transportation of Children with Special Health Care Needs; 800-543-6227; <http://www.preventinjury.org/Special-Needs-Transportation/Child-Seats-for-Children-with-Special-Needs>.

*804 W. Diamond Ave., Suite 210, Gaithersburg, MD 20878; 800-981-2663; <http://www.oif.org>.

*5 Cabot Place, Stoughton, MA 02072; 800-673-6922; <http://www.scoliosis.org>.

*Exclusion: (a) Psoriasis/history of psoriasis in the patient or first-degree relative; (b) arthritis in an HLA-B27-positive male beginning after the sixth birthday; (c) ankylosing spondylitis, enthesitis-related arthritis, sacroiliitis with inflammatory bowel disease, Reiter syndrome, or symptomatic anterior uveitis, or a history of one of these disorders in a first-degree relative; (d) the presence of immunoglobulin M rheumatoid factor (RF) on at least two occasions at least 3 months apart; (e) the presence of systemic JIA in the patient.