- deaths: expansion of recommendations for a safe infant sleeping environment. *Pediatrics*. 2011;128(5):1030–1039.
- American Dietetic Association, Pediatric Nutrition Practice Group. *Guidelines for preparation of human milk and formula in health care facilities*,. ed 2. American Dietetic Association: American Dietetic Association; 2011.
- Association of Women's Health, Obstetric and Neonatal Nurses. *Neonatal skin care evidence-based clinical practice guideline*, ed 3. The Association: Washington DC; 2013.
- Atchan M, Davis D, Foureur M. The impact of the Baby Friendly Health Initiative in the Australian health care system: a critical narrative review of the evidence. *Breastfeed Rev.* 2013;21(2):15–22.
- Ballard JL, Khoury JC, Wedig K, et al. New Ballard Score, expanded to include extremely premature infants. *J Pediatr*. 1991;119(3):417–423.
- Banihani OI, Fox JA, Gander BH, et al. Complete penile amputation during ritual neonatal circumcision and successful replantation using postoperative leech therapy. *Urology*. 2014;84(2):472–474.
- Barthold JS, Hossain J, Olivant-Fisher A, et al. Altered infant feeding patterns in boys with acquired nonsyndromic cryptorchidism. *Birth Defects Res A Clin Mol Teratol*. 2012;94(11):900–907.
- Basnet S, Schneider M, Gazit A, et al. Fresh goat's milk for infants: myths and realities—a review. *Pediatrics*. 2010;125(4):e973–e977.
- Behring A, Vezeau TM, Fink R. Timing of the newborn first bath: a replication. *Neonat Netw.* 2003;22(1):39–46.
- Bergman NJ. Neonatal stomach volume and physiology suggest feeding at 1-h intervals. *Acta Paediatr*. 2013;102(8):773–777.
- Biran V, Gourrier E, Cimerman P, et al. Analgesic effects of EMLA cream and oral sucrose during venipuncture in preterm infants. *Pediatrics*. 2011;128(1):e363–e370.
- Blackburn ST. *Maternal, fetal, and neonatal physiology: a clinical perspective,.* ed 4. Saunders: St Louis; 2013.
- Brady-Fryer B, Wiebe N, Lander JA. Pain relief for neonatal circumcision. *Cochrane Database Syst Rev.* 2009;18(4)