

- Corpeleijn WE, Kouwenhoven SMP, Paap MC, et al. Intake of own mother's milk during the first days of life is associated with decreased morbidity and mortality in very low birth weight infants during the first 60 days of life. *Neonatology*. 2012;102(4):276–281.
- Dailey TL, Coustan DR. Diabetes in pregnancy. *NeoReviews*. 2010;11(11):e619–e625.
- D'Apolito K. Breastfeeding and substance abuse. *Clin Obstet Gynecol*. 2013;56(1):202–211.
- de Boer JC, Smit BJ, Mainous RO. Nasogastric tube position and intragastric air collection in a neonatal intensive care population. *Adv Neonatal Care*. 2009;9(6):293–298.
- Demirel G, Akar M, Celik I, et al. Single versus multiple dose intravenous immunoglobulin in combination with LED phototherapy in the treatment of ABO hemolytic disease in neonates. *Int J Hematol*. 2011;93(6):700–703.
- Diehl-Jones WL, Fraser Askin D. Hematologic disorders. Verklan MT, Walden M. *Core curriculum for neonatal intensive care nursing*. ed 5. Saunders/Elsevier: St Louis; 2014.
- Donohue PK, Gilmore MM, Cristofalo E, et al. Inhaled nitric oxide in preterm infants: a systematic review. *Pediatrics*. 2011;127(2):e414–e422.
- Downey LC, Smith PB, Benjamin DK Jr. Risk factors and prevention of late-onset sepsis in premature infants. *Early Hum Dev*. 2010;86(Suppl 1):7–12.
- Durbin DR, Committee on Injury, Violence, and Poison Prevention. Child passenger safety. *Pediatrics*. 2011;127(4):e1050–e1066.
- Edris AA, Ghany EA, Razek AR, et al. The role of intensive phototherapy in decreasing the need for exchange transfusion in neonatal jaundice. *J Pak Med Assoc*. 2014;64(1):5–8.
- Edwards AD, Brocklehurst P, Gunn AJ, et al. Neurological outcomes at 18 months of age after moderate hypothermia for perinatal hypoxic ischemic encephalopathy: synthesis and meta-analysis of trial data. *BMJ*. 2010;340:c363.
- Elalfy MS, Elbarbary NS, Abaza HW. Early intravenous immunoglobulin (two-dose regimen) in the management of