

- Barr RG. Preventing abusive head trauma resulting from a failure of normal interaction between infants and their caregivers. *Proc Natl Acad Sci U S A*. 2012;109(Suppl 2):17294–17301.
- Benson BE, Hoppu K, Troutman WG, et al. Position paper update: gastric lavage for gastrointestinal decontamination. *Clin Toxicol (Phila)*. 2013;51(3):140–146.
- Bhargava S. Diagnosis and management of common sleep problems in children. *Pediatr Rev*. 2011;32(3):91–98.
- Bond GR, Woodward RW, Ho M. The growing impact of pediatric pharmaceutical poisoning. *J Pediatr*. 2012;160(2):265–279.
- Bose-O'Reilly S, McCarthy KM, Steckling N, et al. Mercury exposure and children's health. *Curr Probl Pediatr Adolesc Health Care*. 2010;40(8):186–215.
- Breyer RJ, MacPhee D. Community characteristics, conservative ideology, and child abuse rates. *Child Abuse Negl*. 2015;41:126–135.
- Bronstein AC, Spyker DA, Cantilena LR Jr, et al. 2011 Annual report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 29th annual report. *Clin Toxicol (Phila)*. 2012;50(10):911–1164.
- Campbell C, Gracely E, Tran M, et al. Primary prevention of lead exposure—blood lead levels at age two years. *Int J Environ Res Public Health*. 2012;9(4):1216–1226.
- Centers for Disease Control and Prevention. *Managing elevated blood lead levels among young children: recommendations from the Advisory Committee on Childhood Lead Poisoning Prevention*. Author: Atlanta; 2002.
- Centers for Disease Control and Prevention. Blood lead levels in children aged 1–5 years—United States, 1999–2010. *MMWR Morb Mortal Wkly Rep*. 2013;62(13):245–248.
- Centers for Disease Control and Prevention Advisory Committee on Childhood Lead Poisoning Prevention. *CDC response to Advisory Committee on Childhood Lead Poisoning Prevention recommendations in “low level lead exposure harms children: a renewed call of primary prevention,”*. http://www.cdc.gov/nceh/lead/acclpp/final_document_0307 2012.