

- restraint seat until 24 months old
- b. Allowing the child to ride in the front seat with a lap-shoulder seat restraint to avoid emotional outbursts
  - c. Allowing the child to ride in a forward-facing booster restraint seat after 12 months old
  - d. Placing the child in the regular seat using the lap-shoulder belt as long as the child weighs at least 45 pounds
6. One of the primary reasons for monitoring the toddler's activities and intervening to prevent accidental injury is that:
- a. Toddlers have oppositional defiant behavior and negativism.
  - b. Toddlers do not understand the concept of “cause and effect,” so explaining that certain actions will result in serious injury is useless.
  - c. Toddlers will often listen to reasoning about why an activity should be avoided.
  - d. Toddlers enjoy making their parents worry about their safety and like to see the parents' reactions to the behavior.

## Correct Answers

1. b; 2. a; 3. c; 4. a, b, d, e; 5. a

## References

- Abraham VM, Gaw CE, Chounthirath T, et al. Toy-related injuries among children treated in US emergency departments, 1990-2011. *Clin Pediatr*. 2015;54(2):127–137.
- American Academy of Pediatric Dentistry. *Guideline on infant oral health care*.  
[http://www.aapd.org/media/Policies\\_Guidelines/G\\_InfantC](http://www.aapd.org/media/Policies_Guidelines/G_InfantC)  
2014.
- American Academy of Pediatric Dentistry. *Policy on early childhood caries (ECC): classifications, consequences, and preventive strategies*.  
[http://www.aapd.org/media/Policies\\_Guidelines/P\\_ECCCla](http://www.aapd.org/media/Policies_Guidelines/P_ECCCla)  
2014.