

2010. *MMWR Morb Mortal Wkly Rep.* 2011;60(1):13–15.
- Centers for Disease Control and Prevention. Use of 13-valent pneumococcal conjugate vaccine and 23-valent pneumococcal polysaccharide vaccine among children aged 6–18 years with immunocompromising conditions: recommendation of the advisory committee on immunization practices (ACIP). *MMWR Morb Mortal Wkly Rep.* 2013;62(25):521–524.
- Centers for Disease Control and Prevention. Updated recommendations for use of tetanus toxoid, reduced diphtheria toxoid, and acellular pertussis vaccine (Tdap) in pregnant women—advisory committee on immunizations practices (ACIP), 2012. *MMWR Morb Mortal Wkly Rep.* 2013;62(7):131–135.
- Cook IF, Murtagh J. Ventrogluteal area—a suitable site for intramuscular vaccination in infants and toddlers. *Vaccine.* 2006;24(13):2403–2408.
- Costello JM, Alexander ME, Greco KM, et al. Lyme carditis in children: presentation, predictive factors, and clinical course. *Pediatrics.* 2009;123(5):e835–e841.
- Coyer SM. Understanding parental concerns about immunizations. *J Pediatr Health Care.* 2002;16(4):193–196.
- Diggle L, Deeks J. Effect of needle length on incidence of local reactions to routine immunizations in infants aged 4 months: randomized controlled trial. *BMJ.* 2000;321(7266):931–993.
- Diggle L, Deeks JJ, Pollard AJ. Effect of needle size and immunogenicity and reactogenicity of vaccines in infants: a randomized controlled trial. *BMJ.* 2006;333(7568):571.
- Doggett SL, Dwyer DE, Peñas PF, et al. Bed bugs: clinical relevance and control options. *Clin Microbiol Rev.* 2012;25(1):164–192.
- Eisenstein L, Bodager D, Ginzl D. Outbreak of giardiasis and cryptosporidiosis associated with a neighborhood interactive water fountain—Florida, 2006. *J Environ Health.* 2008;71(3):18–22.
- Fisher RG, Chan RL, Hair PS, et al. Hypochlorite killing of community-acquired methicillin-resistant *Staphylococcus aureus*. *Pediatr Infect Dis J.* 2008;27(10):934–935.