

risk and benefits of, [214](#), [214b](#)

Cirrhosis, [721](#)

CKD. *See* [Chronic kidney disease \(CKD\)](#)

Classroom placement, appropriate, attention-deficit/hyperactivity disorder and, [469](#)

Clavicle, fracture of, birth-related, [231](#)

Clean intermittent catheterization (CIC), [987-988](#)

Clean-catch specimens, [598](#)

Cleft lip, [723-725](#), [723f](#)

Cleft palate, [723-725](#)

Clinical reasoning, [10-13](#)

Clitoris, [107](#)

Cloaca, [731](#)

Cloacal exstrophy, [856](#)

Clonidine, for pain, [130t](#)

Closed fracture, [949](#)

*Clostridium botulinum*, diarrhea due to, [697t-699t](#)

*Clostridium difficile*, diarrhea due to, [697t-699t](#), [699](#)

*Clostridium perfringens*, diarrhea due to, [697t-699t](#)

*Clostridium tetani*, in tetanus, [997](#)

Clove oil, for Lyme disease, [187](#)

Clubbing, [758-759](#), [759f](#)

Clubfoot, [963-964](#), [963f](#)

Clubs, for school-age child, [433-434](#)

Coanalgesic drugs, for pain management, [127](#), [130t](#)

Coarctation of aorta, [746b-748b](#)

Co-bedding, of twins, [223-224](#), [223f](#)

Cocaine