is taught the correct procedure (see Chapter 20).

Children who need glasses to correct refractive errors need time to adjust to wearing glasses. Young children who often pull off glasses benefit from temporal pieces that wrap around the ears or an elastic strap attached to the frames and around the back of the head to hold the glasses on securely. Once children appreciate the value of clear vision, they are more likely to wear the corrective lenses.

Glasses should not interfere with any activity. Special protective guards are available during contact sports to prevent accidental injury, and all corrective lenses should be made from safety glass, which is shatterproof. Often, corrective lenses improve visual acuity so dramatically that children are able to compete more effectively in sports. This in itself is a tremendous inducement to continue wearing glasses.

Contact lenses are a popular alternative to conventional glasses, especially for adolescents. Several types are available, such as hard lenses, including gas-permeable ones, and soft lenses, which may be designed for daily or extended wear. Contact lenses offer several advantages over glasses, such as greater visual acuity, total corrected field of vision, convenience (especially with the extended-wear type), and optimal cosmetic benefit. Unfortunately, they are usually more expensive and require much more care than glasses, including considerable practice to learn techniques for insertion and removal. If they are prescribed, the nurse can be helpful in teaching parents or older children how to care for the lenses.

Because trauma is the leading cause of visual impairment, the nurse has the major responsibility of preventing further eye injury until specific treatment is instituted. The major principles to follow when caring for an eye injury are outlined in the Emergency Treatment box earlier in the chapter. Because patients with a serious eye injury fear visual impairment, the nurse should stay with the child and family to provide support and reassurance.

Hearing-Visual Impairment

The most traumatic sensory impairment is loss of both vision and hearing, which may have profound effects on the child's development. These losses interfere with the normal sequence of