adolescent patient?

- a. Begin with sensitive issues then proceed with less sensitive topics
- b. Assume you understand the adolescent by including your own experiences
- c. Interview the adolescent with the parents to ensure accuracy
- d. Ask open-ended questions
- 4. Which of the following immunization booster vaccines should be considered for a 12-year-old adolescent who has completed all recommended routine childhood vaccinations? Select all that apply.
 - a. DTaP vaccine
 - b. Tdap vaccine
 - c. Meningococcal vaccine
 - d. Pneumococcal vaccine
 - e. Hepatitis B vaccine
- 5. As a nurse caring for children, an understanding of childhood depression is essential. Some important information about depression includes which of the following statements? Select all that apply.
 - a. Authorities agree that childhood depression exists, and the manifestations are often similar to adult depression.
 - b. Identification of the depressed child requires a careful history taking (e.g., health, growth and development, social and family health); interviews with the child; and observations by the nurse, parents, and teachers.
 - c. If antidepressants are prescribed, the child and family need to know that antidepressants must be at a therapeutic level for 4 to 6 weeks to achieve a beneficial effect.
 - d. Depressed children often exhibit a distinctive style of thinking characterized by low self-esteem, hopelessness, poor social engagement with peers, and a tendency to explain negative events in terms of personal shortcomings.
 - e. Nurses should be aware that depression is a problem that can be easily overlooked in the school-age child and one that can